


National Core Indicators® 2018-19 In-Person Survey (IPS) Report

Health

People secure recommended health services.

What to know about the presentation of Health:



Charts with un-collapsed weighted NCI average

Here's what [collapsed](#) data are



State and weighted NCI averages

The number of respondents (N) is not weighted

Here's what [weighting](#) data means for comparisons



DATA CAUTION!

Many states' data have a large amount of missing data or data recorded as “don't know”

Read about what this means [here](#)

Health

Table 1. Has a primary care doctor or primary care practitioner ('yes' responses only; information may have been obtained through state records).....	6
Table 1B. Has a primary care doctor or primary care practitioner (<i>includes missing and "don't know" responses</i> ; information may have been obtained through state records).....	7
Table 2. In poor health (proxy respondents were allowed for this question; 'poor health' responses only).....	9
Table 3. Had a complete physical exam in the past year ('in the past year' responses only; information may have been obtained through state records).....	11
Table 3B. Had a complete physical exam in the past year (<i>includes missing and "don't know" responses</i> ; information may have been obtained through state records).....	12
Table 4. Had a dental exam in the past year ('within the past six months' and 'within the past year' responses; information may have been obtained through state records).....	14
Table 4B. Had a dental exam in the past year (<i>includes missing and "don't know" responses</i> ; information may have been obtained through state record).....	15
Table 5. Had an eye exam or vision screening in the past year ('within the past year' responses only; information may have been obtained through state records).....	17
Table 5B. Had an eye exam in the past year (<i>includes missing and "don't know" responses</i> ; information may have been obtained through state records).....	18
Table 6. Had a hearing test in the past five years ('within the past five years' responses only; information may have been obtained through state records).....	20
Table 6B. Had a hearing test in the past five years (<i>includes missing and "don't know" responses</i> ; information may have been obtained through state records).....	21
Table 7. Had a Pap test in the past three years (among women 21 and older; 'within the past year', 'within the past two years' and 'within the past three years' responses; information may have been obtained through state records).....	23
Table 7B. Had a Pap test in the past three years (among women 21 and older; <i>includes "not applicable", missing and "don't know" responses</i> ; information may have been obtained through state records).....	24
Table 8. Had a mammogram test in the past two years (among women age 40 and over; 'past year' and 'past two years' responses; information may have been obtained through state records).....	26
Table 8B. Had a mammogram test in the past two years (among women age 40 and over; <i>includes "not applicable", missing and "don't know" responses</i> ; information may have been obtained through state records).....	27
Table 9. Last colorectal cancer screening (among people age 50 and over; information may have been obtained through state records).....	29
Table 9B. Last colorectal cancer screening (among people age 50 and over; <i>includes "not applicable", missing and "don't know" responses</i> ; information may have been obtained through state records).....	30
Table 10. Had a flu vaccine in the past year ('yes' responses only; information may have been obtained through state records).....	32
Table 10B. Had a flu vaccine in the past year (<i>includes missing and "don't know" responses</i> ; information may have been obtained through state records).....	33

Where do these data come from?

Some of the items are from the face-to-face survey. Others are drawn from administrative sources; these instances are noted in the table titles.

Items in this chapter are a part of the NCI Health, Welfare, and Rights domain (or topic area) and comprise the “Health” sub-domain (a specific area of concern within the domain). The Health sub-domain includes items that help determine whether “people secure needed health services”. Read more about NCI domains and sub-domains in the Overview chapter or this report.

What are “collapsed” data?

Many questions in the IPS allow respondents to answer a question with “middle” response like “maybe”, “sometimes” or “in-between”. The tables in this section present collapsed data. That means that two or more response options are grouped together if they are considered to reflect a positive outcome. The table titles explain which options were grouped.

To see the breakout of responses for each option, please see Appendix C.

What is weighting and why do we do it?

The NCI averages are “weighted” to reflect the states’ relative population and sample sizes. We created the weights using the state’s number of valid surveys and its total survey-eligible population. This way, a state that provides services to a larger number of people but uses a sample similar in size to other states has a greater influence on the overall NCI average (that is, its contribution is *proportional to its service population*).

Some states—in this survey year, **IN, MN, TX and WI**—intentionally oversampled one or more subpopulations or geographical regions to get more focused insights, so their weights are calculated slightly differently (using the number of completed surveys and service population sizes in each subpopulation or region). You can read more about this in the Methodology section of the Overview chapter.

The number of respondents (N) for each question *is not* weighted.

DATA CAUTION!

Several states had large amounts of missing data or data recorded as “don’t know.” Where 25% or more of a state’s sample had “don’t know” or missing responses, we used an asterisk (*) to indicate that state’s data should be interpreted with caution as it may not accurately represent the sample or service population.

Note. For those surveyed from RI’s SDS service delivery model, there are no administrative records available from which to pull much of the background information. Therefore, the RI data from the background information section may not be representative of this population.

Presentation of state and weighted NCI averages

Averages

For the most part, the state outcomes are shown in descending order of percentage and are categorized as statistically significantly above the NCI Average, within the range of the NCI Average, or significantly below the NCI Average. Statistical significance is taken to be at or below the .01 level. For those states that fall within the NCI Average range, their ‘always’ or ‘yes’ response was not statistically different from the NCI Average. Other tables show the states listed in alphabetical order and are not tested for significance.

Tables that show significance also break out average results for each state by the type of residence: ICF/IID or other institutional settings, group residence, own home, parent/relative’s home, foster or host home. Figure A on the following page shows, by state, the percentage of people surveyed in each residence type. Please note though that:

- Significance testing was not performed on the breakouts by residence
- The number of people in each residential setting is often too small to allow for valid state-to-state comparisons
- And in many cases, statistically valid conclusions cannot be drawn about differences in results between residence types

Still, we provide this information for states’ internal purposes. It should not be used to compare one state with another.

To protect people’s privacy, we do not show the data when fewer than 20 people from a state or residence type responded to a question (though their responses are included in the NCI average).

Due to the high rate of missing data and “don’t know” responses, some tables in this section are shown

twice. The first table illustrates data as typically reported (by significance tier and averages in descending order, excluding missing data and “don’t know” responses). The second table shows data in alphabetical order and includes the percentage of missing and “don’t know” responses. Data in both sets of tables are weighted.

Figure A. Percentage of people surveyed in each residence type by state

State	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent’s or Relative’s Home	Foster Care or Host Home	N
AL	0%	62%	5%	33%	0%	377
AZ	1%	18%	6%	67%	8%	411
AR	0%	19%	39%	39%	4%	505
CO	0%	16%	17%	45%	22%	649
CT	6%	41%	16%	34%	4%	384
DE	0%	58%	7%	28%	6%	322
FL	0%	30%	18%	51%	1%	867
GA	0%	28%	12%	53%	6%	474
HI	0%	12%	4%	57%	27%	360
IN	0%	0%	34%	64%	2%	742
KS	0%	45%	24%	26%	5%	401
KY	6%	36%	8%	35%	15%	428
ME	2%	31%	22%	22%	23%	392
MI	0%	45%	22%	28%	4%	646
MN	7%	50%	11%	28%	4%	2,061
MO	1%	16%	47%	32%	4%	401
NE	8%	36%	21%	24%	11%	396
NV	0%	59%	15%	22%	4%	408
NH	0%	13%	11%	39%	38%	397
NJ	0%	34%	12%	54%	0%	511
NY	13%	85%	0%	0%	2%	448
NC	14%	20%	7%	54%	6%	627
OH	4%	19%	27%	48%	1%	719
OK	0%	47%	23%	29%	2%	400
OR	0%	28%	20%	34%	19%	420
PA	8%	30%	16%	43%	4%	670
RI	0%	35%	17%	36%	12%	319
SC	2%	37%	16%	45%	0%	483
SD	0%	48%	40%	11%	1%	348
TN	3%	33%	33%	24%	8%	402
TX	17%	25%	5%	33%	20%	2,338
UT	7%	32%	11%	42%	9%	369
VT	0%	9%	12%	31%	48%	342
VA	2%	46%	7%	37%	8%	805
WA	0%	14%	34%	47%	5%	438
WI	2%	21%	33%	39%	5%	860
WY	0%	21%	39%	36%	4%	291
Weighted Total	4%	32%	18%	38%	7%	21,411




Table 1. Has a primary care doctor or primary care practitioner ('yes' responses only; information may have been obtained through state records)

Significantly Above Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
NY	100%	445	100%	100%	n/a	n/a	n/a
VT	100%	346	n/a	100%	100%	100%	99%
TX	99%	2,332	100%	100%	98%	99%	99%

Within Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
NJ	99%	509	n/a	100%	95%	99%	n/a
MO	99%	403	n/a	100%	98%	99%	n/a
OK	99%	400	n/a	99%	99%	98%	n/a
KS	99%	398	n/a	99%	99%	99%	n/a
IN	99%	740	n/a	n/a	99%	99%	n/a
WA	99%	433	n/a	100%	97%	100%	100%
FL	99%	858	n/a	98%	99%	99%	n/a
CO	99%	645	n/a	98%	99%	99%	99%
VA	99%	800	n/a	99%	100%	98%	97%
SD	99%	340	n/a	98%	98%	100%	n/a
HI	98%	360	n/a	98%	n/a	98%	100%
KY	98%	423	100%	97%	100%	98%	98%
DE	98%	299	n/a	99%	95%	96%	n/a
NH	98%	397	n/a	96%	100%	97%	99%
OH	98%	688	100%	100%	97%	98%	n/a
Weighted NCI Average	98%	21,289	99%	99%	97%	97%	99%
CT	98%	384	95%	97%	98%	98%	n/a
MI	98%	651	n/a	98%	97%	98%	100%
ME	97%	394	n/a	97%	98%	96%	99%
NV	97%	394	n/a	98%	97%	96%	n/a
GA	97%	469	n/a	98%	100%	96%	97%
AL	97%	377	n/a	97%	n/a	98%	n/a
WY	97%	290	n/a	100%	97%	97%	n/a
NC	97%	639	99%	98%	97%	96%	100%
RI	97%	348	n/a	97%	98%	97%	100%
UT	97%	364	96%	97%	97%	97%	97%
PA	97%	687	96%	98%	96%	97%	97%
TN	97%	397	n/a	97%	97%	96%	97%
WI	96%	877	n/a	98%	97%	95%	98%
NE	96%	407	97%	97%	96%	96%	93%
MN	96%	1,984	99%	97%	95%	93%	100%
AR	96%	505	n/a	96%	95%	96%	n/a
AZ	96%	406	n/a	96%	100%	95%	100%
OR	96%	414	n/a	96%	95%	94%	99%

Significantly Below Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
SC	95%	486	n/a	94%	99%	94%	n/a

State data with at least 25% "don't knows" and missing data are denoted with an asterisk (*)

See all un-collapsed state data showing responses for all possible response options in Appendix C

Table 1B. Has a primary care doctor or primary care practitioner (*includes missing and “don’t know” responses*; information may have been obtained through state records)

State	Has a primary care doctor or practitioner	Does not have a primary care doctor or practitioner	Missing	Don't know	N
AL	97%	3%	0%	0%	378
AZ	94%	4%	1%	1%	413
AR	95%	4%	0%	1%	510
CO	89%	1%	8%	1%	712
CT	96%	2%	2%	0%	391
DE	86%	2%	7%	6%	342
FL	98%	1%	1%	0%	867
GA	95%	3%	1%	1%	479
HI	98%	2%	1%	0%	363
IN	99%	1%	0%	0%	742
KS	97%	1%	2%	0%	408
KY	97%	2%	1%	0%	429
ME	96%	2%	1%	0%	400
MI	97%	2%	1%	0%	658
MN	91%	4%	5%	1%	2,140
MO	99%	1%	0%	0%	403
NE	94%	4%	2%	1%	418
NV	94%	2%	1%	2%	408
NH	97%	2%	0%	1%	400
NJ	98%	1%	1%	0%	514
NY	99%	0%	0%	1%	448
NC	95%	3%	1%	1%	651
OH	92%	2%	3%	3%	732
OK	99%	1%	0%	0%	400
OR	94%	4%	0%	2%	421
PA	94%	3%	2%	1%	710
RI	94%	3%	1%	2%	358
SC	92%	5%	1%	2%	501
SD	95%	1%	2%	1%	351
TN	95%	3%	2%	0%	406
TX	98%	1%	0%	2%	2,388
UT	95%	3%	2%	0%	372
VT	100%	0%	0%	0%	346
VA	98%	1%	1%	0%	807
WA	97%	1%	0%	1%	441
WI	87%	3%	9%	1%	961
WY	83%	2%	12%	3%	341
Expanded Weighted NCI Average	95%	2%	2%	1%	22,009

State data with at least 25% “don’t knows” and missing data are denoted with an asterisk (*)

See all un-collapsed state data showing responses for all possible response options in Appendix C




Table 2. In poor health (proxy respondents were allowed for this question; 'poor health' responses only)

Significantly Above Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
KY	13%	427	44%	7%	12%	11%	17%
WI	6%	886	n/a	5%	12%	3%	2%

Within Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
SC	6%	487	n/a	9%	7%	4%	n/a
TN	5%	403	n/a	5%	5%	3%	0%
WA	4%	436	n/a	3%	3%	6%	0%
UT	4%	360	0%	7%	3%	3%	6%
RI	4%	348	n/a	1%	6%	4%	6%
OR	3%	409	n/a	4%	5%	4%	1%
MI	3%	648	n/a	3%	6%	2%	0%
WY	3%	300	n/a	0%	4%	5%	n/a
Weighted NCI Average	3%	21,178	4%	3%	4%	3%	3%
TX	3%	2,347	2%	1%	2%	5%	4%
NC	3%	647	6%	2%	3%	2%	0%
OH	3%	714	0%	4%	5%	2%	n/a
ME	3%	371	n/a	4%	4%	3%	1%
PA	3%	670	5%	2%	1%	4%	3%
NJ	3%	502	n/a	5%	0%	2%	n/a
CO	3%	678	n/a	5%	2%	2%	3%
MN	3%	1,972	4%	2%	2%	3%	1%
NV	3%	387	n/a	2%	3%	4%	n/a
SD	3%	314	n/a	3%	2%		n/a
GA	3%	474	n/a	2%	4%	3%	0%
OK	3%	396	n/a	1%	2%	5%	n/a
FL	3%	838	n/a	3%	2%	3%	n/a
VA	2%	802	n/a	1%	4%	4%	2%
AZ	2%	409	n/a	0%	0%	3%	3%
VT	2%	335	n/a	6%	8%	2%	1%
IN	2%	728	n/a	n/a	3%	2%	n/a
KS	2%	389	n/a	2%	3%	1%	n/a
MO	2%	402	n/a	2%	3%	2%	n/a
NE	2%	404	6%	1%	5%	0%	2%
NH	2%	372	n/a	0%	7%	1%	3%
HI	2%	354	n/a	0%	n/a	2%	2%
NY	2%	420	0%	2%	n/a	n/a	n/a
CT	2%	356	5%	2%	2%	1%	n/a

Significantly Below Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
AR	1%	500	n/a	1%	2%	2%	n/a
DE	1%	318	n/a	1%	0%	0%	n/a
AL	1%	375	n/a	1%	n/a	0%	n/a

State data with at least 25% "don't knows" and missing data are denoted with an asterisk (*)

See all un-collapsed state data showing responses for all possible response options in Appendix C




Table 3. Had a complete physical exam in the past year ('in the past year' responses only; information may have been obtained through state records)

Significantly Above Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
AL	98%	373	n/a	97%	n/a	98%	n/a
OK	97%	400	n/a	97%	100%	95%	n/a
NY	96%	445	97%	96%	n/a	n/a	n/a
AR	95%	484	n/a	92%	97%	93%	n/a
KY	94%	385	91%	98%	93%	89%	97%
CO	94%	603	n/a	95%	91%	93%	98%
RI	94%	316	n/a	97%	87%	93%	92%
SD	94%	315	n/a	96%	95%	77%	n/a
CT	93%	342	95%	98%	87%	88%	n/a
TX	93%	2,093	99%	99%	90%	85%	91%
NC	92%	609	91%	97%	81%	91%	94%
IN	92%	726	n/a	n/a	94%	90%	n/a

Within Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
ME	92%	393	n/a	96%	92%	87%	93%
MO	92%	393	n/a	97%	93%	87%	n/a
NJ	92%	496	n/a	96%	92%	90%	n/a
WY	91%	276	n/a	98%	86%	90%	n/a
NE	91%	404	97%	90%	95%	90%	88%
GA	91%	466	n/a	94%	96%	87%	93%
PA	90%	661	89%	95%	88%	87%	96%
FL	90%	853	n/a	94%	93%	87%	n/a
NH	90%	396	n/a	100%	86%	82%	95%
TN	90%	379	n/a	94%	89%	85%	87%
UT	89%	331	100%	94%	91%	83%	88%
WI	89%	847	n/a	89%	86%	90%	98%
Weighted NCI Average	89%	20,078	94%	92%	88%	85%	92%
OH*	89%	538	100%	98%	83%	85%	n/a
AZ	88%	362	n/a	91%	85%	87%	90%
VT	87%	333	n/a	97%	87%	79%	91%
MI	87%	584	n/a	87%	88%	85%	92%
OR	86%	392	n/a	94%	77%	80%	96%
WA	85%	425	n/a	89%	86%	84%	90%
SC	85%	417	n/a	90%	91%	73%	n/a
DE*	83%	227	n/a	84%	n/a	76%	n/a

Significantly Below Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
KS	84%	385	n/a	88%	83%	74%	n/a
VA	82%	787	n/a	87%	77%	74%	84%
NV	74%	373	n/a	77%	70%	72%	n/a
MN	61%	1,915	62%	71%	52%	43%	80%
HI	60%	354	n/a	64%	n/a	60%	56%

State data with at least 25% "don't knows" and missing data are denoted with an asterisk (*)

See all un-collapsed state data showing responses for all possible response options in Appendix C

Table 3B. Had a complete physical exam in the past year (*includes missing and “don’t know” responses*; information may have been obtained through state records)

State	In the past year	Not in the past year	Missing	Don't know	N
AL	97%	2%	0%	1%	378
AZ	77%	11%	0%	12%	413
AR	90%	5%	0%	5%	510
CO	80%	5%	8%	7%	712
CT	82%	6%	2%	10%	391
DE	55%	11%	6%	28%	342
FL	89%	10%	1%	0%	867
GA	88%	9%	0%	2%	479
HI	59%	39%	1%	1%	363
IN	90%	8%	0%	2%	742
KS	79%	15%	2%	3%	408
KY	85%	5%	3%	7%	429
ME	91%	8%	1%	1%	400
MI	77%	12%	2%	9%	658
MN	55%	35%	0%	11%	2,140
MO	90%	8%	0%	2%	403
NE	88%	9%	2%	1%	418
NV	68%	24%	0%	8%	408
NH	89%	10%	1%	0%	400
NJ	89%	8%	1%	3%	514
NY	96%	4%	0%	1%	448
NC	86%	8%	1%	6%	651
OH	65%	8%	3%	23%	732
OK	97%	3%	0%	0%	400
OR	80%	13%	0%	7%	421
PA	84%	9%	2%	5%	710
RI	83%	6%	1%	11%	358
SC	70%	13%	1%	16%	501
SD	84%	6%	3%	7%	351
TN	84%	10%	1%	6%	406
TX	85%	7%	0%	9%	2,388
UT	80%	9%	1%	10%	372
VT	84%	12%	0%	4%	346
VA	80%	18%	0%	2%	807
WA	82%	14%	0%	3%	441
WI	77%	10%	9%	4%	961
WY	74%	7%	12%	7%	341
Expanded Weighted NCI Average	81%	10%	2%	7%	22,009

State data with at least 25% “don’t knows” and missing data are denoted with an asterisk (*)

See all un-collapsed state data showing responses for all possible response options in Appendix C




Table 4. Had a dental exam in the past year ('within the past six months' and 'within the past year' responses; information may have been obtained through state records)

Significantly Above Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
SD	97%	317	n/a	99%	97%	91%	n/a
CT	96%	331	100%	98%	92%	92%	n/a
NE	95%	398	94%	97%	96%	93%	93%
TX	92%	2,082	99%	97%	82%	87%	91%
RI*	92%	257	n/a	97%	94%	89%	80%
DE*	92%	208	n/a	96%	n/a	79%	90%
KY	89%	364	n/a	96%	72%	84%	95%
WY	89%	284	n/a	89%	87%	87%	n/a
PA	88%	563	97%	93%	79%	85%	88%
NJ	87%	460	n/a	93%	86%	83%	n/a
IN	87%	723	n/a	n/a	86%	87%	n/a

Within Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
SC*	86%	369	n/a	97%	90%	67%	n/a
TN	86%	366	n/a	91%	89%	78%	77%
AL	85%	338	n/a	90%	n/a	76%	n/a
UT	84%	295	96%	93%	75%	76%	86%
MO	84%	382	n/a	95%	87%	70%	n/a
NC	83%	565	94%	89%	70%	79%	80%
NY	83%	420	82%	84%	n/a	n/a	n/a
VT	82%	310	n/a	72%	82%	78%	87%
Weighted NCI Average	81%	18,964	89%	86%	79%	77%	84%
FL	81%	835	n/a	89%	80%	77%	n/a
KS	81%	337	n/a	83%	83%	74%	n/a
OH*	80%	447	83%	91%	74%	77%	n/a
AR*	80%	378	n/a	89%	76%	80%	n/a
ME	80%	377	n/a	84%	82%	74%	78%
OR	80%	393	n/a	86%	81%	70%	88%
OK	79%	398	n/a	83%	78%	73%	n/a
AZ	76%	339	n/a	75%	n/a	76%	85%
WA	76%	386	n/a	69%	77%	77%	n/a

Significantly Below Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
NH	75%	377	n/a	84%	64%	71%	79%
GA	75%	427	n/a	87%	71%	65%	93%
CO	75%	608	n/a	88%	66%	64%	83%
WI	74%	854	n/a	77%	70%	80%	80%
MI*	73%	438	n/a	69%	74%	80%	62%
MN	68%	1,986	76%	77%	63%	51%	71%
NV*	66%	276	n/a	67%	60%	67%	n/a
VA	65%	728	n/a	67%	57%	63%	73%
HI	55%	348	n/a	51%	n/a	56%	55%

State data with at least 25% "don't knows" and missing data are denoted with an asterisk (*)

See all un-collapsed state data showing responses for all possible response options in Appendix C

Table 4B. Had a dental exam in the past year (*includes missing and “don’t know” responses*; information may have been obtained through state record)

State	In the past year	Not in the past year	Missing	Don't know	N
AL	76%	13%	0%	11%	378
AZ	62%	20%	1%	17%	413
AR	59%	15%	0%	26%	510
CO	64%	22%	1%	14%	712
CT	81%	4%	2%	13%	391
DE	56%	5%	5%	35%	342
FL	78%	18%	1%	2%	867
GA	67%	23%	1%	10%	479
HI	53%	43%	1%	3%	363
IN	84%	13%	0%	2%	742
KS	67%	16%	2%	15%	408
KY	76%	9%	2%	13%	429
ME	76%	19%	1%	5%	400
MI	49%	18%	2%	31%	658
MN	63%	29%	0%	8%	2,140
MO	79%	16%	0%	5%	403
NE	90%	5%	2%	3%	418
NV	45%	23%	0%	32%	408
NH	71%	24%	3%	3%	400
NJ	78%	12%	1%	10%	514
NY	78%	16%	0%	6%	448
NC	72%	14%	2%	12%	651
OH	49%	12%	3%	36%	732
OK	78%	21%	0%	0%	400
OR	75%	19%	0%	7%	421
PA	69%	10%	2%	18%	710
RI	66%	6%	1%	27%	358
SC	63%	10%	1%	25%	501
SD	88%	2%	3%	7%	351
TN	77%	13%	1%	9%	406
TX	84%	7%	0%	8%	2,388
UT	67%	12%	1%	20%	372
VT	74%	16%	0%	10%	346
VA	59%	31%	0%	9%	807
WA	66%	21%	0%	12%	441
WI	65%	23%	9%	3%	961
WY	74%	9%	12%	5%	341
Expanded Weighted NCI Average	70%	16%	2%	13%	22,009

State data with at least 25% “don’t knows” and missing data are denoted with an asterisk (*)

See all un-collapsed state data showing responses for all possible response options in Appendix C




Table 5. Had an eye exam or vision screening in the past year ('within the past year' responses only; information may have been obtained through state records)

Significantly Above Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
WY	77%	276	n/a	88%	82%	60%	n/a
KY*	77%	273	n/a	86%	81%	66%	78%
SD	74%	305	n/a	75%	75%	55%	n/a
TN	73%	334	n/a	75%	73%	68%	79%
SC*	72%	333	n/a	84%	80%	44%	n/a
DE*	70%	181	n/a	76%	n/a	48%	n/a
PA*	69%	505	78%	83%	55%	57%	88%
AR*	69%	341	n/a	77%	71%	60%	n/a
KS	67%	309	n/a	76%	70%	46%	n/a
TX*	63%	1,744	81%	66%	61%	54%	53%

Within Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
OK	64%	397	n/a	78%	68%	38%	n/a
MO	64%	366	n/a	73%	70%	47%	n/a
RI*	62%	231	n/a	65%	63%	57%	n/a
NJ	62%	418	n/a	78%	67%	51%	n/a
CT*	60%	258	77%	63%	59%	37%	n/a
AZ*	60%	273	n/a	72%	n/a	57%	52%
Weighted NCI Average	58%	16,620	68%	63%	60%	48%	58%
MN	57%	1,838	68%	61%	51%	41%	72%
GA*	57%	342	n/a	63%	60%	49%	68%
WI	57%	843	n/a	61%	61%	53%	51%
NE	56%	383	52%	55%	54%	64%	53%
VA*	55%	440	n/a	60%	54%	48%	53%
NY	55%	411	47%	55%	n/a	n/a	n/a
NC*	54%	441	68%	70%	38%	44%	41%
IN	53%	713	n/a	n/a	60%	49%	n/a
OH*	53%	391	65%	63%	51%	43%	n/a
OR	53%	367	n/a	58%	58%	40%	63%
MI*	53%	329	n/a	51%	65%	44%	n/a
VT*	51%	251	n/a	61%	57%	49%	49%
NV*	51%	226	n/a	53%	59%	41%	n/a

Significantly Below Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
FL	50%	798	n/a	56%	58%	44%	n/a
CO*	49%	468	n/a	51%	48%	46%	52%
WA*	48%	262	n/a	65%	53%	44%	n/a
ME	48%	370	n/a	50%	44%	49%	48%
UT*	47%	197	52%	59%	n/a	33%	n/a
NH	43%	365	n/a	54%	39%	32%	51%
HI	42%	338	n/a	40%	n/a	42%	42%
AL	39%	303	n/a	38%	n/a	40%	n/a

State data with at least 25% "don't knows" and missing data are denoted with an asterisk (*)

See all un-collapsed state data showing responses for all possible response options in Appendix C

Table 5B. Had an eye exam in the past year (*includes missing and “don’t know” responses*; information may have been obtained through state records)

State	In the past year	Not in the past year	Missing	Don't know	N
AL	31%	49%	0%	20%	378
AZ	40%	26%	0%	34%	413
AR	46%	21%	1%	33%	510
CO	32%	33%	1%	33%	712
CT	40%	26%	3%	31%	391
DE	37%	16%	6%	41%	342
FL	46%	46%	3%	5%	867
GA	41%	31%	1%	28%	479
HI	39%	54%	0%	7%	363
IN	51%	45%	0%	4%	742
KS	51%	25%	3%	21%	408
KY	49%	15%	2%	34%	429
ME	45%	48%	1%	7%	400
MI	26%	24%	2%	48%	658
MN	48%	37%	0%	16%	2,140
MO	58%	33%	0%	9%	403
NE	51%	40%	3%	6%	418
NV	28%	27%	1%	44%	408
NH	39%	52%	4%	5%	400
NJ	50%	31%	1%	18%	514
NY	50%	42%	0%	8%	448
NC	36%	31%	1%	32%	651
OH	28%	25%	3%	44%	732
OK	63%	36%	0%	1%	400
OR	46%	41%	0%	13%	421
PA	49%	22%	2%	27%	710
RI	40%	24%	1%	35%	358
SC	48%	19%	1%	33%	501
SD	64%	23%	2%	11%	351
TN	60%	22%	1%	17%	406
TX	47%	28%	0%	25%	2,388
UT	25%	28%	1%	46%	372
VT	37%	36%	0%	27%	346
VA	30%	25%	0%	45%	807
WA	29%	31%	1%	39%	441
WI	49%	37%	9%	5%	961
WY	62%	18%	12%	7%	341
Expanded Weighted NCI Average	43%	32%	2%	23%	22,009

State data with at least 25% “don’t knows” and missing data are denoted with an asterisk (*)

See all un-collapsed state data showing responses for all possible response options in Appendix C




Table 6. Had a hearing test in the past five years ('within the past five years' responses only; information may have been obtained through state records)

Significantly Above Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
TN*	90%	279	n/a	97%	88%	83%	91%
CO*	88%	113	n/a	95%	n/a	85%	86%
PA*	88%	320	93%	93%	79%	79%	n/a
CT*	78%	162	100%	85%	n/a	33%	n/a
NV*	78%	83	n/a	74%	n/a	90%	n/a
NY*	73%	308	78%	72%	n/a	n/a	n/a
AL*	73%	171	n/a	81%	n/a	54%	n/a
VT*	72%	141	n/a	n/a	n/a	63%	77%
AZ*	70%	184	n/a	84%	n/a	65%	n/a
TX*	69%	1,492	97%	72%	83%	46%	53%
DE*	69%	100	n/a	77%	n/a	50%	n/a
SC*	65%	191	n/a	79%	71%	33%	n/a
MN*	65%	927	81%	63%	69%	55%	88%

Within Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
OH*	60%	209	n/a	68%	56%	52%	n/a
KY*	58%	166	n/a	70%	n/a	48%	50%
SD*	58%	165	n/a	57%	63%	n/a	n/a
RI*	56%	152	n/a	66%	n/a	47%	n/a
AR*	54%	234	n/a	68%	58%	44%	n/a
Weighted NCI Average	54%	11,785	87%	65%	48%	42%	57%
UT*	54%	134	100%	50%	n/a	34%	n/a
VA*	52%	266	n/a	61%	35%	47%	41%
NC*	50%	318	75%	61%	n/a	33%	n/a
HI	48%	310	n/a	49%	n/a	51%	43%
KS*	46%	180	n/a	45%	38%	54%	n/a

Significantly Below Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
MI*	45%	210	n/a	58%	36%	34%	n/a
OR*	44%	289	n/a	47%	50%	33%	63%
FL	44%	687	n/a	47%	49%	41%	n/a
GA*	44%	232	n/a	52%	36%	39%	n/a
NE*	43%	298	60%	42%	31%	39%	58%
NJ*	43%	348	n/a	64%	34%	35%	n/a
WA*	41%	223	n/a	55%	39%	41%	n/a
MO*	41%	263	n/a	50%	45%	29%	n/a
ME*	40%	208	n/a	50%	38%	27%	39%
OK	37%	393	n/a	44%	44%	23%	n/a
WY*	36%	223	n/a	26%	34%	37%	n/a
IN	33%	680	n/a	n/a	36%	31%	n/a
NH	32%	345	n/a	42%	33%	25%	35%
WI	31%	781	n/a	28%	33%	29%	27%

State data with at least 25% "don't knows" and missing data are denoted with an asterisk (*)

See all un-collapsed state data showing responses for all possible response options in Appendix C

Table 6B. Had a hearing test in the past five years (*includes missing and “don’t know” responses*; information may have been obtained through state records)

State	In the past 5 years	Not in the past 5 years	Missing	Don't know	N
AL	33%	12%	1%	54%	378
AZ	31%	13%	0%	55%	413
AR	25%	21%	1%	53%	510
CO	14%	2%	1%	83%	712
CT	32%	9%	3%	56%	391
DE	20%	9%	6%	65%	342
FL	35%	45%	2%	19%	867
GA	21%	27%	2%	49%	479
HI	41%	44%	1%	13%	363
IN	31%	61%	0%	8%	742
KS	20%	24%	3%	53%	408
KY	23%	16%	2%	59%	429
ME	21%	31%	2%	46%	400
MI	14%	18%	2%	66%	658
MN	30%	17%	0%	53%	2,140
MO	27%	39%	0%	35%	403
NE	31%	41%	11%	17%	418
NV	16%	4%	0%	80%	408
NH	28%	59%	5%	9%	400
NJ	29%	39%	1%	32%	514
NY	50%	19%	0%	31%	448
NC	24%	25%	1%	50%	651
OH	17%	11%	3%	68%	732
OK	37%	62%	0%	2%	400
OR	30%	38%	0%	31%	421
PA	39%	6%	2%	53%	710
RI	24%	19%	1%	56%	358
SC	25%	13%	1%	61%	501
SD	27%	20%	2%	51%	351
TN	62%	7%	1%	30%	406
TX	38%	17%	0%	45%	2,388
UT	19%	17%	1%	63%	372
VT	29%	12%	0%	59%	346
VA	17%	16%	1%	66%	807
WA	21%	30%	2%	48%	441
WI	25%	55%	9%	11%	961
WY	24%	42%	12%	23%	341
Expanded Weighted NCI Average	29%	25%	2%	44%	22,009

State data with at least 25% “don’t knows” and missing data are denoted with an asterisk (*)

See all un-collapsed state data showing responses for all possible response options in Appendix C




Table 7. Had a Pap test in the past three years (among women 21 and older; ‘within the past year’, ‘within the past two years’ and ‘within the past three years’ responses; information may have been obtained through state records)

Significantly Above Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent’s or Relative’s Home	Foster Care or Host Home
DE	91%	54	n/a	97%	n/a	n/a	n/a
NV*	90%	39	n/a	100%	n/a	n/a	n/a
AL	83%	98	n/a	95%	n/a	70%	n/a
SC	75%	100	n/a	68%	n/a	73%	n/a
PA	75%	132	n/a	83%	86%	62%	n/a
OH	74%	116	n/a	81%	86%	53%	n/a

Within Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent’s or Relative’s Home	Foster Care or Host Home
TX*	78%	76	66%	n/a	n/a	n/a	n/a
RI	72%	60	n/a	78%	n/a	n/a	n/a
KY	68%	76	n/a	91%	n/a	52%	n/a
CT	66%	76	n/a	78%	n/a	40%	n/a
TN	65%	124	n/a	66%	69%	50%	n/a
GA	64%	132	n/a	62%	91%	54%	n/a
AR	63%	124	n/a	74%	71%	42%	n/a
MO	62%	126	n/a	n/a	70%	46%	n/a
HI	61%	109	n/a	n/a	n/a	57%	65%
NJ	61%	146	n/a	84%	73%	46%	n/a
FL	58%	322	n/a	60%	78%	49%	n/a
AZ	58%	71	n/a	n/a	n/a	56%	n/a
WI	57%	329	n/a	64%	70%	48%	n/a
Weighted NCI Average	56%	4,793	51%	61%	71%	45%	52%
CO*	56%	48	n/a	n/a	n/a	n/a	n/a
ME	56%	107	n/a	43%	80%	48%	50%
VA	53%	144	n/a	54%	n/a	48%	n/a
NC	51%	144	65%	71%	n/a	36%	n/a
VT	51%	83	n/a	n/a	n/a	n/a	53%
WY	50%	103	n/a	n/a	65%	16%	n/a
KS	49%	99	n/a	58%	58%	20%	n/a
NE	49%	127	n/a	50%	55%	31%	n/a
SD	49%	80	n/a	29%	66%	n/a	n/a
OR	48%	86	n/a	n/a	n/a	36%	n/a
MI*	47%	102	n/a	49%	50%	46%	n/a
NY	46%	123	n/a	50%	n/a	n/a	n/a

Significantly Below Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent’s or Relative’s Home	Foster Care or Host Home
MN	45%	493	38%	43%	55%	50%	n/a
IN	45%	272	n/a	n/a	73%	32%	n/a
WA	41%	99	n/a	n/a	66%	31%	n/a
OK	41%	162	n/a	55%	37%	18%	n/a
NH	36%	157	n/a	n/a	n/a	31%	37%
UT	33%	54	n/a	n/a	n/a	10%	n/a

State data with at least 25% “don’t knows” and missing data are denoted with an asterisk (*)

See all un-collapsed state data showing responses for all possible response options in Appendix C

Table 7B. Had a Pap test in the past three years (among women 21 and older; *includes “not applicable”, missing and “don’t know” responses; information may have been obtained through state records*)

State	In past 3 years	More than 3 years	Missing	Not applicable	Don't know	N
AZ	10%	7%	0%	61%	21%	413
AR	15%	9%	0%	57%	18%	510
CO	4%	3%	35%	59%	0%	712
CT	13%	7%	3%	58%	20%	391
DE	17%	1%	4%	58%	20%	342
FL	22%	16%	1%	59%	2%	867
GA	18%	10%	1%	54%	16%	479
HI	19%	12%	1%	63%	5%	363
IN	16%	20%	1%	60%	3%	742
KS	12%	13%	2%	60%	13%	408
KY	13%	6%	1%	61%	19%	429
ME	15%	12%	0%	54%	20%	400
MI	7%	8%	1%	59%	24%	658
MN	11%	13%	0%	57%	20%	2,140
MO	19%	12%	1%	63%	5%	403
NE	15%	16%	5%	59%	6%	418
NV	9%	1%	0%	57%	33%	408
NH	14%	25%	5%	54%	3%	400
NJ	17%	11%	1%	59%	12%	514
NY	13%	15%	14%	58%	0%	448
NC	12%	11%	1%	64%	12%	651
OH	12%	4%	2%	61%	20%	732
OK	17%	24%	0%	59%	1%	400
OR	10%	11%	3%	62%	15%	421
PA	14%	5%	2%	59%	20%	710
RI	13%	6%	2%	58%	21%	358
SC	16%	5%	1%	56%	23%	501
SD	11%	12%	2%	57%	19%	351
TN	20%	11%	1%	55%	14%	406
TX	2%	1%	38%	58%	1%	2,388
UT	5%	10%	2%	60%	23%	372
VT	12%	12%	0%	60%	16%	346
VA	10%	9%	1%	59%	22%	807
WA	9%	13%	0%	61%	16%	441
WI	19%	15%	5%	57%	4%	961
WY	15%	15%	4%	57%	9%	341
Expanded Weighted NCI Average	13%	10%	6%	59%	12%	22,009

State data with at least 25% “don’t knows” and missing data are denoted with an asterisk (*)

See all un-collapsed state data showing responses for all possible response options in Appendix C




Table 8. Had a mammogram test in the past two years (among women age 40 and over; 'past year' and 'past two years' responses; information may have been obtained through state records)

Significantly Above Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
DE	92%	39	n/a	90%	n/a	n/a	n/a
SC	88%	82	n/a	87%	n/a	76%	n/a
RI	86%	42	n/a	85%	n/a	n/a	n/a
CT	84%	61	n/a	93%	n/a	n/a	n/a

Within Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
OR	83%	46	n/a	n/a	n/a	n/a	n/a
TX*	82%	62	83%	n/a	n/a	n/a	n/a
AL	81%	63	n/a	92%	n/a	67%	n/a
PA	79%	95	n/a	88%	78%	n/a	n/a
TN	79%	98	n/a	86%	80%	n/a	n/a
NJ	78%	78	n/a	85%	n/a	n/a	n/a
SD	78%	73	n/a	70%	89%	n/a	n/a
GA	77%	81	n/a	71%	n/a	71%	n/a
NE	76%	76	n/a	74%	n/a	n/a	n/a
VT	76%	59	n/a	n/a	n/a	n/a	79%
AR	75%	73	n/a	95%	77%	n/a	n/a
ME	75%	79	n/a	n/a	n/a	n/a	63%
AZ	74%	34	n/a	n/a	n/a	n/a	n/a
KY	72%	50	n/a	85%	n/a	n/a	n/a
OH	71%	73	n/a	77%	72%	n/a	n/a
WY	71%	59	n/a	n/a	89%	n/a	n/a
NV	71%	24	n/a	n/a	n/a	n/a	n/a
FL	71%	147	n/a	81%	84%	50%	n/a
KS	70%	64	n/a	63%	82%	n/a	n/a
Weighted NCI Average	70%	3,099	67%	72%	78%	58%	67%
MN	70%	435	65%	72%	73%	n/a	n/a
MO	69%	72	n/a	n/a	78%	n/a	n/a
MI	69%	81	n/a	64%	n/a	n/a	n/a
NC	69%	84	77%	n/a	n/a	n/a	n/a
WI	68%	189	n/a	70%	81%	66%	n/a
VA	67%	90	n/a	65%	n/a	n/a	n/a
IN	66%	89	n/a	n/a	78%	52%	n/a
UT	65%	49	n/a	n/a	n/a	n/a	n/a
OK	62%	101	n/a	69%	63%	n/a	n/a
WA	61%	46	n/a	n/a	70%	n/a	n/a
NH	61%	76	n/a	n/a	n/a	n/a	72%
CO	50%	32	n/a	n/a	n/a	n/a	n/a

Significantly Below Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
NY	57%	124	n/a	56%	n/a	n/a	n/a
HI	51%	73	n/a	55%	n/a	n/a	47%

State data with at least 25% "don't knows" and missing data are denoted with an asterisk (*)

See all un-collapsed state data showing responses for all possible response options in Appendix C

Table 8B. Had a mammogram test in the past two years (among women age 40 and over; *includes "not applicable", missing and "don't know" responses*; information may have been obtained through state records)

State	In last 2 years ago	More than 2 years	Missing	Not applicable	Don't know	N
AL	13%	3%	0%	75%	8%	378
AZ	6%	2%	0%	88%	4%	413
AR	11%	4%	0%	77%	8%	510
CO	2%	2%	17%	79%	0%	712
CT	13%	3%	2%	77%	6%	391
DE	11%	1%	4%	73%	12%	342
FL	12%	5%	1%	81%	1%	867
GA	13%	4%	1%	75%	7%	479
HI	10%	10%	0%	77%	2%	363
IN	8%	4%	0%	88%	1%	742
KS	11%	5%	2%	78%	4%	408
KY	8%	3%	1%	76%	11%	429
ME	15%	5%	0%	70%	10%	400
MI	9%	4%	1%	74%	12%	658
MN	15%	6%	0%	75%	5%	2,140
MO	12%	5%	1%	79%	2%	403
NE	14%	4%	3%	76%	2%	418
NV	4%	2%	0%	78%	16%	408
NH	12%	7%	3%	77%	1%	400
NJ	12%	3%	1%	78%	6%	514
NY	16%	12%	4%	68%	0%	448
NC	9%	4%	0%	80%	7%	651
OH	7%	3%	2%	78%	10%	732
OK	16%	10%	0%	75%	0%	400
OR	9%	2%	0%	82%	7%	421
PA	11%	3%	2%	75%	10%	710
RI	10%	3%	1%	76%	10%	358
SC	15%	2%	0%	67%	16%	501
SD	16%	5%	1%	73%	5%	351
TN	19%	5%	1%	67%	8%	406
TX	1%	0%	29%	69%	1%	2,388
UT	9%	5%	1%	79%	7%	372
VT	13%	4%	0%	77%	5%	346
VA	8%	4%	1%	75%	13%	807
WA	6%	4%	0%	83%	6%	441
WI	13%	6%	4%	75%	2%	961
WY	12%	5%	3%	76%	4%	341
Expanded Weighted NCI Average	10%	4%	4%	76%	6%	22,009

State data with at least 25% "don't knows" and missing data are denoted with an asterisk (*)

See all un-collapsed state data showing responses for all possible response options in Appendix C




Table 9. Last colorectal cancer screening (among people age 50 and over; information may have been obtained through state records)

Categories are not mutually exclusive

State	Colonoscopy in past 10 years	Flexible sigmoidoscopy in the past 5 years	Fecal occult blood test or fecal immunochemical test in the past year	Never had exam or screening	N
AL	25%	0%	1%	10%	151
AZ	21%	1%	6%	4%	67
AR	33%	1%	3%	12%	170
CO	20%	0%	0%	0%	200
CT	50%	0%	5%	5%	147
DE	39%	0%	0%	1%	125
FL	47%	1%	3%	32%	219
GA	27%	1%	4%	20%	177
HI	21%	2%	16%	30%	121
IN	50%	0%	3%	31%	154
KS	35%	0%	3%	16%	117
KY	25%	1%	2%	10%	157
ME	29%	0%	6%	15%	162
MI	22%	0%	6%	14%	267
MN	30%	0%	1%	0%	818
MO	49%	1%	7%	22%	127
NE	37%	0%	15%	12%	155
NV	5%	0%	0%	5%	86
NH	48%	0%	5%	31%	120
NJ	40%	0%	1%	17%	149
NY	76%	4%	1%	0%	137
NC	40%	1%	5%	12%	171
OH	23%	1%	2%	5%	198
OK	45%	0%	11%	39%	150
OR	30%	2%	17%	17%	148
PA	29%	0%	2%	4%	248
RI	35%	1%	2%	7%	122
SC*	29%	1%	2%	6%	247
SD	54%	1%	4%	7%	134
TN	42%	0%	2%	13%	188
TX	36%	3%	5%	11%	760
UT	37%	0%	0%	6%	79
VT	42%	0%	8%	14%	132
VA	32%	0%	2%	11%	293
WA	24%	0%	4%	14%	116
WI	51%	3%	5%	18%	330
WY	31%	5%	3%	18%	94
Weighted NCI Average	37%	1%	4%	12%	7,236

State data with at least 25% “don’t knows” and missing data are denoted with an asterisk (*)

See all un-collapsed state data showing responses for all possible response options in Appendix C

Table 9B. Last colorectal cancer screening (among people age 50 and over; *includes “not applicable”, missing and “don’t know” responses*; information may have been obtained through state records)

State	Had at least one screening	Missing	Not applicable	Don't know	N
AL	14%	1%	63%	22%	377
AZ	5%	0%	85%	10%	413
AR	16%	0%	68%	16%	510
CO	6%	1%	73%	21%	712
CT	23%	4%	63%	11%	391
DE	15%	5%	61%	19%	333
FL	21%	2%	75%	3%	866
GA	19%	0%	66%	15%	477
HI	23%	1%	69%	7%	363
IN	17%	0%	82%	2%	742
KS	16%	1%	72%	11%	405
KY	14%	1%	63%	22%	427
ME	20%	1%	64%	16%	400
MI	17%	4%	59%	21%	657
MN	12%	0%	66%	22%	2,140
MO	24%	0%	69%	7%	403
NE	24%	5%	61%	10%	417
NV	2%	1%	78%	19%	406
NH	25%	2%	72%	2%	400
NJ	17%	0%	73%	10%	514
NY	23%	21%	56%	0%	448
NC	15%	1%	75%	10%	651
OH	8%	2%	72%	17%	725
OK	35%	0%	65%	0%	400
OR	21%	0%	68%	11%	421
PA	12%	2%	67%	19%	710
RI	17%	0%	67%	16%	357
SC	19%	2%	52%	28%	501
SD	25%	1%	65%	10%	351
TN	26%	4%	53%	17%	406
TX	15%	0%	72%	13%	2,388
UT	9%	1%	78%	11%	371
VT	23%	1%	64%	12%	346
VA	16%	1%	65%	18%	806
WA	11%	1%	74%	14%	441
WI	25%	6%	66%	3%	961
WY	15%	4%	71%	10%	341
Expanded Weighted NCI Average	17%	3%	68%	12%	21,977

State data with at least 25% “don’t knows” and missing data are denoted with an asterisk (*)

See all un-collapsed state data showing responses for all possible response options in Appendix C




Table 10. Had a flu vaccine in the past year ('yes' responses only; information may have been obtained through state records)

Significantly Above Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
MN*	100%	691	100%	100%	100%	100%	100%
CT*	94%	232	100%	98%	92%	76%	n/a
RI*	94%	257	n/a	99%	92%	88%	n/a
SD	93%	281	n/a	93%	94%	80%	n/a
UT*	90%	202	100%	94%	n/a	81%	n/a
NE	89%	348	97%	93%	86%	83%	84%
DE*	89%	180	n/a	90%	n/a	73%	n/a
SC*	88%	304	n/a	98%	86%	69%	n/a
VA*	88%	478	n/a	93%	89%	75%	100%
KY*	87%	263	95%	93%	85%	79%	83%
VT*	86%	239	n/a	93%	78%	85%	87%
ME*	86%	276	n/a	94%	84%	74%	87%
TX*	85%	1,670	98%	91%	57%	72%	79%
AR*	84%	347	n/a	94%	89%	71%	n/a
KS	84%	318	n/a	89%	80%	80%	n/a
TN*	83%	255	n/a	89%	82%	70%	90%
PA*	82%	320	89%	88%	77%	73%	n/a
MI*	80%	358	n/a	89%	74%	67%	86%
NC*	79%	444	100%	89%	54%	66%	96%
OK	79%	400	n/a	87%	76%	71%	n/a
CO	78%	669	n/a	92%	78%	72%	81%

Within Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
OH*	79%	276	100%	89%	75%	71%	n/a
AZ*	78%	221	n/a	95%	n/a	72%	95%
MO	77%	367	n/a	90%	80%	63%	n/a
OR	76%	397	n/a	88%	70%	66%	85%
NJ	73%	436	n/a	86%	81%	63%	n/a
WI	73%	860	n/a	86%	68%	66%	90%
Weighted NCI Average	72%	15,164	78%	75%	74%	65%	82%
NH	72%	354	n/a	73%	78%	65%	78%
WY	71%	287	n/a	89%	68%	58%	n/a
WA	70%	358	n/a	84%	70%	65%	n/a
AL*	67%	274	n/a	71%	n/a	59%	n/a
HI	67%	328	n/a	78%	n/a	60%	79%

Significantly Below Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
GA	66%	368	n/a	69%	62%	64%	72%
IN	62%	726	n/a	n/a	71%	58%	n/a
FL	57%	830	n/a	71%	56%	50%	n/a
NV*	52%	105	n/a	54%	56%	52%	n/a
NY	36%	445	21%	38%	n/a	n/a	n/a

State data with at least 25% "don't knows" and missing data are denoted with an asterisk (*)

See all un-collapsed state data showing responses for all possible response options in Appendix C

Table 10B. Had a flu vaccine in the past year (*includes missing and “don’t know” responses*; information may have been obtained through state records)

State	Flu vaccine in the past year	Not in the past year	Missing	Don't know	N
AL	49%	24%	0%	27%	378
AZ	42%	12%	0%	46%	413
AR	57%	11%	0%	32%	510
CO	73%	21%	4%	3%	712
CT	56%	3%	3%	38%	391
DE	47%	6%	4%	44%	342
FL	55%	41%	2%	2%	867
GA	51%	26%	1%	22%	479
HI	61%	30%	2%	8%	363
IN	61%	37%	0%	2%	742
KS	65%	13%	3%	19%	408
KY	53%	8%	2%	36%	429
ME	59%	10%	2%	29%	400
MI	43%	11%	2%	43%	658
MN	30%	0%	0%	70%	2,140
MO	70%	21%	0%	9%	403
NE	74%	9%	11%	6%	418
NV	13%	12%	1%	74%	408
NH	64%	25%	5%	6%	400
NJ	62%	23%	0%	15%	514
NY	35%	64%	0%	1%	448
NC	54%	14%	1%	31%	651
OH	30%	8%	3%	59%	732
OK	79%	21%	0%	0%	400
OR	72%	23%	0%	6%	421
PA	37%	8%	3%	52%	710
RI	67%	4%	1%	27%	358
SC	54%	7%	2%	38%	501
SD	74%	6%	3%	17%	351
TN	52%	11%	2%	35%	406
TX	58%	10%	0%	32%	2,388
UT	49%	5%	1%	45%	372
VT	60%	10%	0%	31%	346
VA	52%	7%	2%	39%	807
WA	57%	24%	2%	17%	441
WI	64%	24%	9%	3%	961
WY	60%	24%	12%	4%	341
Expanded Weighted NCI Average	51%	20%	2%	27%	22,009

State data with at least 25% “don’t knows” and missing data are denoted with an asterisk (*)

See all un-collapsed state data showing responses for all possible response options in Appendix C