

National Core Indicators® 2018-19 In-Person Survey (IPS) Report

Relationships

People have friends and relationships and are able to maintain their friendships and relationships.

What to know about the presentation of Relationships data:



Charts with un-collapsed weighted NCI average

Here's what [collapsed](#) data are



State and weighted NCI averages

The number of respondents (N) is not weighted

Here's what [weighting](#) data means for comparisons

Relationships

Table 1. Has friends who are not staff or family members ('yes, has friends who are not staff or family' responses only)	6
Table 2. Has best friend (may be staff or family; 'yes' responses only)	8
Table 3. Wants help to meet or keep in contact with friends ('yes' and 'maybe' responses)	10
Table 4. Has friends (may be staff or family) and can see their friends when they want ('yes' responses only)	12
Table 5. Reasons cannot see friends if sometimes or often unable to	14
Table 6. Has other ways of talking, chatting, or communicating with friends when cannot see them ('yes' responses only)	16
Table 7. Can see or communicate with their family when they want (among those who <i>do not live in the family home</i> ; 'yes, sees family whenever wants', or 'chooses not to see family' responses only)	18
Table 8. Often feels lonely ('yes, often' responses only).....	20
Table 9. Can go on a date or is married or living with partner ('yes, can date' or 'is married or living with partner' responses only).....	22

Where do these data come from?

All items in this section were collected as part of the face-to-face survey. Information comes directly from with the person receiving services.

Items in this chapter are a part of the NCI Individuals Outcomes domain (or topic area) and comprise the “Relationships” sub-domain (a specific area of concern within the domain). The Relationships sub-domain includes items that help determine whether “people have friends and relationships”. Read more about NCI domains and sub-domains in the Overview chapter of this report.

What are “collapsed” data?

Many questions in the IPS allow respondents to answer a question with “middle” response like “maybe”, “sometimes” or “in-between”. The tables in this section present collapsed data. That means that two or more response options are grouped together if they are considered to reflect a positive outcome. The table titles explain which options were grouped.

To see the breakout of responses for each option, please see Appendix C.

What is weighting and why do we do it?

The NCI averages are “weighted” to reflect the states’ relative population and sample sizes. We created the weights using the state’s number of valid surveys and its total survey-eligible population. This way, a state that provides services to a larger number of people but uses a sample similar in size to other states has a greater influence on the overall NCI average (that is, its contribution is *proportional to its service population*).

Some states—in this survey year, **IN, MN, TX and WI**—intentionally oversampled one or more subpopulations or geographical regions to get more focused insights, so their weights are calculated slightly differently (using the number of completed surveys and service

population sizes in each subpopulation or region). You can read more about this in the Methodology section of the Overview chapter.

The number of respondents (N) for each question *is not* weighted.

Presentation of state and weighted NCI averages

Averages

State outcomes are shown in descending order of percentage and are categorized as statistically significantly above the NCI Average, within the range of the NCI Average, or significantly below the NCI Average. Statistical significance is taken to be at or below the .01 level. For those states that fall within the NCI Average range, their ‘always’ or ‘yes’ response was not statistically different from the NCI Average.

Tables that show significance also break out average results for each state by the type of residence: ICF/IID or other institutional settings, group residence, own home, parent/relative’s home, foster or host home. Figure A on the following page shows, by state, the percentage of people surveyed in each residence type. Please note though that:

- Significance testing was not performed on the breakouts by residence
- The number of people in each residential setting is often too small to allow for valid state-to-state comparisons
- And in many cases, statistically valid conclusions cannot be drawn about differences in results between residence types

Still, we provide this information for states’ internal purposes. It should not be used to compare one state with another.

To protect people’s privacy, we do not show the data when fewer than 20 people from a state or residence type responded to a question (though their responses are included in the NCI average).

Figure A. Percentage of people surveyed in each residence type by state

State	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home	N
AL	0%	62%	5%	33%	0%	377
AZ	1%	18%	6%	67%	8%	411
AR	0%	19%	39%	39%	4%	505
CO	0%	16%	17%	45%	22%	649
CT	6%	41%	16%	34%	4%	384
DE	0%	58%	7%	28%	6%	322
FL	0%	30%	18%	51%	1%	867
GA	0%	28%	12%	53%	6%	474
HI	0%	12%	4%	57%	27%	360
IN	0%	0%	34%	64%	2%	742
KS	0%	45%	24%	26%	5%	401
KY	6%	36%	8%	35%	15%	428
ME	2%	31%	22%	22%	23%	392
MI	0%	45%	22%	28%	4%	646
MN	7%	50%	11%	28%	4%	2,061
MO	1%	16%	47%	32%	4%	401
NE	8%	36%	21%	24%	11%	396
NV	0%	59%	15%	22%	4%	408
NH	0%	13%	11%	39%	38%	397
NJ	0%	34%	12%	54%	0%	511
NY	13%	85%	0%	0%	2%	448
NC	14%	20%	7%	54%	6%	627
OH	4%	19%	27%	48%	1%	719
OK	0%	47%	23%	29%	2%	400
OR	0%	28%	20%	34%	19%	420
PA	8%	30%	16%	43%	4%	670
RI	0%	35%	17%	36%	12%	319
SC	2%	37%	16%	45%	0%	483
SD	0%	48%	40%	11%	1%	348
TN	3%	33%	33%	24%	8%	402
TX	17%	25%	5%	33%	20%	2,338
UT	7%	32%	11%	42%	9%	369
VT	0%	9%	12%	31%	48%	342
VA	2%	46%	7%	37%	8%	805
WA	0%	14%	34%	47%	5%	438
WI	2%	21%	33%	39%	5%	860
WY	0%	21%	39%	36%	4%	291
Weighted Total	4%	32%	18%	38%	7%	21,411




Table 1. Has friends who are not staff or family members ('yes, has friends who are not staff or family' responses only)

Significantly Above Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
AL	94%	343	n/a	94%	n/a	94%	n/a
ME	92%	330	n/a	92%	87%	96%	94%
GA	87%	312	n/a	83%	88%	88%	90%
AR	86%	387	n/a	92%	90%	79%	n/a
CO	86%	466	n/a	84%	85%	86%	88%
IN	85%	515	n/a	n/a	84%	85%	n/a
NJ	85%	327	n/a	80%	91%	85%	n/a
WY	85%	271	n/a	74%	88%	84%	n/a
OH	84%	516	n/a	85%	83%	85%	n/a
MN	84%	1,553	69%	81%	92%	86%	81%

Within Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
OK	84%	265	n/a	82%	86%	85%	n/a
FL	83%	558	n/a	83%	86%	81%	n/a
CT	83%	261	n/a	80%	91%	80%	n/a
WA	83%	295	n/a	86%	81%	82%	n/a
VA	83%	532	n/a	82%	92%	82%	76%
MO	82%	278	n/a	90%	83%	79%	n/a
RI	82%	282	n/a	67%	83%	87%	86%
NE	82%	291	n/a	80%	82%	86%	92%
VT	82%	251	n/a	n/a	79%	84%	81%
MI	81%	405	n/a	79%	80%	82%	86%
Weighted NCI Average	79%	14,885	72%	76%	82%	80%	76%
NC	79%	356	75%	78%	92%	79%	70%
NV	79%	340	n/a	74%	84%	82%	n/a
SC	78%	478	n/a	76%	80%	82%	n/a
KS	78%	265	n/a	79%	80%	73%	n/a
DE	77%	220	n/a	75%	n/a	80%	n/a
PA	77%	468	n/a	69%	85%	78%	n/a
SD	77%	302	n/a	73%	80%	76%	n/a
TX	76%	1,296	73%	72%	82%	76%	80%
TN	75%	316	n/a	77%	74%	72%	91%
HI	72%	163	n/a	n/a	n/a	75%	63%

Significantly Below Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
WI	74%	639	n/a	71%	74%	75%	83%
OR	71%	295	n/a	67%	77%	78%	56%
NH	71%	293	n/a	72%	81%	74%	64%
NY	71%	238	n/a	71%	n/a	n/a	n/a
UT	68%	228	n/a	64%	66%	70%	71%
AZ	57%	283	n/a	50%	59%	60%	43%
KY	45%	267	n/a	31%	64%	67%	35%




Table 2. Has best friend (may be staff or family; 'yes' responses only)

Significantly Above Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
AL	86%	336	n/a	85%	n/a	88%	n/a
AR	85%	376	n/a	86%	86%	85%	n/a
RI	82%	271	n/a	82%	76%	81%	91%
WY	81%	266	n/a	90%	79%	81%	n/a
OK	81%	256	n/a	80%	81%	81%	n/a
NE	80%	276	n/a	82%	83%	80%	69%
WA	80%	286	n/a	76%	76%	83%	n/a
OH	79%	497	n/a	82%	80%	78%	n/a
VA	79%	510	n/a	82%	73%	76%	79%

Within Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
VT	79%	242	n/a	n/a	74%	78%	79%
TX	78%	1,264	76%	80%	75%	77%	81%
KS	78%	254	n/a	73%	78%	88%	n/a
CT	78%	252	n/a	74%	80%	79%	n/a
NV	77%	335	n/a	78%	78%	72%	n/a
CO	77%	461	n/a	79%	75%	76%	81%
UT	77%	219	n/a	75%	78%	79%	75%
ME	77%	317	n/a	81%	78%	79%	70%
DE	76%	195	n/a	78%	n/a	74%	n/a
SC	76%	469	n/a	76%	74%	78%	n/a
IN	76%	480	n/a	n/a	73%	78%	n/a
NJ	76%	304	n/a	71%	70%	81%	n/a
MN	76%	1,500	70%	77%	75%	76%	74%
FL	75%	519	n/a	79%	68%	77%	n/a
MI	74%	390	n/a	72%	71%	80%	67%
PA	74%	446	n/a	71%	74%	76%	n/a
Weighted NCI Average	74%	14,304	73%	72%	73%	76%	70%
NC	73%	333	n/a	74%	78%	73%	64%
HI	73%	159	n/a	n/a	n/a	71%	76%
TN	72%	303	n/a	73%	70%	72%	86%
MO	71%	266	n/a	74%	73%	69%	n/a
GA	69%	299	n/a	65%	70%	73%	45%
SD	69%	273	n/a	68%	69%	69%	n/a
NH	68%	283	n/a	60%	69%	73%	66%
OR	67%	274	n/a	66%	73%	70%	55%
NY	67%	233	n/a	66%	n/a	n/a	n/a

Significantly Below Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
WI	62%	627	n/a	57%	64%	66%	45%
AZ	59%	271	n/a	53%	64%	61%	46%
KY	45%	262	n/a	36%	42%	61%	44%




Table 3. Wants help to meet or keep in contact with friends ('yes' and 'maybe' responses)

Significantly Above Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
AL	72%	340	n/a	79%	n/a	62%	n/a
OK	68%	254	n/a	78%	56%	63%	n/a
SC	67%	472	n/a	72%	55%	70%	n/a
MI	65%	391	n/a	73%	58%	65%	n/a
NY	62%	229	n/a	63%	n/a	n/a	n/a
NV	62%	332	n/a	69%	42%	61%	n/a
UT	61%	215	n/a	56%	48%	63%	83%
NC	61%	349	n/a	66%	44%	62%	58%
VT	60%	245	n/a	n/a	51%	58%	66%
DE	58%	202	n/a	59%	n/a	60%	n/a
WA	57%	280	n/a	61%	55%	55%	n/a
NE	57%	269	n/a	68%	42%	58%	61%
TX	54%	1,230	63%	59%	43%	54%	47%

Within Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
NH	56%	298	n/a	52%	32%	70%	51%
WY	56%	259	n/a	63%	49%	57%	n/a
RI	55%	273	n/a	69%	43%	46%	71%
OR	55%	275	n/a	53%	49%	64%	49%
NJ	54%	301	n/a	65%	46%	51%	n/a
HI	54%	158	n/a	n/a	n/a	55%	48%
CO	54%	453	n/a	58%	42%	58%	63%
TN	53%	310	n/a	53%	55%	56%	41%
CT	52%	254	n/a	67%	29%	49%	n/a
VA	50%	490	n/a	53%	49%	47%	55%
Weighted NCI Average	48%	14,210	52%	56%	39%	48%	50%
ME	48%	304	n/a	52%	36%	53%	49%
SD	48%	282	n/a	52%	42%	61%	n/a
GA	48%	297	n/a	54%	39%	47%	n/a
FL	46%	530	n/a	57%	38%	45%	n/a
AR	43%	382	n/a	42%	40%	48%	n/a
MO	42%	267	n/a	41%	36%	53%	n/a

Significantly Below Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
MN	45%	1,459	38%	45%	31%	51%	47%
IN	39%	477	n/a	n/a	38%	39%	n/a
WI	37%	631	n/a	42%	30%	46%	59%
OH	36%	491	n/a	54%	30%	34%	n/a
KS	36%	256	n/a	34%	27%	44%	n/a
PA	34%	421	n/a	39%	26%	38%	n/a
AZ	28%	271	n/a	31%	15%	29%	19%
KY	22%	263	n/a	19%	13%	23%	26%




Table 4. Has friends (may be staff or family) and can see their friends when they want ('yes' responses only)

Significantly Above Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
KY	92%	261	n/a	93%	92%	90%	92%
AR	89%	361	n/a	88%	88%	89%	n/a
CT	86%	228	n/a	84%	92%	83%	n/a
PA	86%	387	n/a	88%	89%	83%	n/a
NE	85%	262	n/a	92%	85%	77%	83%

Within Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
SD	85%	265	n/a	86%	88%	66%	n/a
GA	85%	284	n/a	83%	93%	83%	n/a
MO	84%	244	n/a	81%	84%	86%	n/a
AZ	84%	203	n/a	77%	n/a	86%	n/a
VA	82%	470	n/a	86%	82%	76%	82%
FL	82%	489	n/a	80%	85%	82%	n/a
SC	82%	421	n/a	85%	88%	79%	n/a
TN	81%	294	n/a	86%	74%	81%	87%
OK	81%	240	n/a	79%	89%	77%	n/a
OH	81%	466	n/a	84%	83%	79%	n/a
IN	81%	446	n/a	n/a	83%	79%	n/a
WA	80%	261	n/a	83%	82%	77%	n/a
MN	80%	1,408	84%	82%	82%	73%	96%
Weighted NCI Average	79%	13,123	78%	79%	82%	78%	79%
UT	78%	200	n/a	79%	83%	74%	86%
KS	78%	244	n/a	78%	79%	82%	n/a
RI	78%	254	n/a	79%	71%	79%	84%
WY	77%	252	n/a	75%	75%	78%	n/a
MI	77%	358	n/a	73%	78%	78%	90%
NY	76%	191	n/a	75%	n/a	n/a	n/a
NV	75%	297	n/a	71%	88%	79%	n/a
TX	75%	1,146	79%	74%	76%	75%	75%
NJ	75%	286	n/a	75%	72%	77%	n/a
OR	73%	225	n/a	74%	76%	71%	73%
HI	73%	133	n/a	n/a	n/a	70%	71%

Significantly Below Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
WI	75%	534	n/a	68%	79%	78%	n/a
CO	71%	421	n/a	68%	76%	73%	67%
NC	71%	303	n/a	76%	61%	70%	n/a
VT	70%	227	n/a	n/a	61%	69%	72%
AL	70%	329	n/a	72%	n/a	65%	n/a
DE	70%	174	n/a	69%	n/a	67%	n/a
ME	69%	310	n/a	70%	71%	73%	66%
NH	56%	249	n/a	66%	67%	50%	54%

Reasons Cannot Always See Friends When Wants




Table 5. Reasons cannot see friends if sometimes or often unable to

Categories are not mutually exclusive

State	Lack of Transportation	Lack of Support Staff	Rules or Restrictions About Seeing Friends	Money or Cost of Going Out	Difficult to Find Time to Get Together	Other	N
AL	57%	8%	2%	11%	40%	3%	98
AZ	33%	6%	15%	18%	15%	30%	33
AR	10%	10%	2%	20%	37%	12%	41
CO	42%	8%	16%	13%	58%	16%	123
CT	41%	14%	7%	0%	38%	28%	29
DE	31%	10%	12%	2%	25%	18%	51
FL	45%	18%	10%	11%	30%	7%	88
GA	55%	14%	5%	14%	27%	7%	44
HI	32%	18%	6%	0%	12%	35%	34
IN	27%	4%	1%	0%	46%	16%	85
KS	22%	8%	8%	30%	36%	6%	50
KY	36%	23%	23%	41%	36%	0%	22
ME	24%	7%	2%	0%	66%	18%	95
MI	53%	18%	4%	15%	20%	27%	79
MN	54%	28%	10%	9%	35%	13%	244
MO	37%	8%	11%	18%	26%	11%	38
NE	53%	21%	13%	13%	16%	18%	38
NV	36%	11%	27%	5%	29%	14%	73
NH	45%	15%	7%	10%	50%	24%	107
NJ	39%	26%	7%	14%	24%	17%	70
NY	33%	24%	13%	4%	33%	9%	46
NC	44%	14%	2%	10%	32%	25%	84
OH	36%	13%	2%	7%	33%	17%	89
OK	25%	5%	7%	5%	36%	25%	44
OR	27%	8%	2%	8%	47%	23%	60
PA	33%	11%	7%	4%	19%	31%	54
RI	36%	16%	4%	2%	36%	16%	55
SC	37%	7%	5%	0%	11%	28%	76
SD	42%	26%	13%	13%	47%	21%	38
TN	31%	20%	13%	4%	44%	15%	55
TX	32%	12%	12%	6%	25%	25%	278
UT	28%	10%	18%	3%	30%	28%	40
VT	42%	10%	7%	6%	52%	16%	67
VA	35%	7%	10%	4%	20%	31%	83
WA	29%	10%	12%	8%	45%	24%	51
WI	52%	18%	9%	16%	39%	18%	139
WY	48%	7%	16%	7%	34%	22%	58
Weighted NCI Average	39%	14%	8%	9%	33%	19%	2,759




Table 6. Has other ways of talking, chatting, or communicating with friends when cannot see them ('yes' responses only)

Significantly Above Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
KS	88%	238	n/a	85%	93%	88%	n/a
MO	88%	244	n/a	79%	92%	90%	n/a
IN	87%	417	n/a	n/a	92%	84%	n/a
AL	87%	326	n/a	88%	n/a	84%	n/a
FL	86%	488	n/a	76%	94%	88%	n/a
OH	86%	463	n/a	84%	92%	84%	n/a
MN	85%	1,398	78%	81%	95%	85%	92%

Within Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
WY	87%	253	n/a	90%	88%	87%	n/a
VA	85%	477	n/a	86%	95%	82%	83%
GA	85%	287	n/a	87%	98%	80%	n/a
WA	84%	266	n/a	81%	83%	86%	n/a
MI	83%	352	n/a	80%	88%	86%	n/a
WI	83%	536	n/a	76%	94%	73%	71%
SC	83%	419	n/a	87%	89%	77%	n/a
NV	82%	291	n/a	82%	94%	76%	n/a
RI	82%	255	n/a	80%	84%	82%	81%
UT	82%	201	n/a	86%	90%	68%	100%
AR	82%	364	n/a	84%	86%	75%	n/a
Weighted NCI Average	81%	13,042	72%	78%	90%	81%	72%
OK	81%	236	n/a	82%	88%	73%	n/a
CT	81%	228	n/a	76%	96%	79%	n/a
CO	81%	423	n/a	67%	92%	84%	73%
PA	81%	384	n/a	79%	89%	79%	n/a
VT	80%	230	n/a	n/a	82%	83%	78%
NJ	80%	279	n/a	74%	94%	78%	n/a
NE	80%	244	n/a	78%	82%	78%	84%
DE	80%	169	n/a	80%	n/a	84%	n/a
NY	79%	192	n/a	79%	n/a	n/a	n/a
SD	78%	271	n/a	75%	83%	75%	n/a
AZ	76%	204	n/a	63%	n/a	78%	n/a
NC	75%	300	n/a	78%	91%	72%	n/a
OR	75%	222	n/a	70%	83%	81%	55%
NH	75%	252	n/a	74%	91%	72%	70%

Significantly Below Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
TX	75%	1,158	70%	71%	91%	76%	73%
ME	73%	297	n/a	70%	85%	75%	63%
TN	70%	283	n/a	73%	65%	68%	81%
KY	67%	258	n/a	58%	92%	79%	55%
HI	64%	137	n/a	n/a	n/a	73%	43%




Table 7. Can see or communicate with their family when they want (among those who *do not live in the family home*; 'yes, sees family whenever wants', or 'chooses not to see family' responses only)**Significantly Above Weighted NCI Average**

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
IN	93%	188	n/a	n/a	93%	n/a	n/a
WY	90%	153	n/a	91%	89%	n/a	n/a
MN	89%	1,101	89%	89%	92%	n/a	79%
AR	88%	240	n/a	86%	90%	n/a	n/a
SC	88%	247	n/a	88%	88%	n/a	n/a

Within Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
WA	88%	146	n/a	81%	89%	n/a	n/a
CT	88%	161	n/a	84%	93%	n/a	n/a
MO	87%	182	n/a	90%	88%	n/a	n/a
NY	87%	231	n/a	86%	n/a	n/a	n/a
TN	86%	213	n/a	88%	84%	n/a	n/a
SD	86%	246	n/a	84%	88%	n/a	n/a
VA	86%	309	n/a	86%	90%	n/a	80%
OR	86%	175	n/a	87%	87%	n/a	82%
NJ	86%	146	n/a	81%	94%	n/a	n/a
PA	85%	171	n/a	84%	89%	n/a	n/a
UT	85%	138	n/a	85%	87%	n/a	83%
OK	85%	177	n/a	83%	89%	n/a	n/a
WI	84%	341	n/a	84%	85%	n/a	n/a
FL	84%	267	n/a	78%	91%	n/a	n/a
NE	83%	191	n/a	81%	86%	n/a	79%
OH	83%	231	n/a	79%	84%	n/a	n/a
GA	83%	126	n/a	73%	95%	n/a	n/a
Weighted NCI Average	82%	8,552	80%	80%	87%	n/a	77%
CO	82%	238	n/a	91%	79%	n/a	80%
KS	82%	195	n/a	78%	86%	n/a	n/a
RI	81%	147	n/a	88%	81%	n/a	65%
DE	80%	126	n/a	77%	n/a	n/a	n/a
VT	79%	155	n/a	n/a	78%	n/a	82%
NV	79%	247	n/a	74%	89%	n/a	n/a
NC	78%	162	n/a	75%	84%	n/a	82%
MI	78%	254	n/a	78%	80%	n/a	65%
TX	76%	744	78%	69%	88%	n/a	78%
HI	76%	49	n/a	n/a	n/a	n/a	66%
AZ	70%	67	n/a	69%	n/a	n/a	n/a

Significantly Below Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
NH	71%	176	n/a	69%	78%	n/a	70%
ME	71%	231	n/a	66%	75%	n/a	73%
AL	63%	203	n/a	64%	n/a	n/a	n/a
KY	30%	178	n/a	22%	44%	n/a	42%




Table 8. Often feels lonely ('yes, often' responses only)

Significantly Above Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
OK	24%	251	n/a	31%	23%	15%	n/a
SC	18%	475	n/a	23%	16%	12%	n/a
NV	17%	343	n/a	19%	10%	19%	n/a

Within Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
OR	17%	284	n/a	18%	15%	20%	11%
KS	17%	254	n/a	18%	15%	8%	n/a
RI	16%	276	n/a	14%	16%	19%	13%
WY	15%	265	n/a	27%	10%	12%	n/a
UT	14%	223	n/a	19%	19%	11%	4%
VT	14%	251	n/a	20%	16%	11%	13%
DE	13%	203	n/a	17%	n/a	12%	n/a
CT	12%	250	n/a	17%	7%	11%	n/a
NY	12%	235	n/a	12%	n/a	n/a	n/a
TN	12%	309	n/a	14%	15%	11%	0%
IN	12%	498	n/a	n/a	11%	13%	n/a
OH	12%	500	n/a	13%	19%	7%	n/a
WI	12%	637	n/a	14%	13%	8%	9%
CO	12%	460	n/a	16%	10%	10%	11%
SD	12%	292	n/a	13%	11%	6%	n/a
ME	11%	317	n/a	8%	13%	7%	18%
MI	11%	388	n/a	10%	16%	7%	n/a
WA	11%	288	n/a	20%	17%	5%	n/a
Weighted NCI Average	11%	14,459	15%	13%	13%	8%	10%
NH	11%	293	n/a	10%	8%	12%	12%
NJ	11%	308	n/a	11%	24%	6%	n/a
TX	11%	1,271	17%	15%	10%	6%	8%
MO	9%	265	n/a	13%	10%	9%	n/a
AZ	9%	271	n/a	9%	10%	8%	11%
NC	9%	349	n/a	8%	8%	8%	8%
MN	9%	1,533	6%	11%	5%	7%	11%
AR	9%	380	n/a	7%	9%	9%	n/a
PA	9%	452	n/a	11%	12%	7%	n/a
FL	9%	526	n/a	11%	4%	10%	n/a
HI	8%	157	n/a	n/a	n/a	6%	16%
VA	8%	485	n/a	8%	15%	7%	0%
NE	7%	262	n/a	12%	3%	3%	9%

Significantly Below Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
GA	7%	302	n/a	11%	10%	4%	5%
KY	3%	266	n/a	2%	4%	3%	3%
AL	3%	340	n/a	3%	n/a	2%	n/a




Table 9. Can go on a date or is married or living with partner ('yes, can date' or 'is married or living with partner' responses only)

Significantly Above Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
ME	92%	261	n/a	92%	94%	89%	92%
IN	90%	408	n/a	n/a	93%	88%	n/a
AL	89%	328	n/a	91%	n/a	83%	n/a
OH	83%	423	n/a	79%	93%	78%	n/a
WA	82%	216	n/a	75%	86%	85%	n/a
MN	82%	1,277	47%	82%	96%	80%	73%
GA	82%	267	n/a	79%	93%	78%	n/a
OK	82%	217	n/a	84%	90%	71%	n/a
WI	78%	471	n/a	68%	85%	71%	n/a

Within Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
VT	81%	188	n/a	n/a	96%	77%	81%
OR	81%	236	n/a	81%	95%	79%	63%
NV	80%	322	n/a	76%	92%	80%	n/a
TN	80%	211	n/a	81%	81%	78%	n/a
SD	80%	235	n/a	77%	86%	64%	n/a
MO	77%	226	n/a	66%	85%	73%	n/a
FL	77%	435	n/a	72%	90%	73%	n/a
CO	77%	366	n/a	73%	93%	72%	76%
PA	77%	352	n/a	75%	90%	69%	n/a
SC	76%	389	n/a	78%	90%	72%	n/a
Weighted NCI Average	75%	11,929	62%	72%	88%	71%	64%
KS	75%	251	n/a	74%	84%	69%	n/a
WY	74%	220	n/a	78%	80%	65%	n/a
UT	73%	192	n/a	68%	92%	72%	80%
RI	72%	255	n/a	69%	82%	74%	64%
NY	71%	186	n/a	73%	n/a	n/a	n/a
NE	71%	223	n/a	70%	72%	67%	83%
MI	71%	320	n/a	66%	82%	67%	n/a
CT	67%	203	n/a	70%	90%	49%	n/a

Significantly Below Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
VA	68%	400	n/a	72%	78%	62%	56%
AR	68%	341	n/a	69%	80%	54%	n/a
NJ	65%	253	n/a	60%	77%	64%	n/a
NC	63%	295	n/a	54%	82%	60%	n/a
NH	59%	240	n/a	44%	88%	61%	53%
TX	56%	1,104	57%	50%	83%	50%	57%
AZ	55%	209	n/a	34%	n/a	56%	n/a
DE	52%	193	n/a	51%	n/a	43%	n/a
KY	48%	100	n/a	24%	n/a	53%	n/a
HI	47%	116	n/a	n/a	n/a	51%	33%