

National Core Indicators® 2018-19 In-Person Survey (IPS) Report

Rights and Respect

People receive the same respect and protections as others in the community.

What to know about the presentation of Rights and Respect data:



Charts with un-collapsed weighted NCI average

Here's what [collapsed](#) data are



State and weighted NCI averages

The number of respondents (N) is not weighted

Here's what [weighting](#) data means for comparisons

Rights and Respect

Table 1. Others (who do not live in the home) let person know before entering home ('yes' responses only) ...	6
Table 2. Has a key to the home ('yes' responses only; proxy respondents allowed).....	8
Table 3. Wants a key to the home (if does not have one).....	10
Table 4. Can lock bedroom if wants ('yes' responses only; proxy respondents were allowed for this question)	12
Table 5. Others let person know before coming into person's bedroom ('yes' responses only)	14
Table 6. Has a place to be alone in the home ('yes' responses only).....	16
Table 7. Can be alone with friends or visitors at home ('yes, can be alone with friends or visitors' responses only)	18
Table 8. There are rules about having friends or visitors in the home ('there are rules against having friends or visitors in your home' responses only)	20
Table 9. Can stay at home if others in the house go somewhere ('yes' responses only; proxy respondents were allowed for this question)	22
Table 10. Others read person's mail or email without asking ('yes, mail/email is read without permission' responses only)	24
Table 11. Can use phone and internet when wants ('yes, can use anytime, either independently or with assistance' responses only).....	26
Table 12. Has a cell phone or smartphone ('yes' responses only)	28
Table 13. Wants a cell phone or smartphone (if does not have one)	30
Table 14. Reasons does not have a cell phone or smartphone (if does not have one but wants one)	32
Table 15. Staff treat person with respect ('yes – all staff, always' responses only).....	34
Table 16. Has attended a self-advocacy group, meeting, conference or event or had the opportunity and chose not to ('yes' and 'had the opportunity but chose not to participate' responses; proxy respondents were allowed for this question)	36
Table 17. Has voted in local, state, or federal election, or had the opportunity and chose not to ('yes' and 'had the opportunity to register or vote but chose not to' responses; proxy respondents were allowed for this question)	38

Where do these data come from?

All items in this section were collected as part of the face-to-face survey. Information comes directly from the person receiving services, or for some select questions, by a “proxy” respondent. A proxy respondent is someone who knows the person well (e.g., a family member), proxy respondents may not be a case manager/service coordinator. Items that allow for proxy respondents are noted in the table title.

Read more about why we allow proxy respondents for select questions in the IPS in the Overview chapter of this report.

Items in this chapter are a part of the NCI Health, Welfare, and Rights domain (or topic area) and comprise the “Rights and Respect” sub-domain (a specific area of concern within the domain). The Rights and Respect sub-domain includes items that help determine whether “People receive the same respect and protections as others in the community”. Read more about NCI domains and sub-domains in the Overview chapter of this report.

What are “collapsed” data?

Many questions in the IPS allow respondents to answer a question with “middle” response like “maybe”, “sometimes” or “in-between”. The tables in this section present collapsed data. That means that two or more response options are grouped together if they are considered to reflect a positive outcome. The table titles explain which options were grouped.

To see the breakout of responses for each option, please see Appendix C.

What is weighting and why do we do it?

The NCI averages are “weighted” to reflect the states’ relative population and sample sizes. We created the weights using the state’s number of valid surveys and its total survey-eligible population. This way, a state that provides services to a larger number of people but uses a sample similar in size to other states has a greater influence on the overall NCI average (that is, its contribution is *proportional to its service population*).

Some states—in this survey year, **IN, MN, TX and WI**—intentionally oversampled one or more subpopulations

or geographical regions to get more focused insights, so their weights are calculated slightly differently (using the number of completed surveys and service population sizes in each subpopulation or region). You can read more about this in the Methodology section of the Overview chapter.

The number of respondents (N) for each question *is not* weighted.

Presentation of state and weighted NCI averages

Averages

For the most part, the state outcomes are shown in descending order of percentage and are categorized as statistically significantly above the NCI Average, within the range of the NCI Average, or significantly below the NCI Average. Statistical significance is taken to be at or below the .01 level. For those states that fall within the NCI Average range, their ‘always’ or ‘yes’ response was not statistically different from the NCI Average. Other tables show the states listed in alphabetical order and are not tested for significance.

Tables that show significance also break out average results for each state by the type of residence: ICF/IID or other institutional settings, group residence, own home, parent/relative’s home, foster or host home. Figure A on the following page shows, by state, the percentage of people surveyed in each residence type. Please note though that:

- Significance testing was not performed on the breakouts by residence
- The number of people in each residential setting is often too small to allow for valid state-to-state comparisons
- And in many cases, statistically valid conclusions cannot be drawn about differences in results between residence types

Still, we provide this information for states’ internal purposes. It should not be used to compare one state with another.

To protect people’s privacy, we do not show the data when fewer than 20 people from a state or residence type responded to a question (though their responses are included in the NCI average).

Figure A. Percentage of people surveyed in each residence type by state

State	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home	N
AL	0%	62%	5%	33%	0%	377
AZ	1%	18%	6%	67%	8%	411
AR	0%	19%	39%	39%	4%	505
CO	0%	16%	17%	45%	22%	649
CT	6%	41%	16%	34%	4%	384
DE	0%	58%	7%	28%	6%	322
FL	0%	30%	18%	51%	1%	867
GA	0%	28%	12%	53%	6%	474
HI	0%	12%	4%	57%	27%	360
IN	0%	0%	34%	64%	2%	742
KS	0%	45%	24%	26%	5%	401
KY	6%	36%	8%	35%	15%	428
ME	2%	31%	22%	22%	23%	392
MI	0%	45%	22%	28%	4%	646
MN	7%	50%	11%	28%	4%	2,061
MO	1%	16%	47%	32%	4%	401
NE	8%	36%	21%	24%	11%	396
NV	0%	59%	15%	22%	4%	408
NH	0%	13%	11%	39%	38%	397
NJ	0%	34%	12%	54%	0%	511
NY	13%	85%	0%	0%	2%	448
NC	14%	20%	7%	54%	6%	627
OH	4%	19%	27%	48%	1%	719
OK	0%	47%	23%	29%	2%	400
OR	0%	28%	20%	34%	19%	420
PA	8%	30%	16%	43%	4%	670
RI	0%	35%	17%	36%	12%	319
SC	2%	37%	16%	45%	0%	483
SD	0%	48%	40%	11%	1%	348
TN	3%	33%	33%	24%	8%	402
TX	17%	25%	5%	33%	20%	2,338
UT	7%	32%	11%	42%	9%	369
VT	0%	9%	12%	31%	48%	342
VA	2%	46%	7%	37%	8%	805
WA	0%	14%	34%	47%	5%	438
WI	2%	21%	33%	39%	5%	860
WY	0%	21%	39%	36%	4%	291
Weighted Total	4%	32%	18%	38%	7%	21,411




Table 1. Others (who do not live in the home) let person know before entering home ('yes' responses only)

Significantly Above Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
IN	96%	509	n/a	n/a	97%	96%	n/a
VA	95%	526	n/a	94%	98%	96%	92%
AL	94%	343	n/a	94%	n/a	96%	n/a

Within Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
TN	94%	321	n/a	96%	93%	89%	100%
WY	93%	270	n/a	95%	91%	96%	n/a
CO	93%	458	n/a	87%	93%	95%	97%
OK	93%	263	n/a	93%	91%	95%	n/a
FL	93%	561	n/a	92%	94%	93%	n/a
OH	93%	505	n/a	93%	93%	92%	n/a
SC	93%	471	n/a	91%	93%	96%	n/a
WA	93%	295	n/a	89%	90%	95%	n/a
KY	93%	267	n/a	91%	92%	95%	95%
MN	92%	1,523	91%	92%	95%	90%	92%
MO	92%	274	n/a	86%	92%	96%	n/a
TX	92%	1,261	87%	87%	95%	95%	95%
PA	92%	431	n/a	90%	94%	95%	n/a
NE	91%	266	n/a	96%	95%	90%	91%
ME	91%	320	n/a	88%	92%	94%	93%
AR	91%	388	n/a	90%	90%	94%	n/a
Weighted NCI Average	91%	14,626	85%	88%	93%	92%	91%
WI	91%	631	n/a	83%	95%	91%	97%
DE	91%	216	n/a	88%	n/a	92%	n/a
HI	90%	157	n/a	n/a	n/a	91%	91%
NJ	90%	301	n/a	83%	89%	96%	n/a
RI	90%	279	n/a	91%	90%	89%	94%
MI	89%	399	n/a	87%	96%	90%	80%
NH	89%	295	n/a	83%	78%	93%	90%
VT	89%	250	n/a	n/a	95%	88%	88%
KS	89%	267	n/a	89%	91%	90%	n/a
CT	89%	257	n/a	83%	95%	91%	n/a
OR	89%	297	n/a	91%	92%	92%	75%
NC	87%	358	90%	84%	92%	86%	88%
SD	87%	293	n/a	84%	88%	91%	n/a
GA	86%	309	n/a	81%	94%	87%	n/a
UT	85%	222	n/a	72%	94%	90%	100%
NY	85%	230	n/a	85%	n/a	n/a	n/a

Significantly Below Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
AZ	84%	277	n/a	84%	77%	83%	100%
NV	83%	336	n/a	81%	91%	81%	n/a




Table 2. Has a key to the home ('yes' responses only; proxy respondents allowed)

Significantly Above Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
AR	83%	501	n/a	80%	91%	76%	n/a
WY	69%	303	n/a	50%	96%	54%	n/a
NE	67%	403	17%	58%	90%	67%	86%
SD	61%	309	n/a	37%	90%	55%	n/a
RI	61%	348	n/a	40%	91%	68%	44%
IN	59%	727	n/a	n/a	76%	52%	n/a
AL	59%	366	n/a	53%	n/a	64%	n/a
CO	59%	682	n/a	35%	97%	61%	46%
VA	59%	802	n/a	52%	91%	60%	62%
OH	58%	716	7%	33%	72%	63%	n/a
NV	58%	399	n/a	40%	95%	76%	n/a
ME	56%	370	n/a	34%	91%	59%	50%
WA	56%	434	n/a	27%	69%	58%	40%
KS	56%	385	n/a	45%	85%	50%	n/a
SC	54%	496	n/a	28%	92%	64%	n/a

Within Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
OR	54%	414	n/a	34%	93%	61%	32%
WI	53%	898	n/a	11%	91%	49%	33%
FL	52%	820	n/a	42%	88%	45%	n/a
MI	50%	640	n/a	34%	72%	63%	27%
NH	50%	374	n/a	27%	88%	65%	29%
PA	49%	673	11%	22%	91%	59%	55%
DE	48%	289	n/a	34%	75%	72%	n/a
Weighted NCI Average	48%	21,093	12%	31%	80%	53%	40%
CT	45%	357	5%	25%	93%	53%	n/a
MN	43%	1,967	9%	31%	93%	55%	39%
GA	43%	455	n/a	14%	89%	51%	20%
TN	43%	377	n/a	45%	49%	37%	31%
MO	42%	398	n/a	24%	58%	35%	n/a
OK	42%	396	n/a	34%	65%	37%	n/a

Significantly Below Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
NC	42%	646	17%	39%	83%	44%	50%
NJ	42%	495	n/a	16%	92%	48%	n/a
UT	40%	355	4%	29%	76%	46%	34%
VT	40%	335	n/a	16%	87%	55%	24%
TX	38%	2,358	18%	20%	83%	50%	47%
HI	34%	355	n/a	11%	n/a	44%	17%
AZ	33%	409	n/a	13%	72%	34%	35%
KY	31%	423	13%	25%	68%	34%	24%
NY	28%	418	2%	32%	n/a	n/a	n/a




Table 3. Wants a key to the home (if does not have one)

New in 2018-19

State	Yes	Maybe	No	N
AL	45%	30%	25%	144
AR	21%	8%	71%	85
AZ	10%	7%	84%	255
CO	18%	9%	73%	258
CT	20%	6%	74%	156
DE	34%	10%	56%	111
FL	18%	10%	72%	360
GA	19%	22%	59%	234
HI	13%	6%	81%	214
IN	13%	3%	85%	181
KS	27%	1%	72%	135
KY	8%	20%	72%	271
ME	22%	10%	68%	154
MI	19%	11%	70%	280
MN	20%	5%	75%	1,002
MO	16%	12%	71%	207
NC	20%	8%	72%	338
NE	23%	5%	72%	115
NH	26%	11%	62%	174
NJ	22%	11%	67%	258
NV	34%	11%	54%	157
NY	24%	11%	65%	276
OH	16%	9%	75%	278
OK	27%	4%	69%	228
OR	22%	9%	69%	175
PA	12%	6%	82%	276
RI	37%	13%	50%	120
SC	55%	4%	41%	217
SD	23%	26%	51%	104
TN	27%	18%	54%	202
TX	19%	7%	74%	1,414
UT	24%	7%	68%	184
VA	20%	11%	69%	297
VT	22%	8%	71%	185
WA	16%	13%	71%	181
WI	11%	10%	79%	406
WY	33%	8%	58%	84
Weighted NCI Average	19%	10%	71%	9,716




Table 4. Can lock bedroom if wants ('yes' responses only; proxy respondents were allowed for this question)

Significantly Above Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
GA	74%	429	n/a	69%	86%	74%	83%
SC	74%	440	n/a	71%	89%	72%	n/a
SD	69%	245	n/a	71%	77%	34%	n/a
KY	69%	393	23%	74%	67%	73%	63%
FL	68%	765	n/a	73%	83%	62%	n/a
VA	67%	772	n/a	75%	62%	56%	78%
AR	66%	475	n/a	81%	76%	51%	n/a
OR	65%	361	n/a	81%	57%	39%	92%
AL	65%	358	n/a	58%	n/a	74%	n/a
DE	62%	282	n/a	62%	n/a	56%	n/a
NV	61%	364	n/a	58%	87%	60%	n/a
WY	59%	246	n/a	76%	61%	42%	n/a
MN	58%	1,785	33%	72%	52%	38%	64%

Within Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
UT	57%	342	32%	68%	73%	49%	59%
KS	57%	332	n/a	63%	68%	43%	n/a
HI	56%	345	n/a	42%	n/a	61%	49%
CO	55%	625	n/a	60%	61%	44%	65%
MO	55%	364	n/a	46%	63%	47%	n/a
NJ	54%	467	n/a	53%	67%	51%	n/a
IN	52%	684	n/a	n/a	60%	48%	n/a
Weighted NCI Average	51%	19,506	21%	55%	59%	48%	53%
MI	51%	596	n/a	62%	56%	34%	30%
WI	51%	795	n/a	65%	51%	40%	63%
TN	49%	366	n/a	59%	50%	43%	41%
PA	49%	609	13%	41%	80%	53%	54%
RI	49%	307	n/a	35%	57%	58%	51%
NC	49%	611	32%	63%	75%	43%	75%
CT	47%	318	15%	43%	70%	51%	n/a
ME	44%	317	n/a	46%	49%	35%	48%

Significantly Below Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
OH	44%	645	12%	46%	37%	47%	n/a
OK	41%	362	n/a	47%	42%	33%	n/a
VT	40%	312	n/a	38%	48%	39%	38%
NY	40%	413	15%	44%	n/a	n/a	n/a
AZ	40%	396	n/a	27%	80%	40%	42%
NH	37%	350	n/a	48%	46%	35%	35%
NE	37%	339	6%	38%	55%	45%	31%
TX	37%	2,303	19%	35%	70%	41%	39%
WA	34%	393	n/a	25%	43%	31%	30%




Table 5. Others let person know before coming into person's bedroom ('yes' responses only)

Significantly Above Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
KY	92%	265	n/a	89%	96%	96%	90%
VA	90%	520	n/a	90%	93%	91%	92%
GA	90%	308	n/a	93%	94%	87%	90%
PA	88%	425	n/a	94%	94%	83%	n/a

Within Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
MN	87%	1,424	79%	84%	94%	91%	90%
FL	87%	546	n/a	83%	88%	88%	n/a
AZ	87%	273	n/a	84%	90%	86%	100%
WI	87%	620	n/a	80%	91%	84%	84%
UT	86%	213	n/a	86%	86%	85%	91%
OR	86%	278	n/a	86%	86%	86%	86%
SD	86%	285	n/a	87%	86%	83%	n/a
MO	86%	273	n/a	93%	89%	77%	n/a
CO	85%	446	n/a	88%	88%	81%	89%
RI	84%	269	n/a	92%	76%	81%	91%
ME	84%	268	n/a	86%	78%	87%	84%
WA	84%	280	n/a	77%	88%	81%	n/a
Weighted NCI Average	83%	14,173	77%	82%	89%	81%	86%
DE	83%	211	n/a	88%	n/a	74%	n/a
SC	83%	439	n/a	82%	97%	79%	n/a
CT	83%	255	n/a	80%	92%	81%	n/a
VT	83%	240	n/a	85%	81%	81%	83%
OH	82%	490	n/a	83%	88%	80%	n/a
WY	82%	256	n/a	83%	82%	82%	n/a
NE	82%	245	n/a	81%	95%	70%	88%
MI	82%	393	n/a	81%	88%	79%	75%
AL	81%	338	n/a	81%	n/a	80%	n/a
NH	80%	286	n/a	80%	88%	75%	83%
IN	80%	455	n/a	n/a	89%	74%	n/a
AR	80%	385	n/a	84%	85%	73%	n/a
NC	79%	346	86%	79%	84%	76%	88%
NV	79%	341	n/a	78%	87%	71%	n/a
NJ	78%	299	n/a	78%	96%	72%	n/a
OK	77%	260	n/a	78%	85%	68%	n/a
HI	77%	152	n/a	n/a	n/a	78%	77%
KS	77%	256	n/a	76%	86%	71%	n/a
NY	77%	237	n/a	78%	n/a	n/a	n/a

Significantly Below Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
TX	78%	1,274	77%	76%	84%	77%	84%
TN	74%	322	n/a	82%	70%	60%	92%




Table 6. Has a place to be alone in the home ('yes' responses only)

Significantly Above Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
GA	99%	312	n/a	100%	100%	99%	100%
WY	99%	274	n/a	98%	98%	100%	n/a
IN	99%	514	n/a	n/a	99%	99%	n/a
CO	98%	464	n/a	95%	98%	99%	99%
AZ	98%	282	n/a	98%	95%	98%	100%
VA	98%	539	n/a	96%	98%	99%	100%

Within Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
NH	98%	305	n/a	95%	100%	99%	97%
ME	98%	329	n/a	98%	99%	99%	97%
MO	98%	280	n/a	100%	98%	96%	n/a
OH	98%	521	n/a	95%	98%	98%	n/a
AL	97%	343	n/a	97%	n/a	98%	n/a
MN	97%	1,552	93%	97%	98%	98%	94%
NE	97%	261	n/a	96%	100%	98%	100%
CT	97%	259	n/a	95%	100%	98%	n/a
NC	97%	358	100%	95%	100%	98%	96%
WI	97%	643	n/a	96%	99%	97%	97%
OR	97%	304	n/a	96%	97%	98%	96%
WA	97%	297	n/a	97%	97%	96%	n/a
RI	97%	279	n/a	96%	98%	97%	94%
SD	97%	297	n/a	98%	95%	97%	n/a
VT	96%	251	n/a	n/a	95%	96%	96%
PA	96%	455	n/a	99%	99%	96%	n/a
KY	96%	267	n/a	96%	96%	97%	95%
AR	96%	393	n/a	95%	99%	95%	n/a
Weighted NCI Average	96%	14,892	83%	94%	98%	97%	97%
UT	96%	224	n/a	95%	100%	97%	88%
TN	96%	323	n/a	96%	97%	99%	87%
FL	96%	570	n/a	92%	98%	97%	n/a
KS	95%	265	n/a	92%	99%	95%	n/a
DE	95%	222	n/a	96%	n/a	91%	n/a
SC	95%	481	n/a	93%	99%	96%	n/a
MI	95%	399	n/a	91%	98%	97%	80%
NV	94%	344	n/a	93%	100%	91%	n/a
OK	93%	270	n/a	90%	94%	97%	n/a
NJ	93%	322	n/a	92%	96%	92%	n/a
HI	90%	157	n/a	n/a	n/a	91%	87%

Significantly Below Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
TX	95%	1,300	84%	93%	96%	97%	99%
NY	88%	236	n/a	89%	n/a	n/a	n/a




Table 7. Can be alone with friends or visitors at home ('yes, can be alone with friends or visitors' responses only)

Significantly Above Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
KY	94%	262	n/a	91%	96%	99%	92%
WY	93%	244	n/a	92%	96%	94%	n/a
SD	93%	268	n/a	92%	94%	92%	n/a
VA	92%	457	n/a	95%	93%	90%	82%
GA	92%	280	n/a	95%	100%	89%	n/a
WI	92%	606	n/a	76%	96%	95%	69%
MI	91%	360	n/a	94%	93%	87%	n/a
MN	90%	1,442	96%	85%	97%	93%	95%
TN	89%	301	n/a	87%	88%	94%	100%

Within Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
ME	89%	297	n/a	88%	97%	85%	88%
OH	88%	477	n/a	83%	90%	87%	n/a
PA	87%	406	n/a	83%	92%	91%	n/a
AL	87%	307	n/a	89%	n/a	82%	n/a
KS	86%	256	n/a	82%	94%	87%	n/a
CO	86%	432	n/a	77%	94%	85%	89%
WA	86%	271	n/a	75%	82%	91%	n/a
OR	86%	235	n/a	77%	96%	85%	79%
AR	85%	361	n/a	87%	91%	78%	n/a
HI	85%	144	n/a	n/a	n/a	85%	76%
Weighted NCI Average	85%	13,416	84%	81%	92%	84%	80%
CT	84%	225	n/a	78%	94%	86%	n/a
FL	83%	484	n/a	83%	92%	79%	n/a
IN	83%	457	n/a	n/a	90%	79%	n/a
MO	83%	253	n/a	68%	85%	83%	n/a
NE	83%	230	n/a	73%	91%	85%	84%
NY	82%	222	n/a	81%	n/a	n/a	n/a
UT	81%	213	n/a	79%	84%	84%	79%
OK	80%	242	n/a	71%	97%	82%	n/a
RI	78%	249	n/a	77%	94%	78%	57%
NH	78%	270	n/a	72%	97%	74%	77%

Significantly Below Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
SC	79%	471	n/a	77%	95%	77%	n/a
TX	79%	1,164	80%	71%	98%	81%	78%
VT	76%	226	n/a	n/a	91%	77%	69%
NV	76%	315	n/a	70%	93%	73%	n/a
NJ	74%	274	n/a	71%	93%	68%	n/a
NC	72%	312	n/a	72%	92%	69%	n/a
DE	66%	173	n/a	60%	n/a	74%	n/a
AZ	63%	230	n/a	31%	n/a	71%	45%




Table 8. There are rules about having friends or visitors in the home ('there are rules against having friends or visitors in your home' responses only)

Significantly Above Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
NC	60%	282	n/a	69%	30%	58%	n/a
DE	54%	161	n/a	65%	n/a	44%	n/a
NJ	53%	269	n/a	66%	28%	54%	n/a
RI	53%	238	n/a	56%	41%	49%	70%
SC	52%	449	n/a	63%	42%	47%	n/a
TX	51%	1,123	63%	63%	18%	50%	44%
NE	50%	219	n/a	57%	39%	60%	52%
AR	45%	365	n/a	52%	33%	55%	n/a
AZ	45%	226	n/a	75%	n/a	36%	n/a
NH	45%	253	n/a	68%	19%	42%	48%
CO	45%	424	n/a	52%	25%	54%	45%
VA	42%	441	n/a	47%	19%	42%	48%

Within Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
HI	46%	136	n/a	n/a	n/a	48%	40%
NY	44%	208	n/a	45%	n/a	n/a	n/a
OK	41%	237	n/a	53%	23%	40%	n/a
NV	41%	305	n/a	50%	27%	31%	n/a
VT	40%	215	n/a	n/a	23%	46%	38%
MN	38%	1,397	32%	46%	22%	36%	37%
UT	38%	207	n/a	46%	16%	37%	48%
KS	37%	239	n/a	45%	18%	45%	n/a
OR	37%	221	n/a	46%	26%	36%	46%
Weighted NCI Average	35%	12,903	46%	43%	21%	37%	41%
CT	35%	193	n/a	42%	18%	43%	n/a
OH	35%	457	n/a	36%	25%	41%	n/a
MI	34%	335	n/a	35%	24%	39%	n/a
WA	34%	253	n/a	37%	28%	38%	n/a
WY	32%	245	n/a	55%	24%	25%	n/a
IN	30%	429	n/a	n/a	23%	35%	n/a

Significantly Below Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
PA	28%	386	n/a	30%	13%	33%	n/a
FL	25%	467	n/a	33%	11%	28%	n/a
WI	24%	597	n/a	40%	14%	30%	37%
SD	23%	253	n/a	31%	13%	44%	n/a
GA	23%	279	n/a	27%	6%	22%	55%
TN	22%	287	n/a	24%	20%	19%	n/a
MO	21%	250	n/a	25%	20%	23%	n/a
ME	21%	291	n/a	31%	6%	20%	23%
KY	9%	260	n/a	11%	8%	3%	8%
AL	8%	306	n/a	8%	n/a	9%	n/a




Table 9. Can stay at home if others in the house go somewhere (if not living alone) ('yes' responses only; proxy respondents were allowed for this question)

New in 2018-19

Significantly Above Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
NY	60%	410	66%	59%	n/a	n/a	n/a
PA	55%	521	76%	50%	n/a	54%	63%
SD	54%	170	n/a	57%	n/a	48%	n/a
CT	52%	281	n/a	51%	n/a	56%	n/a
OH	52%	503	48%	39%	n/a	57%	n/a
WA	52%	280	n/a	58%	n/a	50%	n/a
FL	51%	670	n/a	53%	n/a	51%	n/a
MI	51%	476	n/a	55%	n/a	45%	48%
UT	51%	316	80%	55%	n/a	44%	44%

Within Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
TN	50%	240	n/a	52%	n/a	52%	32%
WY	49%	191	n/a	46%	n/a	52%	n/a
RI	49%	249	n/a	46%	n/a	53%	44%
MN	48%	1,612	55%	48%	n/a	46%	53%
ME	48%	277	n/a	36%	n/a	62%	51%
DE	47%	249	n/a	41%	n/a	70%	n/a
OR	44%	320	n/a	39%	n/a	57%	29%
MO	44%	207	n/a	49%	n/a	42%	n/a
CO	43%	522	n/a	32%	n/a	50%	38%
Weighted NCI Average	43%	16,798	52%	42%	n/a	44%	38%
SC	43%	404	n/a	16%	n/a	68%	n/a
IN	43%	466	n/a	n/a	n/a	44%	n/a
NV	41%	318	n/a	32%	n/a	58%	n/a
VA	40%	724	n/a	45%	n/a	33%	41%
VT	40%	291	n/a	48%	n/a	43%	34%
NH	39%	328	n/a	27%	n/a	50%	31%
KS	37%	275	n/a	40%	n/a	32%	n/a

Significantly Below Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
WI	36%	575	n/a	18%	n/a	40%	44%
OK	34%	295	n/a	27%	n/a	44%	n/a
NE	33%	291	60%	23%	n/a	39%	36%
GA	33%	398	n/a	20%	n/a	41%	30%
AL	31%	352	n/a	23%	n/a	47%	n/a
NJ	31%	429	n/a	23%	n/a	35%	n/a
AZ	29%	377	n/a	23%	n/a	29%	41%
NC	28%	587	58%	25%	n/a	23%	21%
HI	28%	340	n/a	23%	n/a	35%	16%
TX	27%	2,180	29%	12%	n/a	31%	39%
AR	22%	292	n/a	24%	n/a	22%	n/a
KY	11%	382	22%	5%	n/a	17%	8%

See all un-collapsed state data showing responses for all possible response options in Appendix C
Rights and Respect | 22




Table 10. Others read person's mail or email without asking ('yes, mail/email is read without permission' responses only)

Significantly Above Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
HI	26%	132	n/a	n/a	n/a	30%	23%
NV	23%	322	n/a	21%	11%	41%	n/a
CT	23%	226	n/a	21%	17%	29%	n/a
NE	22%	227	n/a	25%	17%	15%	20%
AL	18%	320	n/a	11%	n/a	30%	n/a
TX	14%	1,002	18%	14%	8%	15%	11%

Within Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
RI	17%	255	n/a	15%	8%	27%	10%
MO	17%	257	n/a	19%	14%	22%	n/a
OK	15%	239	n/a	15%	18%	15%	n/a
DE	14%	187	n/a	12%	n/a	10%	n/a
NY	14%	209	n/a	13%	n/a	n/a	n/a
UT	14%	210	n/a	16%	10%	13%	18%
FL	14%	471	n/a	9%	21%	12%	n/a
NJ	13%	282	n/a	17%	5%	14%	n/a
MI	13%	369	n/a	15%	10%	14%	n/a
ME	13%	299	n/a	14%	7%	17%	11%
SD	12%	267	n/a	22%	6%	8%	n/a
AZ	12%	162	n/a	18%	n/a	11%	n/a
KS	12%	241	n/a	11%	9%	18%	n/a
Weighted NCI Average	11%	13,266	15%	12%	8%	13%	11%
PA	11%	423	n/a	10%	8%	15%	n/a
CO	11%	437	n/a	21%	3%	13%	9%
NH	11%	283	n/a	25%	0%	10%	9%
OH	11%	487	n/a	7%	9%	12%	n/a
VT	11%	235	n/a	n/a	0%	19%	9%
SC	10%	449	n/a	12%	6%	9%	n/a
AR	10%	351	n/a	17%	4%	14%	n/a
WI	10%	587	n/a	10%	7%	15%	15%
GA	9%	294	n/a	10%	10%	9%	n/a
NC	9%	312	n/a	8%	6%	10%	10%
OR	9%	250	n/a	7%	6%	10%	13%
WY	8%	250	n/a	8%	4%	10%	n/a

Significantly Below Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
IN	8%	488	n/a	n/a	6%	10%	n/a
TN	7%	276	n/a	11%	3%	4%	4%
WA	6%	277	n/a	6%	4%	8%	n/a
KY	6%	262	n/a	8%	0%	4%	10%
VA	6%	455	n/a	8%	10%	5%	2%
MN	5%	1,473	4%	7%	3%	4%	6%




Table 11. Can use phone and internet when wants ('yes, can use anytime, either independently or with assistance' responses only)

Significantly Above Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
AL	95%	328	n/a	96%	n/a	94%	n/a
WY	95%	264	n/a	86%	97%	94%	n/a
VA	95%	484	n/a	95%	98%	94%	94%
MN	94%	1,507	92%	95%	95%	93%	89%
MI	94%	377	n/a	95%	95%	94%	75%

Within Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
ME	93%	309	n/a	92%	97%	89%	91%
KY	93%	255	n/a	87%	100%	99%	89%
GA	92%	298	n/a	93%	96%	90%	100%
KS	92%	251	n/a	90%	93%	93%	n/a
OH	91%	493	n/a	91%	94%	90%	n/a
WA	91%	281	n/a	94%	91%	94%	n/a
SD	91%	269	n/a	86%	95%	96%	n/a
CO	91%	448	n/a	90%	92%	96%	86%
CT	90%	240	n/a	87%	96%	91%	n/a
IN	90%	483	n/a	n/a	93%	89%	n/a
SC	90%	461	n/a	89%	96%	88%	n/a
OK	90%	252	n/a	90%	95%	85%	n/a
MO	90%	267	n/a	90%	91%	92%	n/a
WI	89%	610	n/a	76%	94%	89%	86%
Weighted NCI Average	89%	13,950	85%	87%	93%	89%	85%
PA	89%	423	n/a	89%	93%	87%	n/a
NE	89%	265	n/a	87%	94%	81%	94%
OR	89%	267	n/a	85%	97%	86%	85%
AR	88%	371	n/a	92%	91%	83%	n/a
UT	88%	212	n/a	88%	97%	88%	87%
RI	88%	262	n/a	82%	96%	90%	79%
NC	88%	326	n/a	82%	94%	89%	83%
FL	87%	512	n/a	88%	90%	85%	n/a
DE	87%	194	n/a	83%	n/a	89%	n/a
NH	86%	283	n/a	77%	97%	91%	80%
NJ	86%	289	n/a	82%	91%	87%	n/a
HI	85%	147	n/a	n/a	n/a	90%	73%
NV	85%	333	n/a	83%	89%	83%	n/a
NY	84%	224	n/a	84%	n/a	n/a	n/a
VT	83%	240	n/a	85%	88%	87%	77%

Significantly Below Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
TX	86%	1,214	81%	84%	94%	88%	85%
TN	83%	267	n/a	84%	83%	86%	n/a
AZ	71%	244	n/a	50%	95%	72%	85%




Table 12. Has a cell phone or smartphone ('yes' responses only)

New in 2018-19

Significantly Above Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
CO	70%	469	n/a	40%	87%	80%	49%
IN	69%	493	n/a	n/a	65%	72%	n/a
OH	67%	516	n/a	48%	69%	73%	n/a
WY	67%	271	n/a	42%	80%	67%	n/a
OR	65%	289	n/a	41%	82%	72%	57%
NV	64%	342	n/a	53%	88%	71%	n/a
WI	63%	640	n/a	37%	79%	61%	58%

Within Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
NJ	61%	321	n/a	40%	75%	70%	n/a
WA	59%	293	n/a	60%	50%	67%	n/a
TX	58%	1,297	36%	43%	84%	66%	68%
PA	58%	454	n/a	33%	79%	67%	n/a
FL	57%	564	n/a	37%	79%	59%	n/a
RI	57%	280	n/a	26%	67%	66%	54%
MN	57%	1,559	9%	42%	88%	75%	44%
CT	56%	258	n/a	34%	81%	69%	n/a
Weighted NCI Average	56%	14,776	31%	39%	70%	64%	49%
ME	56%	329	n/a	41%	78%	57%	49%
SC	55%	478	n/a	39%	77%	62%	n/a
SD	54%	296	n/a	30%	75%	64%	n/a
GA	53%	306	n/a	26%	75%	59%	35%
NE	52%	287	n/a	34%	68%	57%	72%
VT	52%	253	n/a	n/a	70%	60%	46%
AR	52%	382	n/a	45%	62%	49%	n/a
DE	52%	193	n/a	38%	n/a	67%	n/a
KS	51%	260	n/a	43%	65%	53%	n/a
HI	51%	161	n/a	n/a	n/a	64%	24%
MO	51%	275	n/a	23%	58%	54%	n/a
NC	50%	358	n/a	36%	73%	57%	32%
OK	50%	260	n/a	42%	56%	58%	n/a
NH	50%	301	n/a	23%	84%	56%	41%
AZ	49%	287	n/a	32%	76%	51%	50%
UT	49%	227	n/a	39%	72%	52%	50%

Significantly Below Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
MI	48%	400	n/a	26%	64%	63%	25%
KY	48%	264	n/a	36%	68%	69%	33%
NY	46%	239	n/a	48%	n/a	n/a	n/a
AL	45%	340	n/a	35%	n/a	57%	n/a
VA	39%	516	n/a	27%	60%	48%	44%
TN	30%	318	n/a	25%	30%	43%	13%




Table 13. Wants a cell phone or smartphone (if does not have one)

New in 2018-19

State	Yes	No	N
AL	48%	52%	183
AZ	22%	78%	137
AR	56%	44%	177
CO	51%	49%	134
CT	49%	51%	99
DE	49%	51%	77
FL	42%	58%	210
GA	41%	59%	138
HI	43%	57%	74
IN	38%	62%	136
KS	41%	59%	124
KY	20%	80%	133
ME	45%	55%	105
MI	50%	50%	198
MN	43%	57%	665
MO	34%	66%	127
NE	45%	55%	110
NV	66%	34%	114
NH	48%	52%	143
NJ	54%	46%	123
NY	55%	45%	126
NC	46%	54%	145
OH	55%	45%	157
OK	67%	33%	128
OR	46%	54%	85
PA	29%	71%	165
RI	55%	45%	117
SC	65%	35%	208
SD	35%	65%	122
TN	24%	76%	217
TX	49%	51%	547
UT	57%	43%	105
VT	44%	56%	115
VA	46%	54%	286
WA	46%	54%	108
WI	42%	58%	214
WY	53%	47%	83
Weighted NCI Average	44%	56%	6,135




Table 14. Reasons does not have a cell phone or smartphone (if does not have one but wants one)

New in 2018-19; categories are not mutually exclusive

State	Cost Too Much	Not Allowed	Had One, But it Was Lost or it Broke	Other	Don't know
AL	59%	5%	5%	15%	19%
AZ	27%	3%	10%	30%	30%
AR	25%	1%	14%	45%	19%
CO	29%	21%	9%	35%	13%
CT	39%	8%	6%	29%	22%
DE	11%	21%	8%	29%	37%
FL	38%	7%	30%	13%	13%
GA	46%	9%	18%	18%	18%
HI	42%	16%	19%	23%	6%
IN	27%	12%	9%	23%	31%
KS	26%	14%	4%	20%	42%
KY	27%	62%	8%	0%	8%
ME	43%	15%	0%	15%	28%
MI	33%	6%	15%	41%	16%
MN	41%	10%	7%	30%	18%
MO	33%	9%	12%	37%	19%
NE	60%	2%	40%	16%	16%
NV	45%	8%	7%	12%	31%
NH	30%	13%	9%	37%	15%
NJ	16%	10%	10%	34%	30%
NY	30%	12%	16%	38%	13%
NC	26%	11%	11%	30%	30%
OH	27%	10%	16%	29%	23%
OK	27%	9%	18%	24%	24%
OR	26%	13%	8%	26%	28%
PA	21%	6%	11%	32%	30%
RI	17%	6%	23%	23%	31%
SC	24%	6%	4%	20%	49%
SD	42%	19%	7%	26%	21%
TN	38%	2%	8%	40%	13%
TX	29%	10%	14%	33%	22%
UT	50%	8%	13%	17%	17%
VT	37%	12%	6%	41%	8%
VA	25%	3%	9%	41%	24%
WA	29%	10%	8%	27%	31%
WI	40%	22%	7%	37%	9%
WY	43%	16%	18%	25%	0%
Weighted NCI Average	31%	10%	12%	30%	22%



Table 15. Staff treat person with respect ('yes – all staff, always' responses only)

Significantly Above Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
TN	98%	315	n/a	98%	96%	100%	100%
IN	97%	472	n/a	n/a	95%	98%	n/a
AZ	96%	227	n/a	91%	n/a	99%	100%
AR	96%	367	n/a	97%	96%	96%	n/a
AL	96%	335	n/a	94%	n/a	98%	n/a

Within Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
GA	96%	303	n/a	97%	94%	96%	n/a
CT	96%	227	n/a	96%	93%	97%	n/a
KY	95%	261	n/a	92%	100%	99%	97%
PA	95%	370	n/a	96%	97%	94%	n/a
NC	95%	328	n/a	94%	100%	96%	92%
VA	95%	494	n/a	94%	94%	95%	100%
OK	94%	235	n/a	92%	97%	98%	n/a
MO	94%	251	n/a	93%	92%	98%	n/a
OH	94%	424	n/a	95%	91%	96%	n/a
UT	94%	220	n/a	92%	94%	99%	91%
FL	94%	518	n/a	88%	96%	96%	n/a
ME	93%	302	n/a	94%	92%	95%	92%
RI	93%	263	n/a	94%	86%	98%	89%
WA	93%	262	n/a	91%	91%	94%	n/a
Weighted NCI Average	93%	13,424	88%	90%	93%	96%	94%
SC	92%	463	n/a	89%	96%	95%	n/a
NE	92%	281	n/a	90%	96%	91%	86%
CO	92%	427	n/a	90%	93%	92%	95%
MN	92%	1,465	90%	89%	90%	97%	96%
MI	91%	327	n/a	90%	86%	97%	n/a
VT	91%	234	n/a	n/a	91%	88%	93%
NJ	91%	254	n/a	91%	84%	93%	n/a
KS	91%	257	n/a	88%	91%	98%	n/a
NH	90%	289	n/a	76%	85%	94%	92%
SD	89%	273	n/a	89%	87%	100%	n/a
OR	89%	241	n/a	85%	95%	90%	84%
NY	89%	226	n/a	89%	n/a	n/a	n/a
WY	89%	256	n/a	78%	88%	97%	n/a
NV	88%	323	n/a	83%	91%	99%	n/a
DE	88%	178	n/a	83%	n/a	100%	n/a
HI	88%	153	n/a	n/a	n/a	89%	84%

Significantly Below Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
WI	89%	511	n/a	77%	92%	97%	81%
TX	88%	1,092	85%	80%	94%	90%	96%



Table 16. Has attended a self-advocacy group, meeting, conference or event or had the opportunity and chose not to ('yes' and 'had the opportunity but chose not to participate' responses; proxy respondents were allowed for this question)

Significantly Above Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
VT	50%	319	n/a	41%	53%	47%	53%
KS	49%	348	n/a	54%	54%	41%	n/a
AL	47%	352	n/a	51%	n/a	41%	n/a
SC	46%	451	n/a	42%	64%	42%	n/a
WY	44%	180	n/a	52%	56%	29%	n/a
RI	39%	313	n/a	43%	43%	33%	52%
CT	38%	301	n/a	40%	53%	28%	n/a
OH	38%	653	41%	27%	47%	36%	n/a
SD	37%	288	n/a	30%	47%	31%	n/a
NH	36%	344	n/a	26%	40%	35%	40%
ME	36%	328	n/a	43%	29%	33%	37%
OK	34%	375	n/a	39%	42%	21%	n/a

Within Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
NV	32%	359	n/a	23%	36%	54%	n/a
NJ	31%	420	n/a	38%	34%	27%	n/a
NC	30%	441	62%	24%	52%	22%	n/a
NY	28%	355	15%	30%	n/a	n/a	n/a
HI	27%	328	n/a	31%	n/a	30%	19%
NE	27%	312	33%	17%	52%	22%	19%
OR	27%	376	n/a	26%	34%	24%	24%
Weighted NCI Average	27%	18,408	30%	26%	31%	25%	26%
UT	26%	328	96%	23%	28%	18%	15%
MN	26%	1,847	14%	26%	34%	24%	24%
CO	25%	601	n/a	22%	35%	21%	27%
TX	25%	2,143	33%	17%	21%	25%	27%
MO	24%	361	n/a	14%	30%	22%	n/a
WI	24%	829	n/a	23%	20%	25%	31%
IN	23%	657	n/a	n/a	28%	21%	n/a
TN	23%	281	n/a	26%	22%	20%	n/a
DE	22%	265	n/a	22%	25%	25%	n/a
AZ	22%	339	n/a	10%	43%	24%	18%

Significantly Below Weighted NCI Average

State	Average Within State	N	ICF/IID, Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
MI	21%	512	n/a	16%	29%	23%	14%
WA	21%	384	n/a	10%	23%	23%	n/a
PA	20%	507	26%	17%	17%	22%	35%
GA	20%	410	n/a	12%	25%	22%	27%
FL	18%	727	n/a	20%	22%	16%	n/a
VA	17%	675	n/a	17%	22%	15%	19%
AR	16%	359	n/a	19%	21%	12%	n/a
KY	10%	340	n/a	11%	13%	12%	5%




Table 17. Has voted in local, state, or federal election, or had the opportunity and chose not to ('yes' and 'had the opportunity to register or vote but chose not to' responses; proxy respondents were allowed for this question)

Significantly Above Weighted NCI Average

State	Average Within State	N	ICF/IID. Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
RI	58%	330	n/a	54%	73%	58%	59%
NV	57%	393	n/a	52%	73%	61%	n/a
ME	55%	364	n/a	53%	72%	50%	52%
SC	54%	477	n/a	47%	63%	56%	n/a
OR	54%	405	n/a	46%	77%	48%	51%
NH	52%	364	n/a	73%	58%	49%	45%
CO	51%	659	n/a	32%	78%	51%	42%
WY	50%	290	n/a	53%	64%	37%	n/a
DE	47%	280	n/a	39%	57%	58%	n/a
SD	46%	293	n/a	35%	61%	33%	n/a
OH	45%	695	38%	32%	55%	45%	n/a
CT	45%	343	0%	36%	66%	53%	n/a
PA	44%	643	26%	34%	53%	49%	64%
NJ	44%	471	n/a	39%	66%	42%	n/a
WI	44%	894	n/a	33%	65%	32%	23%

Within Weighted NCI Average

State	Average Within State	N	ICF/IID. Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
AL	43%	368	n/a	40%	n/a	45%	n/a
NC	41%	617	32%	48%	68%	36%	58%
MN	39%	1,918	39%	30%	69%	39%	47%
VT	39%	329	n/a	19%	61%	42%	36%
KS	39%	364	n/a	33%	56%	30%	n/a
VA	38%	774	n/a	37%	58%	35%	31%
Weighted NCI Average	37%	20,485	22%	31%	53%	36%	35%
IN	37%	726	n/a	n/a	43%	34%	n/a
MI	36%	611	n/a	26%	52%	38%	40%
WA	35%	418	n/a	5%	46%	37%	35%
FL	34%	814	n/a	29%	56%	30%	n/a
AR	33%	499	n/a	34%	41%	25%	n/a

Significantly Below Weighted NCI Average

State	Average Within State	N	ICF/IID. Nursing Facility and Other Institutional Settings	Community-based Group Residential Settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home
NY	31%	393	8%	35%	n/a	n/a	n/a
OK	28%	384	n/a	24%	42%	23%	n/a
UT	28%	345	23%	36%	50%	20%	10%
NE	27%	388	8%	17%	42%	35%	27%
GA	26%	440	n/a	12%	54%	28%	20%
TX	25%	2,255	20%	17%	58%	27%	29%
MO	25%	397	n/a	11%	32%	20%	n/a
TN	24%	375	n/a	23%	27%	27%	17%
HI	22%	354	n/a	16%	n/a	27%	11%
AZ	21%	407	n/a	17%	29%	21%	24%
KY	7%	408	8%	4%	6%	13%	2%