

National Core Indicators[®] - Intellectual and Developmental Disabilities (NCI[®]-IDD)



National Report 2021-22

Health




Table of Contents: Health

Where do these data come from?	3
What are “collapsed” data?	3
What is weighting and why do we do it?	3
DATA CAUTION!	3
Presentation of state and weighted NCI-IDD averages	4
Averages	4
Important Note on Changes to the 2021-22 Survey Tool	4
Table 1. Has a primary care doctor or practitioner	7
Table 1b. Percent who have a primary care doctor or practitioner (<i>includes missing and “don’t know” responses</i>)	8
Table 2. In poor health	10
Table 3. Had a complete physical exam in the past year	12
Table 3b. Last physical exam (<i>includes missing and “don’t know” responses</i>)	13
Table 4. Had a routine dental exam in the past year	15
Table 4b. Last dental exam (<i>includes missing and “don’t know” responses</i>)	16
Table 5. Had an eye exam/vision screening in the past year	18
Table 5b. Last eye exam or vision screening (<i>includes missing and “don’t know” responses</i>)	19
Table 6. Had a hearing test in the past five years	21
Table 6b. Last hearing test (<i>includes missing and “don’t know” responses</i>)	22
Table 7. Had a Pap test in the past three years (among women 21 and older)	24
Table 7b. Last Pap test (among women 21 and older, includes “not applicable,” missing, and “don’t know” responses)	25
Table 8. Had a mammogram test in the past two years (among women age 40 and over)	27
Table 8b. Last mammogram test (among women age 40 and over, includes “not applicable,” missing, and “don’t know”)	28
Table 9b. Last colorectal cancer screening (among people age 45 to 75, <i>includes “not applicable,” missing, and “don’t know” responses</i>)	31
Table 10. Had a flu vaccine in the past 12 months	33
Table 10b. Had a flu vaccine in the past year (<i>includes missing and “don’t know” responses</i>)	34
Table 11. Went to the emergency room for any reason to get care for themselves in the past 12 months	36
Table 12. Had an unexpected hospital admission due to dehydration, bowel obstruction, seizure, aspiration, or GERD, in the past year	38
Table 13. Fell and hurt themselves in the past six months	40

Where do these data come from?

Most items in this section are drawn from administrative sources. Select items may have been collected during the face-to-face survey from the person receiving services, or for some select questions, from a “proxy” respondent. A proxy respondent is someone who knows the person well (e.g., a family member), proxy respondents may not be a case manager/service coordinator. Items that may come from administrative records or allow for proxy respondents are noted in the table title. Read more about why we allow proxy respondents for select questions in the IPS in the Overview chapter of this report.

Items in this chapter are a part of the NCI-IDD Individuals Outcomes domain (or topic area) and comprise the “Health” subdomain (a specific area of concern within the domain). The Health sub-domain includes items that help determine whether “People have access to and get recommended health services at the recommended frequencies”.

Read more about NCI-IDD domains and sub-domains in the Overview chapter of this report.

What are “collapsed” data?

Many questions in the IPS allow respondents to answer a question with “middle” response like “maybe”, “sometimes” or “in-between”. The tables in this section present collapsed data. That means that two or more response options are grouped together if they are considered to reflect a positive outcome.

To see the breakout of responses for each option, please see Appendix C.

What is weighting and why do we do it?

The NCI-IDD averages are “weighted” to reflect the states’ relative population and sample sizes. We created the weights using the state’s number of valid surveys and its total survey-eligible population. This way, a state that provides services to a larger number of people but uses a sample similar in size to other states has a greater influence on the overall NCI-IDD average (that is, its contribution is *proportional to its service population*). You can read more about this in the Methodology section of the Overview chapter.

The number of respondents (N) for each question *is not* weighted.

DATA CAUTION!

Several states had large amounts of missing data or data recorded as “don’t know.” Where 25% or more of a state’s sample had “don’t know” or missing responses, we used an asterisk (*) to indicate that state’s data should be interpreted with caution as it may not accurately represent the sample or service population.

Due to high rates of “don’t know” and missing data, we first present outcomes that are derived from Background Information in standard collapsed tables (excluding “don’t know”, “not applicable”, and missing data followed by a table displaying data including “don’t know” and missing percentages.

Presentation of state and weighted NCI-IDD averages

Averages

For the most part, the state outcomes are shown in descending order of percentage and are categorized as statistically significantly above the NCI-IDD Average, within the range of the NCI-IDD Average, or significantly below the NCI-IDD Average. Statistical significance is taken to be at or below the .01 level. For those states that fall within the NCI-IDD Average range, their 'always' or 'yes' response was not statistically different from the NCI-IDD Average. Other tables show the states listed in alphabetical order and are not tested for significance.

Tables that show significance also break out average results for each state by the type of residence: ICF/IID or other institutional settings, group residence, own home, parent/relative's home, foster or host home. Figure A on the following page shows, by state, the percentage of people surveyed in each residence type. Please note though that:

- Significance testing was not performed on the breakouts by residence
- The number of people in each residential setting is often too small to allow for valid state-to-state comparisons
- And in many cases, statistically valid conclusions cannot be drawn about differences in results between residence types

Still, we provide this information for states' internal purposes. It should not be used to compare one state with another.

To protect people's privacy, we do not show the data when 20 or fewer people from a state or residence type responded to a question

(though their responses are included in the NCI-IDD average).

Important Note on Changes to the 2021-22 Survey Tool

NCI regularly updates survey tools to ensure the current set of indicators meet the needs of state systems and reflect current needs in the field. Survey changes are guided by state managers, people with disabilities, and other experts in the field. The 2021-22 survey tool reflected changes based on this guidance and additional survey testing. Throughout this report, new questions and questions that were modified are noted. Please note, any changes to the survey tool may affect comparison to previous years' data, therefore any cross-year comparison should be made with caution.

Figure A. Percentage of people surveyed in each residence type by state

State	Institutional settings	Community-based Group Residential settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care/Host Home	N
AR	0%	13%	39%	46%	1%	417
CO	0%	8%	13%	57%	22%	407
CT	1%	38%	17%	40%	4%	450
DE	0%	74%	3%	19%	5%	199
FL	0%	33%	19%	47%	0%	444
GA	0%	36%	9%	39%	15%	407
IL	0%	53%	7%	38%	2%	395
IN	32%	21%	11%	35%	1%	1078
KS	0%	49%	22%	28%	1%	385
KY	0%	25%	11%	37%	27%	406
MA	0%	60%	11%	19%	10%	400
MI	0%	43%	17%	37%	2%	657
MN	5%	48%	10%	33%	4%	401
MO	2%	22%	41%	32%	2%	402
NE	7%	28%	23%	27%	15%	413
NV	0%	50%	16%	27%	6%	404
NJ	0%	41%	11%	47%	1%	428
NY	0%	56%	8%	35%	1%	993
NC	12%	14%	7%	54%	13%	462
OH	11%	17%	30%	41%	1%	516
OK	0%	49%	18%	29%	4%	300
OR	0%	11%	4%	73%	12%	416
PA	6%	46%	10%	33%	5%	636
SC	1%	56%	12%	29%	2%	410
UT	6%	34%	10%	39%	12%	502
VA	0%	37%	7%	37%	18%	715
WI	2%	17%	30%	49%	2%	453
Weighted NCI-IDD Average	5%	36%	15%	38%	7%	Total: 13096

Table note: Institutional settings includes ICF/IID, Nursing Facilities, and other institutional settings




Table 1. Has a primary care doctor or practitioner

Information may have been obtained through state records; * indicates >25% missing data

Significantly Above Average

State	Average within state	N	Institutional settings	Community-based Group Residential settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care/Host Home
IN	100%	1076	100%	100%	99%	100%	n/a
DE*	99%	317	n/a	100%	n/a	93%	n/a
CT	99%	435	n/a	100%	99%	99%	n/a
GA	99%	405	n/a	99%	100%	99%	98%
MI	99%	649	n/a	100%	97%	98%	n/a
NC	99%	458	100%	100%	100%	98%	100%
KY	98%	399	n/a	99%	100%	97%	99%
OK	98%	300	n/a	100%	98%	95%	n/a
MN	98%	403	n/a	99%	98%	98%	n/a
NJ	98%	430	n/a	99%	96%	98%	n/a
NE	98%	405	97%	99%	99%	96%	100%
KS	98%	377	n/a	98%	99%	97%	n/a
WI	98%	494	n/a	100%	98%	98%	n/a
AR	98%	417	n/a	98%	98%	97%	n/a
MA	97%	395	n/a	98%	95%	96%	98%
VA	97%	704	n/a	97%	98%	97%	98%

Within Average

State	Average within state	N	Institutional settings	Community-based Group Residential settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care/Host Home
SC	96%	409	n/a	96%	100%	95%	n/a
MO	96%	402	n/a	98%	96%	95%	n/a
UT	96%	482	96%	97%	92%	97%	95%
IL	96%	392	n/a	94%	100%	98%	n/a
PA	96%	624	97%	94%	97%	97%	97%
OH	95%	465	97%	96%	92%	96%	n/a
NV	95%	384	n/a	95%	97%	93%	100%
FL	95%	445	n/a	94%	94%	95%	n/a
Weighted NCI-IDD Average	94%	12954	98%	93%	95%	94%	98%
CO	94%	417	n/a	97%	98%	91%	96%
OR	94%	396	n/a	100%	n/a	92%	98%

Significantly Below Average

State	Average within state	N	Institutional settings	Community-based Group Residential settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care/Host Home
NY	74%	874	n/a	73%	75%	75%	n/a

Table 1b. Percent who have a primary care doctor or practitioner (includes missing and “don’t know” responses)

State	Has a primary care doctor or practitioner	Does not have primary care doctor or practitioner	Missing	Don't Know	N
AR	97%	2%	0%	0%	419
CO	92%	6%	0%	2%	426
CT	96%	1%	2%	2%	452
DE	72%	0%	21%	6%	435
FL	93%	5%	1%	1%	453
GA	99%	1%	0%	0%	407
IL	93%	4%	2%	1%	405
IN	100%	0%	0%	0%	1078
KS	93%	2%	4%	1%	397
KY	96%	1%	2%	0%	408
MA	95%	2%	2%	0%	404
MI	97%	1%	1%	1%	660
MN	96%	2%	1%	1%	413
MO	96%	4%	0%	0%	403
NC	95%	2%	2%	1%	466
NE	89%	5%	2%	4%	418
NJ	98%	2%	0%	0%	432
NV	64%	23%	0%	13%	409
NY	97%	1%	0%	2%	1012
OH	85%	4%	8%	2%	520
OK	98%	2%	0%	0%	300
OR	88%	6%	0%	6%	420
PA	88%	4%	7%	1%	680
SC	96%	4%	0%	0%	410
UT	92%	4%	2%	2%	504
VA	96%	3%	0%	1%	716
WI	94%	2%	3%	1%	512
Weighted NCI-IDD Average	90%	5%	2%	3%	13559

Overall, how would you describe your health?




Table 2. In poor health

Proxy respondents were allowed for this question

Significantly Above Average

State	Average within state	N	Institutional settings	Community-based Group Residential settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care/Host Home
WI	6%	503	n/a	4%	13%	2%	n/a
OR	6%	397	n/a		n/a	7%	2%

Within Average

State	Average within state	N	Institutional settings	Community-based Group Residential settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care/Host Home
KY	3%	405	n/a	4%	5%	2%	4%
KS	3%	386	n/a	4%	4%	2%	n/a
UT	3%	359	0%	5%	6%	2%	0%
SC	3%	403	n/a	3%	4%	3%	n/a
FL	3%	446	n/a	4%	4%	1%	n/a
AR	3%	413	n/a	4%	4%	1%	n/a
OH	3%	508	2%	2%	4%	2%	n/a
NE	2%	409	10%	3%	1%	1%	2%
CO	2%	418	n/a	3%	2%	1%	6%
Weighted NCI-IDD Average	2%	13118	2%	2%	4%	2%	2%
MA	2%	396	n/a	2%	2%	1%	5%
OK	2%	299	n/a	1%	2%	3%	n/a
IN	2%	1053	2%	2%	3%	2%	n/a
VA	2%	709	n/a	3%	2%	1%	0%
CT	2%	438	n/a	1%	3%	2%	n/a
NC	2%	462	2%	2%	6%	1%	0%
DE	1%	431	n/a	2%	n/a	0%	n/a
MI	1%	654	n/a	3%	1%	0%	n/a
NY	1%	959	n/a	1%	0%	1%	n/a
NV	1%	392	n/a	1%	0%	2%	4%
IL	1%	393	n/a	2%	4%	0%	n/a
GA	1%	407	n/a	1%	0%	2%	0%
PA	1%	651	3%	1%	3%	1%	0%
MO	1%	401	n/a	2%	0%	2%	n/a

Significantly Below Average

State	Average within state	N	Institutional settings	Community-based Group Residential settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care/Host Home
MN	1%	410	n/a	0%	2%	1%	n/a
NJ	1%	416	n/a	1%	2%	1%	n/a

Last complete annual physical exam




Table 3. Had a complete physical exam in the past year

Information may have been obtained through state records; * indicates >25% missing data

Significantly Above Average

State	Average within state	N	Institutional settings	Community-based Group Residential settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care/Host Home
NE	96%	399	100%	96%	95%	98%	95%
AR	94%	411	n/a	96%	93%	93%	n/a
OK	93%	299	n/a	95%	89%	92%	n/a
NJ	91%	386	n/a	95%	86%	89%	n/a
GA	91%	398	n/a	91%	86%	90%	95%
UT	91%	431	100%	96%	89%	84%	92%
SC	91%	387	n/a	94%	90%	83%	n/a
CO	90%	415	n/a	94%	86%	87%	94%
IL	89%	368	n/a	96%	100%	75%	n/a
FL	89%	438	n/a	93%	92%	85%	n/a
PA	89%	601	94%	96%	76%	80%	90%

Within Average

State	Average within state	N	Institutional settings	Community-based Group Residential settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care/Host Home
MO	89%	392	n/a	94%	87%	87%	n/a
NC	89%	436	94%	91%	80%	86%	95%
MI	89%	546	n/a	93%	90%	83%	n/a
KY	88%	375	n/a	92%	85%	84%	92%
OH*	87%	343	94%	94%	91%	79%	n/a
CT	87%	378	n/a	91%	88%	81%	n/a
MN	86%	388	n/a	91%	79%	82%	n/a
WI	86%	475	n/a	82%	86%	89%	n/a
IN	85%	1035	81%	92%	86%	84%	n/a
Weighted NCI-IDD Average	85%	12007	89%	89%	86%	81%	88%
MA	82%	381	n/a	84%	77%	80%	78%

Significantly Below Average

State	Average within state	N	Institutional settings	Community-based Group Residential settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care/Host Home
KS	77%	369	n/a	79%	87%	66%	n/a
NY*	75%	738	n/a	77%	72%	72%	n/a
VA	75%	700	n/a	78%	78%	68%	80%
NV	73%	365	n/a	81%	59%	73%	57%
OR	64%	374	n/a	82%	n/a	58%	78%
DE*	62%	179	n/a	68%	n/a	n/a	n/a

Table 3b. Last physical exam (includes missing and “don’t know” responses)

State	More than 1 year	In the past year	Missing	Don't Know	N
AR	6%	92%	0%	2%	419
CO	10%	87%	2%	1%	426
CT	11%	73%	2%	14%	452
DE	16%	26%	21%	37%	435
FL	10%	86%	2%	2%	453
GA	9%	89%	0%	2%	407
IL	10%	81%	2%	7%	405
IN	14%	82%	2%	2%	1078
KS	21%	72%	4%	3%	397
KY	11%	81%	1%	7%	408
MA	17%	77%	1%	4%	404
MI	9%	73%	2%	15%	660
MN	13%	81%	1%	5%	413
MO	11%	86%	0%	2%	403
NE	3%	92%	2%	2%	418
NV	24%	65%	1%	10%	409
NJ	8%	82%	1%	10%	432
NY	18%	55%	5%	22%	1012
NC	11%	83%	0%	6%	466
OH	8%	58%	7%	27%	520
OK	7%	93%	0%	0%	300
OR	32%	57%	0%	11%	420
PA	10%	79%	7%	4%	680
SC	9%	86%	0%	6%	410
UT	8%	78%	2%	13%	504
VA	25%	73%	2%	1%	716
WI	13%	80%	3%	4%	512
Weighted NCI-IDD Average	13%	74%	3%	10%	13559

Last dentist exam




Table 4. Had a routine dental exam in the past year

Information may have been obtained through state records; * indicates >25% missing data

Significantly Above Average

State	Average within state	N	Institutional settings	Community-based Group Residential settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care/Host Home
NE	94%	398	96%	92%	96%	94%	95%
CT	86%	348	n/a	94%	89%	76%	n/a
SC	84%	363	n/a	90%	87%	67%	n/a
CO	83%	413	n/a	76%	92%	80%	86%
NJ	82%	365	n/a	91%	79%	72%	n/a
IN	82%	1013	83%	88%	78%	77%	n/a
PA	81%	577	78%	93%	65%	67%	83%

Within Average

State	Average within state	N	Institutional settings	Community-based Group Residential settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care/Host Home
MA	79%	364	n/a	83%	67%	82%	72%
MN	79%	388	75%	82%	88%	74%	n/a
UT*	79%	376	100%	87%	74%	67%	76%
IL	79%	356	n/a	83%	61%	73%	n/a
GA	78%	385	n/a	82%	71%	76%	75%
MO	77%	387	n/a	86%	76%	70%	n/a
KS	76%	301	n/a	79%	81%	64%	n/a
OK	75%	299	n/a	78%	75%	71%	n/a
NY*	75%	738	n/a	81%	63%	69%	n/a
Weighted NCI-IDD Average	75%	11276	84%	81%	71%	69%	75%
NC	75%	385	93%	80%	73%	71%	67%
AR	74%	351	n/a	78%	71%	75%	n/a
KY	74%	338	n/a	81%	64%	60%	85%
FL	74%	436	n/a	86%	70%	67%	n/a
DE*	72%	160	n/a	75%	n/a	n/a	n/a
OH*	71%	277	83%	75%	73%	65%	n/a

Significantly Below Average

State	Average within state	N	Institutional settings	Community-based Group Residential settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care/Host Home
NV*	64%	303	n/a	65%	62%	61%	n/a
MI*	63%	423	n/a	61%	65%	64%	n/a
WI	63%	468	n/a	53%	54%	69%	n/a
OR	62%	381	n/a	66%	n/a	60%	64%
VA	56%	683	n/a	57%	55%	50%	67%

Table 4b. Last dental exam (includes missing and “don’t know” responses)

State	More than 1 year	In the past year	Missing	Don't Know	N
AR	21%	62%	1%	16%	419
CO	17%	80%	2%	1%	426
CT	11%	66%	3%	20%	452
DE	10%	26%	21%	42%	435
FL	25%	71%	2%	2%	453
GA	21%	73%	0%	5%	407
IL	19%	69%	1%	11%	405
IN	17%	77%	2%	4%	1078
KS	18%	58%	3%	21%	397
KY	21%	62%	1%	16%	408
MA	19%	72%	1%	8%	404
MI	23%	41%	2%	34%	660
MN	19%	75%	1%	5%	413
MO	22%	74%	0%	4%	403
NE	6%	89%	2%	3%	418
NV	27%	47%	0%	25%	409
NJ	15%	69%	1%	15%	432
NY	18%	55%	0%	27%	1012
NC	21%	62%	1%	17%	466
OH	15%	38%	7%	39%	520
OK	25%	75%	0%	0%	300
OR	35%	56%	0%	9%	420
PA	16%	69%	7%	8%	680
SC	14%	74%	0%	11%	410
UT	16%	59%	2%	23%	504
VA	42%	53%	0%	4%	716
WI	34%	57%	3%	6%	512
Weighted NCI-IDD Average	21%	61%	2%	15%	13559

Last eye exam/vision screening




Table 5. Had an eye exam/vision screening in the past year

Information may have been obtained through state records; * indicates >25% missing data

Significantly Above Average

State	Average within state	N	Institutional settings	Community-based Group Residential settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care/Host Home
GA	76%	362	n/a	84%	78%	69%	74%
SC	75%	354	n/a	84%	88%	47%	n/a
IL	69%	324	n/a	78%	75%	46%	n/a
NJ*	69%	299	n/a	85%	73%	43%	n/a
CO	68%	405	n/a	90%	78%	59%	81%
OK	67%	298	n/a	73%	72%	55%	n/a
PA	67%	529	76%	78%	50%	51%	59%
MN	65%	383	80%	69%	62%	61%	n/a
MO	63%	369	n/a	74%	69%	48%	n/a

Within Average

State	Average within state	N	Institutional settings	Community-based Group Residential settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care/Host Home
CT*	60%	257	n/a	68%	60%	46%	n/a
AR	59%	319	n/a	73%	70%	46%	n/a
NV*	58%	224	n/a	66%	62%	46%	n/a
KY*	58%	276	n/a	72%	54%	38%	69%
Weighted NCI-IDD Average	56%	9765	60%	65%	58%	46%	61%
KS*	55%	266	n/a	54%	68%	44%	n/a
WI	54%	473	n/a	57%	58%	50%	n/a
NE	52%	409	66%	55%	53%	50%	41%
UT*	52%	229	70%	52%	54%	45%	n/a
NY*	52%	605	n/a	57%	43%	44%	n/a
VA*	51%	343	n/a	53%	57%	37%	65%
FL	50%	417	n/a	60%	48%	45%	n/a
OH*	49%	238	75%	55%	51%	33%	n/a
DE*	44%	52	n/a	n/a	n/a	n/a	n/a

Significantly Below Average

State	Average within state	N	Institutional settings	Community-based Group Residential settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care/Host Home
IN	52%	996	51%	63%	44%	50%	n/a
MA	48%	323	n/a	52%	46%	38%	43%
OR	44%	353	n/a	64%	n/a	41%	48%
NC*	40%	315	38%	34%	50%	40%	48%
MI*	39%	347	n/a	30%	63%	37%	n/a

Table 5b. Last eye exam or vision screening (includes missing and “don’t know” responses)

State	More than 1 year	In the past year	Missing	Don't Know	N
AR	32%	45%	1%	22%	419
CO	30%	65%	2%	3%	426
CT	23%	34%	3%	40%	452
DE	7%	5%	21%	67%	435
FL	46%	46%	2%	6%	453
GA	21%	68%	0%	11%	407
IL	25%	55%	3%	17%	405
IN	44%	48%	3%	5%	1078
KS	30%	37%	4%	29%	397
KY	28%	39%	1%	31%	408
MA	42%	38%	1%	19%	404
MI	32%	20%	1%	46%	660
MN	32%	61%	1%	6%	413
MO	33%	58%	0%	8%	403
NE	47%	51%	0%	2%	418
NV	23%	32%	1%	44%	409
NJ	22%	48%	3%	28%	432
NY	29%	31%	0%	40%	1012
NC	41%	27%	1%	32%	466
OH	23%	22%	7%	47%	520
OK	33%	67%	0%	1%	300
OR	47%	37%	0%	16%	420
PA	26%	52%	9%	14%	680
SC	22%	64%	0%	13%	410
UT	22%	24%	2%	53%	504
VA	24%	24%	0%	52%	716
WI	42%	50%	3%	5%	512
Weighted NCI-IDD Average	32%	41%	3%	24%	13559

Last hearing test




Table 6. Had a hearing test in the past five years

Information may have been obtained through state records; * indicates >25% missing data

Significantly Above Average

State	Average within state	N	Institutional settings	Community-based Group Residential settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care/Host Home
PA*	88%	338	96%	92%	73%	79%	n/a
NY*	75%	265	n/a	85%	40%	61%	n/a
CT*	73%	148	n/a	84%	83%	30%	n/a
MA*	65%	273	n/a	72%	45%	52%	56%
IL*	63%	209	n/a	72%	n/a	49%	n/a
IN	57%	919	89%	48%	43%	40%	n/a

Within Average

State	Average within state	N	Institutional settings	Community-based Group Residential settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care/Host Home
UT*	61%	141	100%	61%	n/a	55%	n/a
KY*	56%	141	n/a	81%	n/a	34%	82%
MN	54%	335	n/a	55%	51%	50%	n/a
OH*	52%	147	76%	52%	47%	47%	n/a
SC*	52%	224	n/a	66%	38%	36%	n/a
NE	51%	393	67%	65%	49%	32%	59%
Weighted NCI-IDD Average	51%	7273	80%	63%	45%	38%	50%
NC*	49%	222	51%	74%	n/a	42%	48%
NV*	48%	109	n/a	50%	n/a	47%	n/a
NJ*	47%	214	n/a	57%	60%	35%	n/a
CO	46%	375	n/a	64%	48%	42%	54%
KS*	45%	137	n/a	38%	60%	40%	n/a

Significantly Below Average

State	Average within state	N	Institutional settings	Community-based Group Residential settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care/Host Home
FL*	42%	332	n/a	46%	46%	38%	n/a
VA*	41%	223	n/a	40%	n/a	34%	52%
MO*	39%	279	n/a	55%	46%	22%	n/a
AR*	38%	217	n/a	n/a	40%	36%	n/a
MI*	35%	248	n/a	41%	38%	27%	n/a
WI	32%	438	n/a	25%	35%	29%	n/a
GA	31%	335	n/a	44%	32%	20%	26%
OK	30%	293	n/a	32%	34%	22%	n/a
OR*	28%	299	n/a	n/a	n/a	26%	30%

Table note: DE not shown due to low count

Table 6b. Last hearing test (includes missing and “don’t know” responses)

State	Not in past 5 years	Within past 5 years	Missing	Don't Know	N
AR	32%	20%	1%	47%	419
CO	47%	41%	2%	10%	426
CT	9%	24%	3%	65%	452
DE	2%	2%	21%	74%	435
FL	42%	31%	2%	25%	453
GA	57%	26%	0%	18%	407
IL	19%	33%	3%	45%	405
IN	36%	49%	3%	12%	1078
KS	19%	15%	4%	61%	397
KY	15%	19%	1%	64%	408
MA	24%	44%	2%	31%	404
MI	24%	13%	2%	60%	660
MN	37%	44%	1%	18%	413
MO	42%	27%	0%	31%	403
NE	46%	48%	1%	5%	418
NV	14%	13%	2%	71%	409
NJ	26%	23%	8%	43%	432
NY	7%	20%	0%	73%	1012
NC	24%	23%	1%	51%	466
OH	13%	15%	8%	63%	520
OK	68%	29%	0%	2%	300
OR	51%	20%	0%	29%	420
PA	6%	44%	7%	43%	680
SC	26%	29%	0%	45%	410
UT	11%	17%	2%	70%	504
VA	18%	13%	1%	68%	716
WI	59%	27%	3%	12%	512
Weighted NCI-IDD Average	26%	27%	3%	44%	13559

Last Pap test (women 21 and older)




Table 7. Had a Pap test in the past three years (among women 21 and older)

Information may have been obtained through state records; * indicates >25% missing data

Significantly Above Average

State	Average within state	N	Institutional settings	Community-based Group Residential settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care/Host Home
CT*	75%	79	n/a	81%	n/a	57%	n/a
NJ*	73%	92	n/a	83%	n/a	50%	n/a
PA*	71%	143	n/a	77%	n/a	56%	n/a
NY*	70%	131	n/a	82%	n/a	43%	n/a
GA	67%	129	n/a	60%	n/a	69%	75%

Within Average

State	Average within state	N	Institutional settings	Community-based Group Residential settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care/Host Home
NV*	69%	52	n/a	81%	n/a	n/a	n/a
SC*	65%	108	n/a	69%	n/a	46%	n/a
OH*	63%	83	n/a	80%	80%	41%	n/a
KY*	61%	59	n/a	n/a	n/a	31%	n/a
MN*	61%	115	n/a	61%	n/a	55%	n/a
NE*	60%	130	n/a	59%	67%	54%	n/a
VA*	59%	116	n/a	57%	n/a	42%	69%
CO*	57%	21	n/a	n/a	n/a	n/a	n/a
MO	56%	101	n/a	n/a	63%	41%	n/a
IL*	56%	88	n/a	67%	n/a	37%	n/a
IN	56%	309	57%	59%	79%	45%	n/a
KS*	55%	91	n/a	51%	69%	n/a	n/a
Weighted NCI-IDD Average	55%	3025	59%	63%	64%	41%	62%
UT*	52%	58	n/a	n/a	n/a	n/a	n/a
NC*	46%	119	54%	n/a	n/a	28%	n/a
OK	45%	123	n/a	58%	44%	27%	n/a
AR*	44%	109	n/a	n/a	67%	25%	n/a
OR	43%	115	n/a	n/a	n/a	42%	n/a

Significantly Below Average

State	Average within state	N	Institutional settings	Community-based Group Residential settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care/Host Home
FL	44%	168	n/a	45%	55%	38%	n/a
MA*	41%	130	n/a	40%	n/a	n/a	n/a
WI	41%	184	n/a	53%	48%	35%	n/a
MI*	39%	99	n/a	36%	n/a	29%	n/a
DE*	29%	94	n/a	26%	n/a	n/a	n/a

Table 7b. Last Pap test (among women 21 and older, includes “not applicable,” missing, and “don’t know” responses)

State	More than 3 years	In past 3 years	Missing	Not applicable	Don't Know	N
AR	14%	11%	1%	61%	12%	419
CO	2%	3%	0%	62%	33%	426
CT	4%	13%	4%	53%	25%	452
DE	15%	6%	9%	61%	8%	435
FL	20%	16%	3%	58%	3%	453
GA	10%	21%	0%	62%	6%	407
IL	9%	12%	3%	63%	13%	405
IN	13%	16%	3%	62%	6%	1078
KS	9%	11%	14%	52%	14%	397
KY	6%	9%	3%	60%	22%	408
MA	19%	13%	2%	52%	14%	404
MI	9%	6%	2%	61%	23%	660
MN	11%	17%	0%	60%	12%	413
MO	11%	14%	1%	67%	7%	403
NE	12%	19%	1%	55%	13%	418
NV	4%	9%	3%	58%	26%	409
NJ	6%	16%	3%	60%	15%	432
NY	4%	9%	1%	64%	23%	1012
NC	14%	12%	2%	60%	13%	466
OH	6%	10%	3%	63%	18%	520
OK	23%	18%	0%	58%	1%	300
OR	15%	12%	2%	64%	7%	420
PA	6%	15%	7%	57%	15%	680
SC	9%	17%	0%	63%	10%	410
UT	6%	6%	4%	61%	23%	504
VA	7%	9%	2%	62%	19%	716
WI	21%	15%	2%	58%	5%	512
Weighted NCI-IDD Average	10%	12%	2%	61%	15%	13559

Last mammogram (women 40 and older)




Table 8. Had a mammogram test in the past two years (among women age 40 and over)
 Information may have been obtained through state records; * indicates >25% missing data

Significantly Above Average

State	Average within state	N	Institutional settings	Community-based Group Residential settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care/Host Home
PA	89%	96	n/a	90%	n/a	n/a	n/a
NJ	87%	55	n/a	92%	n/a	n/a	n/a

Within Average

State	Average within state	N	Institutional settings	Community-based Group Residential settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care/Host Home
CT*	86%	44	n/a	85%	n/a	n/a	n/a
SC*	86%	49	n/a	83%	n/a	n/a	n/a
GA	85%	48	n/a	84%	n/a	n/a	n/a
IL*	85%	39	n/a	86%	n/a	n/a	n/a
KY*	83%	23	n/a	n/a	n/a	n/a	n/a
OK	82%	51	n/a	87%	n/a	n/a	n/a
NY*	82%	56	n/a	84%	n/a	n/a	n/a
OR*	82%	22	n/a	n/a	n/a	n/a	n/a
KS*	82%	38	n/a	80%	n/a	n/a	n/a
IN	80%	141	82%	84%	n/a	n/a	n/a
MI*	80%	54	n/a	78%	n/a	n/a	n/a
VA*	78%	46	n/a	82%	n/a	n/a	n/a
MO	74%	42	n/a	n/a	86%	n/a	n/a
Weighted NCI-IDD Average	74%	1313	75%	79%	74%	60%	65%
MN*	72%	39	n/a	70%	n/a	n/a	n/a
OH*	71%	35	n/a	n/a	n/a	n/a	n/a
NC	70%	40	n/a	n/a	n/a	n/a	n/a
AR*	69%	36	n/a	n/a	n/a	n/a	n/a
NE*	67%	45	n/a	n/a	n/a	n/a	n/a
MA	62%	84	n/a	60%	n/a	n/a	n/a
FL	61%	56	n/a	n/a	n/a	n/a	n/a
UT*	60%	25	n/a	n/a	n/a	n/a	n/a

Significantly Below Average

State	Average within state	N	Institutional settings	Community-based Group Residential settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care/Host Home
WI	57%	72	n/a	n/a	62%	n/a	n/a
DE*	21%	48	n/a	18%	n/a	n/a	n/a

Table note: CO and NV not shown due to low counts

Table 8b. Last mammogram test (among women age 40 and over, includes “not applicable,” missing, and “don’t know”)

State	More than 2 years	In past 2 years	Missing	Not applicable	Don't Know	N
AR	3%	6%	1%	87%	4%	419
CO	3%	0%	0%	90%	6%	426
CT	1%	8%	4%	80%	6%	452
DE	9%	2%	1%	85%	3%	435
FL	5%	8%	3%	83%	2%	453
GA	2%	10%	0%	85%	3%	407
IL	1%	8%	3%	84%	3%	405
IN	3%	10%	1%	83%	3%	1078
KS	2%	8%	14%	73%	4%	397
KY	1%	5%	1%	87%	6%	408
MA	8%	13%	1%	73%	5%	404
MI	2%	7%	1%	81%	9%	660
MN	3%	7%	0%	87%	3%	413
MO	3%	8%	0%	87%	2%	403
NE	4%	7%	0%	83%	5%	418
NV	1%	2%	2%	86%	8%	409
NJ	2%	11%	1%	83%	3%	432
NY	1%	5%	0%	89%	5%	1012
NC	3%	6%	2%	88%	2%	466
OH	2%	5%	7%	79%	7%	520
OK	3%	14%	0%	83%	0%	300
OR	1%	4%	0%	94%	1%	420
PA	2%	12%	5%	78%	3%	680
SC	2%	10%	0%	81%	6%	410
UT	2%	3%	3%	89%	4%	504
VA	1%	5%	1%	85%	8%	716
WI	6%	8%	1%	82%	3%	512
Weighted NCI-IDD Average	3%	7%	2%	84%	4%	13559

Last colorectal cancer screening (among people 45 to 75)




Table 9. Last colorectal cancer screening (among people age 45 to 75)

Question changed in 2021-22; information may have been obtained through state records; don't know included in denominator; * indicates >25% missing data

State	Colonoscopy in past 10 years	Flexible sigmoidoscopy in past 5 years	Fecal occult blood test or fecal immunochemical test in the past year	Never had exam or screening	N
AR	16%	1%	0%	23%	147
CO	19%	0%	0%	0%	122
CT*	38%	0%	10%	6%	168
DE*	14%	1%	3%	3%	138
FL	41%	1%	7%	31%	157
GA	33%	1%	1%	34%	174
IL	26%	0%	7%	21%	174
IN	34%	0%	7%	27%	405
KS	27%	0%	7%	16%	128
KY	24%	1%	4%	15%	150
MA	46%	2%	7%	20%	200
MI*	18%	2%	2%	21%	262
MN	33%	2%	12%	29%	150
MO	32%	1%	10%	27%	156
NE	34%	0%	16%	12%	157
NV*	11%	0%	0%	11%	135
NJ	42%	1%	4%	26%	151
NY	31%	6%	5%	5%	343
NC	35%	1%	7%	16%	135
OH*	17%	0%	3%	17%	181
OK	46%	0%	6%	46%	143
OR	37%	0%	11%	28%	82
PA*	35%	0%	3%	9%	267
SC	37%	0%	3%	16%	200
UT	18%	1%	1%	10%	141
VA	27%	1%	3%	13%	232
WI	39%	1%	6%	40%	186
Weighted NCI-IDD Average	32%	1%	5%	20%	4884

Table 9b. Last colorectal cancer screening (among people age 45 to 75, includes “not applicable,” missing, and “don’t know” responses)

State	Valid response	Missing	Not applicable	Don't Know	N
AR	14%	0%	66%	20%	419
CO	5%	0%	72%	23%	426
CT	19%	31%	32%	18%	452
DE	6%	3%	65%	25%	435
FL	28%	2%	64%	6%	452
GA	29%	0%	59%	12%	407
IL	24%	3%	55%	19%	402
IN	25%	3%	60%	12%	1078
KS	20%	4%	60%	16%	382
KY	16%	1%	62%	20%	406
MA	36%	0%	50%	13%	402
MI	16%	3%	58%	23%	657
MN	27%	1%	64%	9%	413
MO	27%	0%	62%	11%	403
NE	22%	2%	60%	15%	418
NV	8%	1%	66%	26%	404
NJ	25%	2%	63%	10%	432
NY	13%	0%	66%	21%	1012
NC	17%	0%	71%	12%	464
OH	13%	62%	3%	22%	520
OK	47%	0%	53%	0%	300
OR	15%	0%	80%	5%	420
PA	19%	6%	55%	20%	680
SC	27%	1%	50%	21%	409
UT	8%	1%	71%	19%	502
VA	14%	2%	66%	19%	716
WI	30%	1%	63%	6%	512
Weighted NCI-IDD Average	20%	8%	56%	16%	13523

Had flu vaccination in last 12 months




Table 10. Had a flu vaccine in the past 12 months

Information may have been obtained through state records; * indicates >25% missing data

Significantly Above Average

State	Average within state	N	Institutional settings	Community-based Group Residential settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care/Host Home
CO*	100% ¹	88	n/a	n/a	n/a	100%	n/a
CT*	90%	261	n/a	98%	94%	76%	n/a
NE	85%	382	90%	87%	85%	77%	96%
UT*	85%	239	100%	90%	85%	74%	n/a
IL	84%	312	n/a	86%	92%	79%	n/a
VA*	80%	405	n/a	88%	80%	68%	86%
MO	80%	374	n/a	96%	83%	65%	n/a
MN	79%	393	n/a	84%	80%	72%	n/a

Within Average

State	Average within state	N	Institutional settings	Community-based Group Residential settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care/Host Home
KS	79%	310	n/a	87%	71%	70%	n/a
MA	78%	323	n/a	82%	81%	64%	75%
PA*	77%	379	83%	90%	65%	56%	62%
NC*	77%	313	96%	98%	n/a	63%	83%
MI*	77%	391	n/a	85%	77%	65%	n/a
OH*	77%	230	93%	86%	73%	68%	n/a
OK	76%	299	n/a	81%	77%	69%	n/a
GA	76%	376	n/a	84%	80%	69%	73%
SC	76%	338	n/a	81%	73%	69%	n/a
IN	76%	977	89%	80%	76%	60%	n/a
NV*	75%	185	n/a	72%	78%	81%	n/a
Weighted NCI-IDD Average	73%	9681	90%	82%	73%	62%	76%
AR	73%	363	n/a	88%	72%	69%	n/a
NJ	72%	331	n/a	85%	85%	52%	n/a
WI	71%	481	n/a	88%	73%	62%	n/a
KY*	66%	253	n/a	77%	52%	58%	73%
DE*	61%	114	n/a	64%	n/a	n/a	n/a

Significantly Below Average

State	Average within state	N	Institutional settings	Community-based Group Residential settings	Own Home or Apartment	Parent's or Relative's Home	Foster Care/Host Home
NY*	66%	749	n/a	72%	53%	58%	n/a
FL	58%	424	n/a	68%	61%	51%	n/a
OR	57%	391	n/a	80%	n/a	50%	73%

¹ Please see table 10b for more information on these data. Colorado was not able to definitively report that NO a person had not received a flu vaccine, so they reported “don't know” responses instead. Since “don't know” responses are not included in the denominator of this table, it appears that Colorado has a 100% vaccination rate. Table 10b provides more precise information.

Table 10b. Had a flu vaccine in the past year (includes missing and “don’t know” responses)

State	Flu vaccine in the past year	Not in the past year	Missing	Don't Know	N
AR	63%	24%	1%	12%	419
CO	21%	0%	0%	79%	426
CT	52%	6%	3%	40%	452
DE	16%	10%	21%	52%	435
FL	55%	39%	2%	4%	453
GA	70%	22%	0%	8%	407
IL	65%	12%	3%	20%	405
IN	69%	22%	3%	6%	1078
KS	62%	16%	4%	18%	397
KY	41%	21%	2%	36%	408
MA	63%	17%	2%	18%	404
MI	45%	14%	2%	39%	660
MN	76%	20%	1%	4%	413
MO	74%	19%	0%	7%	403
NE	78%	14%	3%	6%	466
NV	34%	11%	0%	55%	418
NJ	55%	21%	3%	20%	432
NY	49%	25%	4%	22%	409
NC	52%	15%	1%	32%	1012
OH	34%	10%	9%	46%	520
OK	76%	24%	0%	0%	300
OR	53%	40%	0%	7%	420
PA	43%	13%	8%	36%	680
SC	63%	20%	1%	17%	410
UT	40%	7%	3%	50%	504
VA	46%	11%	1%	42%	716
WI	66%	28%	3%	3%	512
Weighted NCI-IDD Average	53%	19%	3%	24%	13559

In the past 12 months, have you gone to the emergency room for any reason (to get care for yourself)?




Table 11. Went to the emergency room for any reason to get care for themselves in the past 12 months

New question in 2021-22; proxy respondents were allowed for this question

State	Went to ER in past 12 months	Did not go to ER in past 12 months	N
AR	21%	79%	412
CO	23%	77%	419
CT	33%	67%	427
DE	23%	77%	428
FL	21%	79%	439
GA	21%	79%	404
IL	25%	75%	386
IN	30%	70%	1041
KS	21%	79%	331
KY	25%	75%	401
MA	27%	73%	388
MI	26%	74%	649
MN	24%	76%	406
MO	30%	70%	397
NE	17%	83%	399
NV	22%	78%	387
NJ	23%	77%	416
NY	23%	77%	941
NC	21%	79%	461
OH	31%	69%	508
OK	28%	72%	298
OR	25%	75%	400
PA	26%	74%	635
SC	26%	74%	405
UT	27%	73%	357
VA	26%	74%	702
WI	29%	71%	497
Weighted NCI-IDD Average	26%	74%	12934

Reasons for unexpected hospitalization




Table 12. Had an unexpected hospital admission due to dehydration, bowel obstruction, seizure, aspiration, or GERD, in the past year²

New question in 2021-22; information may have been obtained through state records

State	Dehydration	Bowel obstruction	Seizure	Aspiration	Gastro-Esophageal Reflux Disease	N
AR	18%	12%	48%	18%	21%	33
CO	15%	9%	18%	24%	39%	33
CT	16%	9%	31%	16%	38%	32
DE	18%	13%	24%	13%	66%	76
FL	4%	15%	54%	12%	31%	26
GA	4%	16%	20%	8%	52%	25
IL	n/a	n/a	n/a	n/a	n/a	n/a
IN	30%	9%	36%	21%	9%	33
KS	14%	9%	27%	5%	55%	22
KY	9%	23%	41%	14%	14%	22
MA	26%	13%	35%	30%	4%	23
MI	14%	19%	32%	14%	35%	37
MN	n/a	n/a	n/a	n/a	n/a	n/a
MO	14%	14%	59%	18%	5%	22
NE	n/a	n/a	n/a	n/a	n/a	n/a
NV	n/a	n/a	n/a	n/a	n/a	n/a
NJ	n/a	n/a	n/a	n/a	n/a	n/a
NY	5%	16%	32%	6%	8%	85
NC	n/a	n/a	n/a	n/a	n/a	n/a
OH	23%	4%	42%	19%	27%	26
OK	36%	9%	27%	32%	0%	22
OR	n/a	n/a	n/a	n/a	n/a	n/a
PA	8%	17%	40%	25%	30%	53
SC	n/a	n/a	n/a	n/a	n/a	n/a
UT	26%	26%	35%	18%	9%	34
VA	9%	18%	53%	12%	18%	34
WI	n/a	n/a	n/a	n/a	n/a	n/a
Weighted NCI-IDD Average	12%	14%	38%	15%	23%	739

² Percentage shows “Of those with an unexpected hospital admission due to dehydration, bowel obstruction, seizure, aspiration, or GERD, in the past year, the percent that were hospitalized for each condition.”

In the past 6 months, have you fallen and hurt yourself?




Table 13. Fell and hurt themselves in the past six months

New question in 2021-22; proxy respondents were allowed for this question

State	Fell and hurt themselves in past 6 months	Did not fall and hurt themselves in past 6 months	N
AR	16%	84%	410
CO	16%	84%	419
CT	19%	81%	434
DE	13%	87%	431
FL	8%	92%	443
GA	11%	89%	406
IL	9%	91%	388
IN	19%	81%	1044
KS	16%	84%	334
KY	12%	88%	399
MA	14%	86%	394
MI	14%	86%	650
MN	14%	86%	405
MO	19%	81%	395
NE	12%	88%	398
NV	15%	85%	393
NJ	11%	89%	420
NY	13%	87%	951
NC	12%	88%	457
OH	15%	85%	507
OK	13%	87%	297
OR	17%	83%	398
PA	16%	84%	638
SC	12%	88%	403
UT	18%	82%	355
VA	12%	88%	704
WI	17%	83%	497
Weighted NCI-IDD Average	14%	86%	12970



Human Services Research Institute

Human Services Research Institute (HSRI)

2336 Massachusetts Avenue

Cambridge, MA 02140



NASDDDS

National Association of State Directors
of
Developmental Disabilities Services

National Association of State Directors of Developmental Disabilities Services (NASDDDS)

301 N Fairfax Street, Suite 101

Alexandria, VA 22314

May 2023

Questions/Comments: nci@nationalcoreindicators.org