# National Core Indicators® - Intellectual and Developmental Disabilities (NCI®-IDD)





**Demographics** 

## **Table of Contents: Demographics**

Where do these data come from?	4
What is weighting and why do we do it?	4
Data Caution	
mportant Note on Changes to the 2022-23 Survey Tool	
Table 1. Age	
Table 2. Age Group	
Table 3. Sex	
Table 4. Marital Status	
Table 5. Is this person a parent?	
Table 6. Race and Ethnicity	
Table 7. Residential designation	11
Table 8. Type of residence – ICFs/ID, nursing facilities or other specialized institutional settings	12
Table 9. Type of residence – Group residential settings	13
Table 10. Type of residence–Continued	14
Table 11. Length of time at current residence (if not homeless or in crisis bed placement)	15
Table 12. Person's residence owned or controlled by provider agency	16
Table 13. Person is named on the lease or other legally enforceable rental agreement	17
Table 14. Has ID diagnosis	18
Table 15. Level of ID	19
Table 16. Mood, anxiety, behavior, psychotic, and other mental illness	20
Table 17. Diagnoses noted in record	21
Table 18. Diagnoses noted in record (continued)	22
Table 19. Other conditions in record	23
Table 20. Other conditions in record (continued)	24
Table 21. Other conditions in record (continued)	25
Table 22. Preferred language	26
Table 23. Preferred means of communication	27
Table 24. Mobility	28
Table 25. Support needed to manage self-injurious behavior	29
Table 26. Support needed to manage disruptive behavior	30
Table 27. Support needed to manage destructive behavior	
Table 28. Level of guardianship	
Table 29. Guardian's relationship to person	33

Table 30. Funding source	34
Table 31. Person receives Medicare	35
Table 32. Amount of daily support received at home	36
Table 33. Has remote supports*	37
Table 34. Has ever been diagnosed or presumed diagnosed with COVID-19	38
Table 35. Has ever required in-patient hospitalization due to COVID-19 (of those who had COVID19)	39
Table 36. Has gotten the COVID-19 vaccine	40

#### Where do these data come from?

Most items in this section are drawn from administrative sources. Select items may have been collected during the face-to-face survey; those items are noted in the tables.

Read more about NCI-IDD domains and sub-domains in the Overview chapter of this report.

### What is weighting and why do we do it?

The NCI-IDD averages are "weighted" to reflect the states' relative population and sample sizes. We created the weights using the state's number of valid surveys and its total survey-eligible population. This way, a state that provides services to a larger number of people but uses a sample similar in size to other states has a greater influence on the overall NCI-IDD average (that is, its contribution is proportional to its service population). You can read more about this in the Methodology section of the Overview chapter.

The number of respondents (N) for each question is not weighted.

#### **Data Caution**

Several states had large amounts of missing data or data recorded as "don't know." Where 25% or more of a state's sample had "don't know" or missing responses, we used an asterisk (\*) to indicate that state's data should be interpreted with caution as it may not accurately represent the sample or service population.

Tables show states listed in alphabetical order and are not tested for significance.

## Important Note on Changes to the 2022-23 Survey Tool

NCI-IDD operates on a six-year revisions cycle to regularly ensure the current set of indicators meet the needs of state systems and reflect current needs in the field. Survey changes are guided by state managers, people with disabilities, and other experts in the field. The 2021-22 survey tool reflected changes based on this guidance and additional survey testing. Please note, any changes to the survey tool may affect comparison to previous years' data, therefore any cross-year comparison should be made with caution.

Table 1. Age

State (names abbreviated)	Mean Age (Years)	Min	Max	Standard Deviation	Median	N
AL	45.1	18	90	15.4	44	472
AR	41.7	19	80	14.0	39	416
СТ	44.1	19	86	16.3	40	602
DE	41.4	19	82	15.7	37	419
DC *	56.5	21	83	14.1	58	138
FL	38.8	18	89	13.8	36	521
GA	46.8	20	73	13.6	46	406
HI	43.7	18	99	17.2	39	347
IL	43.5	18	87	14.3	41	397
IN	42.6	18	88	15.6	41	1,076
KS	41.6	18	82	14.8	38	323
KY	41.3	19	88	15.8	37	439
MD	39.2	18	85	15.7	34	533
MI	40.6	19	88	15.2	37	668
MN	41.0	18	88	16.6	38	403
MO	40.0	18	84	15.4	37	403
MT	46.3	20	93	15.2	45	360
NE	42.3	18	82	15.6	40	419
NV	40.4	19	82	13.9	37	416
NH	41.3	21	85	15.2	36	398
NJ	42.2	18	82	15.8	38	458
NY	39.3	19	97	16.3	34	1,676
NC	38.8	18	85	14.3	36	578
OK	42.9	18	85	15.1	41	400
OR	37.8	18	75	14.8	35	418
PA	43.6	18	84	15.9	41	699
SC	42.0	19	97	16.2	40	510
TX	32.6	22	69	9.3	30	420
UT	37.7	18	76	13.9	34	353
VA	40.6	18	92	15.5	36	760
WI	44.3	19	91	16.2	42	359
WY	40.6	18	88	15.4	38	424
NCI-IDD Average	40.3	18	99	15.6	36	25,041

Table 2. Age Group

State (names abbreviated)	18-22	23-34	35-54	55-74	75 and older	Unknown	N
AL	5%	25%	39%	27%	3%	1%	479
AR	6%	29%	43%	21%	1%	0%	417
СТ	2%	37%	31%	27%	3%	0%	602
DE	6%	39%	30%	22%	3%	0%	419
DC *	0%	2%	13%	20%	3%	61%	354
FL	8%	39%	35%	15%	1%	2%	532
GA	0%	22%	45%	33%	0%	0%	406
HI	7%	33%	28%	28%	3%	1%	351
IL	3%	31%	41%	24%	1%	1%	400
IN	8%	30%	35%	24%	2%	0%	1,080
KS	6%	25%	31%	19%	2%	18%	393
KY	10%	34%	32%	21%	3%	0%	439
MD	8%	44%	29%	17%	3%	0%	533
MI	8%	37%	34%	19%	2%	0%	670
MN	11%	34%	33%	17%	4%	0%	403
MO	11%	35%	33%	18%	2%	0%	403
MT	3%	21%	44%	28%	3%	1%	365
NE	6%	31%	35%	24%	2%	0%	420
NV	4%	38%	40%	16%	1%	1%	419
NH	3%	42%	31%	22%	3%	0%	399
NJ	3%	42%	28%	24%	3%	0%	460
NY	10%	41%	28%	18%	3%	0%	1,682
NC	10%	36%	35%	15%	2%	3%	594
ОК	7%	27%	41%	23%	2%	0%	400
OR	15%	35%	34%	16%	0%	0%	418
PA	5%	32%	33%	24%	3%	3%	718
SC	9%	32%	33%	23%	3%	0%	511
TX	4%	64%	29%	4%	0%	0%	420
UT	11%	39%	34%	14%	1%	2%	359
VA	8%	38%	32%	21%	2%	0%	762
WI	8%	25%	36%	27%	4%	1%	362
WY	10%	32%	39%	17%	2%	0%	424
NCI-IDD Average	9%	37%	32%	19%	2%	1%	25,424

**Table 3. Sex** *Refers to individual's sex as assigned at birth* 

State (names abbreviated)	Male	Female	Don't Know	N
AL	61%	39%	0%	473
AR	58%	42%	0%	416
СТ	60%	40%	0%	602
DE	59%	41%	0%	419
DC *	63%	37%	0%	137
FL	60%	40%	0%	524
GA	59%	41%	0%	406
HI	57%	43%	0%	349
IL	59%	41%	0%	396
IN	60%	40%	0%	1,080
KS	60%	40%	0%	324
KY	60%	40%	0%	434
MD	56%	44%	0%	533
MI	58%	42%	0%	669
MN	60%	40%	0%	403
MO	61%	39%	0%	403
MT	58%	42%	0%	362
NE	59%	41%	0%	417
NV	56%	44%	0%	416
NH	59%	41%	0%	395
NJ	58%	42%	0%	457
NY	60%	40%	0%	1,676
NC	64%	36%	0%	592
OK	63%	37%	0%	400
OR	61%	39%	0%	418
PA	60%	40%	0%	699
SC	60%	40%	0%	511
TX	61%	39%	0%	420
UT	62%	38%	0%	356
VA	63%	37%	0%	760
WI	56%	44%	0%	361
WY	58%	42%	0%	424
NCI-IDD Average	60%	40%	0%	25,062

**Table 4. Marital Status** *Information may have been collected in the field* 

State (names abbreviated)	Single, Never Married	Married	Single, Married in the Past	Don't Know	N
AL	97%	0%	2%	1%	473
AR	94%	3%	3%	0%	414
CT	98%	1%	1%	0%	599
DE *	0%	0%	0%	100%	419
DC *	69%	4%	0%	27%	131
FL	95%	1%	2%	2%	520
GA	97%	1%	1%	0%	405
HI	99%	1%	0%	0%	350
IL	97%	1%	2%	1%	394
IN	97%	1%	1%	0%	1,080
KS	97%	1%	2%	1%	320
KY	97%	0%	2%	1%	433
MD	91%	1%	1%	7%	524
MI	94%	1%	3%	2%	665
MN	97%	1%	2%	0%	388
MO	97%	1%	2%	0%	402
MT	96%	0%	2%	1%	360
NE	98%	1%	1%	0%	416
NV	95%	1%	4%	1%	418
NH	93%	2%	5%	0%	395
NJ	99%	0%	0%	0%	457
NY	89%	1%	2%	8%	1,675
NC	98%	0%	1%	1%	591
OK	95%	1%	4%	0%	400
OR	96%	4%	0%	0%	413
PA	95%	1%	2%	2%	692
SC	96%	0%	3%	1%	509
TX	96%	3%	2%	0%	391
UT	94%	2%	3%	0%	357
VA	96%	0%	2%	3%	759
WI *	56%	2%	9%	33%	357
WY	86%	4%	9%	0%	401
NCI-IDD Average	93%	1%	2%	4%	24,913

Table 5. Is this person a parent?

Categories are not mutually exclusive; therefore, N is not shown

State (names abbreviated)	No, does not have a child	Yes, parent of a child or children under 18	Yes, parent of a child or children over 18	Yes, parent of a child or children, unknown age(s)	Don't know
AL	98%	0%	2%	0%	1%
AR	94%	1%	4%	0%	0%
CT	98%	1%	1%	1%	0%
DC *	98%	0%	1%	1%	11%
FL	97%	2%	1%	0%	2%
GA	96%	2%	2%	0%	0%
HI	99%	0%	0%	1%	1%
IL	96%	1%	2%	0%	1%
IN	99%	1%	1%	0%	1%
KS	98%	1%	1%	0%	1%
KY	95%	1%	3%	1%	0%
MD *	97%	2%	1%	1%	41%
MI	96%	2%	3%	0%	2%
MO	98%	1%	1%	0%	0%
MT	97%	1%	2%	1%	2%
NE	99%	0%	1%	0%	0%
NV	97%	1%	1%	0%	1%
NH	93%	2%	5%	0%	1%
NJ	99%	0%	1%	0%	0%
NY	95%	2%	2%	1%	20%
NC	99%	0%	1%	0%	2%
OK	96%	1%	3%	0%	0%
PA	97%	0%	2%	0%	2%
SC	96%	1%	2%	0%	1%
UT	96%	1%	3%	0%	0%
VA	97%	1%	2%	0%	5%
WI *	84%	6%	9%	0%	91%
WY	98%	0%	0%	2%	0%
NCI-IDD Average	96%	2%	2%	0%	14%

**Table 6. Race and Ethnicity** 

Categories are not mutually exclusive; therefore, N is not shown. 'Don't know' responses are included in the denominator, which is different from past years. In previous years, this variable was mutually exclusive.

State (names abbreviated)	American Indian or Alaska Native	Asian	Black or African American	Pacific Islander	White	Hispanic or Latino	Other	Don't Know
AL	0%	0%	39%	0%	60%	0%	0%	0%
AR	1%	0%	21%	0%	77%	1%	0%	0%
CT	1%	1%	14%	0%	73%	12%	2%	1%
DE	0%	2%	28%	0%	67%	0%	3%	3%
DC *	0%	1%	95%	0%	4%	1%	0%	18%
FL	0%	1%	22%	1%	59%	16%	2%	2%
GA	0%	1%	52%	0%	46%	0%	1%	1%
HI	1%	67%	1%	24%	25%	2%	4%	3%
IL	0%	3%	25%	1%	63%	9%	1%	1%
IN	0%	1%	12%	0%	86%	2%	0%	0%
KS	0%	1%	10%	0%	83%	4%	1%	6%
KY	0%	0%	9%	0%	90%	1%	1%	1%
MD	0%	3%	40%	0%	56%	2%	0%	1%
MI	1%	2%	16%	1%	77%	3%	1%	1%
MN	2%	3%	7%	0%	88%	2%	0%	2%
MO	1%	1%	13%	0%	84%	3%	1%	0%
MT	11%	0%	1%	0%	90%	1%	0%	1%
NE	7%	3%	8%	0%	80%	6%	0%	0%
NV	2%	4%	15%	1%	63%	14%	2%	3%
NH	0%	2%	1%	1%	95%	1%	1%	7%
NJ	0%	5%	21%	0%	67%	7%	0%	2%
NY	0%	3%	16%	3%	68%	9%	3%	22%
NC	1%	1%	33%	0%	61%	3%	1%	2%
OK	8%	1%	15%	0%	74%	3%	0%	0%
OR	8%	4%	2%	0%	82%	11%	2%	10%
PA	0%	2%	14%	0%	80%	4%	1%	0%
SC	0%	0%	43%	0%	57%	1%	0%	1%
TX	0%	0%	14%	0%	22%	35%	29%	0%
UT	2%	1%	3%	1%	88%	6%	1%	1%
VA	1%	3%	30%	0%	65%	3%	1%	2%
WI	2%	1%	13%	1%	86%	3%	1%	3%
WY	2%	1%	1%	0%	88%	5%	2%	2%
NCI-IDD Average	1%	4%	17%	1%	63%	14%	3%	4%

**Table 7. Residential designation** 

Information based on residential designation defined by the USDA: <a href="https://www.ers.usda.gov/data-products/rural-urban-commuting-area-codes.aspx">https://www.ers.usda.gov/data-products/rural-urban-commuting-area-codes.aspx</a>

State (names abbreviated)	Metropolitan	Micropolitan	Rural	Small town	N
AL	75%	15%	2%	8%	475
AR	61%	21%	5%	12%	417
CT	97%	3%	0%	0%	601
DE	85%	12%	0%	3%	419
DC *	100%	0%	0%	0%	138
FL	97%	2%	0%	1%	526
GA	80%	13%	1%	6%	406
HI	85%	11%	3%	1%	351
IL	80%	8%	3%	9%	397
IN	63%	24%	3%	11%	1,077
KS	57%	32%	2%	9%	321
KY	42%	35%	7%	17%	436
MD	97%	2%	0%	1%	533
MI	79%	9%	6%	6%	669
MN	66%	17%	5%	12%	403
MO	66%	16%	5%	13%	403
MT	38%	30%	12%	21%	362
NE	54%	15%	6%	24%	419
NV	93%	7%	0%	0%	415
NH	58%	22%	10%	10%	384
NJ	100%	0%	0%	0%	458
NY	86%	6%	3%	5%	1,676
NC	69%	22%	2%	7%	594
OK	52%	35%	3%	11%	400
OR	62%	28%	4%	6%	411
PA	76%	14%	3%	7%	697
SC	68%	18%	2%	12%	511
TX	91%	7%	0%	2%	420
UT	86%	11%	1%	2%	348
VA	86%	4%	3%	7%	757
WI	65%	14%	8%	14%	359
WY	40%	33%	10%	18%	424
NCI-IDD Average	82%	10%	2%	5%	25,007

Table 8. Type of residence - ICFs/ID, nursing facilities or other specialized institutional settings

State (names abbreviated)	ICF/IID, 4-6 Residents With Disabilities	ICF/IID, 7-15 Residents With Disabilities	ICF/IID, 16 or More Residents With Disabilities	Nursing Facility	Other Specialized Institutional Facility	N
AL	0%	0%	0%	0%	0%	479
AR	0%	0%	0%	0%	0%	417
CT	0%	0%	0%	0%	0%	601
DE	0%	0%	0%	0%	0%	419
DC *	11%	3%	1%	0%	3%	133
FL	0%	0%	0%	0%	0%	525
GA	0%	0%	0%	0%	0%	406
HI	0%	0%	0%	0%	0%	346
IL	1%	1%	0%	0%	1%	398
IN	15%	15%	0%	0%	0%	1,080
KS	0%	0%	0%	0%	0%	322
KY	0%	0%	0%	0%	0%	437
MD	0%	0%	0%	0%	0%	533
MI	0%	0%	0%	0%	0%	663
MN	0%	0%	0%	0%	0%	403
MO	0%	0%	0%	0%	1%	403
MT	0%	0%	0%	0%	0%	365
NE	0%	2%	3%	0%	0%	420
NV	0%	0%	0%	0%	0%	419
NH	0%	0%	0%	0%	1%	397
NJ	0%	0%	0%	0%	0%	459
NY	0%	0%	0%	0%	0%	1,676
NC	0%	0%	6%	0%	0%	592
OK	0%	0%	0%	0%	0%	400
OR	0%	0%	0%	0%	0%	418
PA	3%	2%	2%	0%	1%	686
SC	1%	1%	0%	0%	0%	509
TX	2%	2%	0%	0%	1%	420
UT	0%	0%	5%	0%	1%	358
VA	0%	0%	0%	0%	0%	758
WI	0%	0%	0%	3%	1%	362
WY	0%	0%	0%	0%	0%	424
NCI-IDD Average	2%	1%	0%	0%	0%	25,039

Table 9. Type of residence - Group residential settings

State (names abbreviated)	Group Living Setting, 2-3 People With Disabilities	Group Living Setting, 4-6 People With Disabilities	Group Living Setting, 7-15 People With Disabilities	N
AL	42%	13%	14%	479
AR	3%	2%	8%	417
CT	19%	29%	0%	601
DE	28%	25%	0%	419
DC *	26%	10%	2%	133
FL	2%	30%	4%	525
GA	20%	17%	0%	406
HI	0%	4%	0%	346
IL	6%	22%	19%	398
IN	15%	4%	0%	1,080
KS	21%	20%	5%	322
KY	28%	0%	0%	437
MD	24%	7%	1%	533
MI	3%	28%	5%	663
MN	0%	47%	0%	403
MO	15%	6%	2%	403
MT	4%	23%	21%	365
NE	22%	3%	0%	420
NV	24%	24%	0%	419
NH	9%	5%	2%	397
NJ	7%	30%	1%	459
NY	3%	17%	21%	1,676
NC	7%	14%	0%	592
OK	27%	16%	2%	400
OR	8%	6%	0%	418
PA	29%	7%	0%	686
SC	7%	40%	4%	509
TX	2%	5%	0%	420
UT	32%	6%	1%	358
VA	8%	26%	3%	758
WI	8%	11%	4%	362
WY	0%	0%	0%	424
NCI-IDD Average	8%	18%	5%	25,039

**Table 10. Type of residence-Continued** 

State (names abbreviated)	Own Home or Apartment	Parent's or Relative's Home	Foster Care or Host Home (2 or More People With a Disability)	Foster Care Host Home, or Shared Living (1 Person With a Disability)	Homeless or Crisis Bed Placement	Other	Don't Know	N
AL	10%	20%	0%	0%	0%	0%	0%	479
AR	43%	41%	3%	1%	0%	0%	0%	417
CT	14%	35%	1%	2%	0%	0%	0%	601
DE	3%	40%	1%	2%	0%	1%	0%	419
DC *	34%	6%	2%	2%	0%	0%	0%	133
FL	14%	50%	0%	0%	0%	0%	0%	525
GA	12%	39%	8%	4%	0%	0%	0%	406
HI	3%	51%	39%	2%	0%	0%	1%	346
IL	7%	43%	1%	0%	0%	0%	0%	398
IN	9%	40%	0%	0%	0%	0%	1%	1,080
KS	19%	29%	1%	1%	0%	1%	2%	322
KY	9%	40%	12%	12%	0%	0%	0%	437
MD	10%	56%	0%	0%	0%	2%	0%	533
MI	18%	40%	3%	0%	0%	0%	1%	663
MN	9%	39%	4%	0%	0%	0%	0%	403
MO	32%	39%	2%	1%	0%	1%	0%	403
MT	31%	20%	0%	0%	0%	0%	0%	365
NE	15%	25%	6%	24%	0%	0%	0%	420
NV	14%	32%	2%	4%	1%	0%	0%	419
NH	9%	41%	16%	17%	1%	1%	0%	397
NJ	13%	47%	1%	0%	0%	0%	0%	459
NY	7%	51%	1%	0%	0%	0%	1%	1,676
NC	6%	51%	4%	11%	0%	0%	0%	592
OK	19%	35%	0%	2%	0%	0%	0%	400
OR	10%	61%	12%	2%	0%	0%	0%	418
PA	11%	38%	2%	1%	0%	2%	1%	686
SC	14%	29%	2%	2%	0%	0%	0%	509
TX	8%	39%	19%	21%	0%	1%	0%	420
UT	9%	27%	3%	13%	0%	1%	0%	358
VA	9%	39%	7%	10%	0%	0%	0%	758
WI	27%	35%	0%	0%	0%	0%	11%	362
WY	28%	35%	0%	0%	0%	37%	0%	424
NCI-IDD Average	12%	45%	3%	3%	0%	0%	1%	25,039

Table 11. Length of time at current residence (if not homeless or in crisis bed placement)

State (names abbreviated)	Less Than 1 Year	1-3 Years	4-5 Year	Over 5 Years	Don't Know	N
AL	8%	20%	10%	58%	4%	457
AR	7%	19%	8%	60%	5%	412
CT	7%	16%	9%	68%	0%	602
DE *	5%	21%	5%	29%	41%	417
DC *	0%	2%	13%	30%	56%	124
FL	5%	22%	8%	63%	2%	520
GA	4%	14%	7%	73%	3%	406
HI	2%	5%	4%	83%	6%	339
IL	6%	18%	8%	63%	6%	386
IN	9%	18%	7%	65%	1%	1,079
KS	6%	24%	12%	53%	5%	313
KY	16%	22%	10%	47%	5%	430
MD	5%	13%	9%	63%	10%	529
MI	12%	16%	9%	51%	12%	660
MN	8%	17%	7%	68%	1%	385
MO	11%	24%	10%	55%	1%	403
MT	10%	23%	14%	54%	0%	362
NE	10%	23%	8%	54%	6%	416
NV	10%	23%	11%	43%	13%	412
NH	11%	24%	9%	54%	2%	390
NJ	7%	13%	11%	61%	8%	454
NY	5%	15%	8%	70%	1%	1,621
NC	5%	15%	6%	60%	15%	581
OK	10%	20%	8%	63%	0%	400
OR	9%	17%	9%	62%	3%	414
PA	8%	19%	7%	55%	10%	667
SC	10%	15%	9%	62%	4%	506
TX	6%	16%	12%	65%	1%	391
UT	22%	30%	7%	38%	3%	349
VA	9%	21%	9%	60%	2%	758
WI *	8%	22%	11%	54%	5%	258
WY	8%	27%	13%	53%	0%	424
NCI-IDD Average	8%	17%	9%	63%	4%	24,657

Table 12. Person's residence owned or controlled by provider agency

State (names abbreviated)	No	Yes	Don't Know	N
AL	33%	66%	1%	467
AR	73%	26%	1%	416
СТ	56%	44%	0%	600
DE	42%	58%	0%	417
DC *	12%	82%	6%	130
FL	65%	34%	0%	526
GA	50%	50%	0%	406
HI	94%	5%	1%	348
IL	53%	46%	1%	397
IN	46%	54%	0%	1,077
KS	53%	44%	2%	322
KY	58%	42%	0%	433
MD	65%	33%	1%	530
MI	64%	29%	7%	662
MN *	100%	0%	0%	157
MO	66%	31%	3%	403
MT	40%	60%	0%	362
NE	54%	44%	1%	417
NV	43%	57%	0%	413
NH	59%	41%	0%	396
NJ	55%	39%	5%	460
NC	64%	34%	2%	589
OK	70%	30%	0%	400
OR	70%	30%	0%	391
PA	52%	46%	2%	685
SC	48%	50%	3%	510
TX *	100%	0%	0%	162
UT	40%	59%	1%	356
VA	52%	40%	8%	753
WI	58%	40%	2%	353
WY *	58%	13%	29%	392
NCI-IDD Average	62%	36%	2%	22,722

Table note: States with more than 25% missing or don't know are marked with \*; NY is not included in this table due to data corrections that could not be applied.

Table 13. Person is named on the lease or other legally enforceable rental agreement

State (names abbreviated)	No	Yes, named on lease or deed	Yes, named on other legally enforceable rental agreement	Don't Know	N
AL	44%	43%	8%	6%	466
AR	53%	30%	7%	10%	415
СТ	63%	15%	2%	20%	588
DE	98%	0%	2%	0%	418
DC *	32%	27%	7%	34%	130
FL	66%	25%	5%	4%	524
GA	49%	16%	29%	6%	406
HI *	57%	1%	0%	43%	328
IL	47%	28%	13%	12%	392
IN	77%	19%	3%	1%	1,078
KS *	38%	35%	17%	10%	319
KY	82%	5%	2%	11%	436
MD *	40%	8%	2%	50%	533
MI	60%	14%	9%	17%	665
MO	55%	30%	4%	11%	403
MT	24%	41%	26%	8%	362
NE	24%	38%	38%	1%	420
NV *	37%	14%	2%	47%	414
NH	84%	5%	4%	7%	398
NJ	50%	23%	14%	14%	457
NY *	45%	8%	2%	45%	1,589
NC	79%	7%	2%	12%	588
OK	40%	37%	23%	0%	399
OR	69%	22%	9%	0%	409
PA	67%	8%	7%	17%	692
SC	32%	44%	16%	8%	511
UT	75%	7%	3%	15%	357
VA	50%	17%	11%	22%	751
WI *	33%	15%	0%	51%	78
WY *	8%	3%	0%	88%	205
NCI-IDD Average	56%	17%	7%	20%	15,335

Table 14. Has ID diagnosis

State (names abbreviated)	No	Yes	Don't Know	N
AL	1%	99%	0%	472
AR	5%	95%	0%	415
СТ	0%	100%	0%	602
DE	0%	100%	0%	419
DC *	1%	97%	2%	137
FL	13%	86%	1%	520
GA	0%	100%	0%	406
HI	6%	93%	1%	346
IL	2%	98%	0%	392
IN	11%	89%	0%	1,080
KS	2%	96%	2%	314
KY	7%	93%	1%	430
MD	12%	80%	8%	533
MI	7%	92%	1%	667
MN	0%	100%	0%	403
MO	29%	70%	1%	399
MT	0%	99%	0%	361
NE	0%	100%	0%	419
NV	18%	81%	1%	411
NH	27%	71%	2%	395
NJ	17%	82%	1%	448
NY	14%	84%	2%	1,676
NC	5%	95%	1%	593
OK	0%	100%	0%	400
OR	30%	70%	0%	418
PA	1%	98%	1%	689
SC	10%	87%	3%	508
TX	5%	79%	16%	420
UT	15%	85%	1%	351
VA	14%	85%	1%	760
WI	32%	67%	1%	362
WY	0%	100%	0%	424
NCI-IDD Average	14%	84%	2%	24,999

Table 15. Level of ID

State (names abbreviated)	Mild	Moderate	Severe	Profound	Unspecified	Unknown	N
AL	27%	42%	16%	12%	2%	1%	463
AR	36%	29%	13%	5%	15%	1%	393
CT	46%	35%	14%	5%	0%	0%	599
DE	0%	0%	0%	0%	98%	0%	419
DC *	29%	27%	23%	19%	1%	1%	130
FL	24%	35%	12%	4%	23%	1%	439
GA	31%	35%	13%	8%	13%	0%	405
HI	15%	41%	17%	15%	12%	0%	321
IL	34%	38%	16%	10%	1%	0%	383
IN	49%	28%	8%	8%	8%	0%	960
KS	46%	26%	8%	4%	14%	2%	296
KY	47%	30%	9%	5%	7%	1%	397
MD	8%	8%	3%	2%	75%	2%	415
MI	34%	33%	15%	5%	12%	1%	609
MN	41%	28%	13%	7%	10%	0%	403
MO	46%	22%	16%	4%	13%	0%	281
MT	40%	28%	11%	3%	17%	1%	353
NE	41%	36%	8%	4%	11%	0%	411
NV	56%	30%	5%	3%	5%	0%	330
NH	45%	25%	9%	3%	18%	0%	279
NJ	32%	27%	9%	4%	28%	0%	367
NY	43%	36%	9%	7%	4%	0%	1,416
NC	24%	39%	23%	10%	4%	0%	561
OK	43%	29%	17%	10%	2%	0%	400
OR	55%	33%	8%	4%	0%	0%	293
PA	43%	31%	10%	7%	7%	1%	667
SC	32%	30%	13%	5%	18%	1%	441
TX	38%	31%	12%	9%	11%	0%	330
UT	47%	25%	12%	12%	3%	0%	296
VA	29%	39%	14%	9%	8%	1%	645
WI	26%	16%	4%	3%	51%	0%	243
WY	0%	0%	0%	0%	100%	0%	424
NCI-IDD Average	39%	30%	11%	7%	13%	0%	20,927

Table 16. Mood, anxiety, behavior, psychotic, and other mental illness

State (names abbreviated)	Mood Disorder	Anxiety Disorder	Behavior Challenges	Psychotic Disorder	Other Mental Illness or Psychiatric Diagnosis
AL	29%	20%	22%	16%	0%
AR	29%	33%	13%	8%	0%
CA *	2%	2%	1%	1%	0%
СТ	38%	14%	68%	13%	0%
DE	48%	45%	4%	13%	0%
DC *	24%	18%	18%	20%	0%
FL	24%	23%	19%	7%	0%
GA	29%	23%	4%	23%	0%
HI	9%	6%	9%	6%	0%
IL	25%	18%	18%	12%	0%
IN	28%	20%	20%	9%	0%
KS	42%	36%	28%	12%	0%
KY	34%	24%	21%	14%	0%
MD	24%	24%	13%	8%	0%
MI	31%	24%	17%	11%	0%
MN	15%	13%	46%	4%	0%
MO	32%	25%	12%	8%	0%
MT	34%	26%	22%	6%	0%
NE	46%	35%	30%	12%	0%
NV	33%	16%	9%	12%	0%
NH	27%	39%	18%	5%	0%
NJ	28%	30%	17%	10%	0%
NY	25%	28%	40%	10%	n/a
NC	22%	19%	17%	8%	0%
OK	37%	30%	29%	15%	0%
OR	17%	18%	18%	5%	0%
PA	37%	31%	19%	9%	1%
SC	31%	25%	25%	14%	0%
TX	4%	1%	0%	2%	0%
UT	36%	38%	37%	6%	0%
VA	28%	23%	19%	11%	0%
WI	47%	48%	37%	7%	2%
WY	8%	7%	4%	3%	0%
NCI-IDD Average	24%	21%	21%	8%	7%

Table 17. Diagnoses noted in record

State (names abbreviated)	Autism Spectrum Disorder	Cerebral Palsy	Brain Injury	Seizure Disorder	Chemical Dependency
AL	18%	15%	1%	29%	0%
AR	20%	20%	5%	19%	0%
CT	33%	12%	3%	44%	0%
DE	40%	13%	8%	21%	5%
DC *	9%	15%	0%	20%	1%
FL	24%	15%	1%	22%	0%
GA	20%	13%	1%	27%	0%
HI	24%	21%	1%	40%	0%
IL	27%	15%	2%	26%	0%
IN	25%	16%	2%	27%	0%
KS	25%	14%	2%	21%	1%
KY	23%	11%	3%	23%	0%
MD	28%	18%	2%	21%	0%
MI	26%	17%	2%	21%	1%
MN	35%	16%	0%	21%	0%
MO	33%	10%	4%	24%	1%
MT	19%	13%	4%	27%	0%
NE	22%	14%	6%	23%	2%
NV	20%	13%	4%	24%	0%
NH	32%	10%	10%	24%	1%
NJ	30%	17%	3%	30%	0%
NC	35%	15%	2%	29%	0%
OK	21%	21%	4%	35%	1%
OR	16%	6%	3%	10%	0%
PA	22%	12%	2%	22%	0%
SC	29%	9%	2%	18%	0%
TX	31%	13%	1%	6%	0%
UT	25%	9%	8%	19%	2%
VA	35%	13%	3%	24%	0%
WI	27%	14%	25%	32%	7%
WY	5%	2%	5%	22%	1%
NCI-IDD Average	31%	16%	3%	25%	1%

Table note: States with more than 25% missing or don't know are marked with \*; NY is not included in this table due to data that could not be validated.

**Table 18. Diagnoses noted in record (continued)** 

State (names abbreviated)	Down Syndrome	Prader Willi	Fetal Alcohol Syndrome	Limited or No Vision	Severe or Profound Hearing Loss	Other Disabilities Not Listed	No Other Disabilities Other than ID
AL	6%	0%	0%	5%	3%	13%	11%
AR	10%	0%	0%	6%	4%	16%	10%
CA *	2%	0%	0%	13%	9%	0%	0%
CT	8%	0%	1%	6%	4%	12%	4%
DE	10%	1%	1%	2%	4%	54%	12%
DC *	7%	0%	0%	28%	14%	13%	13%
FL	8%	1%	0%	5%	3%	9%	9%
GA	7%	0%	1%	8%	5%	16%	10%
HI	11%	1%	0%	6%	5%	32%	6%
IL	9%	0%	1%	4%	4%	16%	8%
IN	9%	0%	1%	12%	6%	24%	7%
KS	8%	0%	1%	6%	5%	17%	4%
KY	5%	0%	1%	4%	4%	22%	7%
MD	7%	0%	0%	5%	4%	29%	10%
MI	6%	0%	1%	3%	4%	18%	7%
MN	10%	0%	2%	23%	5%	0%	0%
MO	7%	1%	1%	7%	7%	23%	7%
MT	9%	1%	4%	4%	5%	18%	7%
NE	10%	1%	5%	6%	10%	25%	3%
NV	9%	0%	2%	3%	3%	17%	12%
NH	11%	0%	1%	7%	5%	38%	3%
NJ	10%	0%	1%	6%	6%	28%	5%
NY	6%	0%	1%	n/a	2%	5%	11%
NC	6%	1%	0%	4%	2%	28%	4%
OK	9%	0%	1%	11%	7%	9%	5%
OR	4%	0%	2%	2%	1%	0%	46%
PA	9%	0%	0%	5%	3%	13%	11%
SC	4%	1%	0%	4%	3%	9%	12%
TX	4%	0%	0%	2%	1%	14%	34%
UT	7%	0%	2%	4%	3%	15%	5%
VA	6%	0%	1%	5%	5%	29%	8%
WI	8%	1%	1%	4%	2%	29%	1%
WY	0%	0%	0%	5%	3%	4%	52%
NCI-IDD Average	6%	0%	1%	7%	4%	14%	10%

Table 19. Other conditions in record

State (names abbreviated)	Cardiovascular Disease	Diabetes	Cancer	High Blood Pressure	High Cholesterol
AL	7%	20%	2%	38%	23%
AR	6%	22%	1%	43%	17%
СТ	15%	13%	5%	30%	36%
DE	5%	19%	7%	40%	25%
DC	4%	19%	0%	53%	5%
FL	7%	19%	2%	31%	27%
GA	4%	20%	3%	37%	21%
HI	4%	15%	1%	22%	16%
IL	7%	24%	5%	33%	18%
IN	4%	18%	1%	28%	22%
KS	19%	25%	5%	31%	35%
KY	7%	25%	3%	32%	22%
MD	6%	17%	2%	27%	17%
MI	4%	17%	2%	28%	18%
MO	6%	20%	4%	29%	21%
MT	5%	14%	2%	16%	10%
NE	9%	15%	4%	32%	33%
NV	7%	18%	1%	26%	18%
NH	5%	16%	3%	15%	16%
NJ	9%	13%	3%	29%	26%
NC	3%	18%	2%	28%	23%
OK	13%	18%	1%	35%	28%
OR	1%	3%	0%	3%	1%
PA	10%	18%	2%	27%	26%
SC	8%	25%	3%	42%	29%
TX	6%	12%	4%	3%	6%
UT	10%	16%	2%	16%	16%
VA	5%	17%	2%	27%	20%
WI	13%	16%	3%	28%	32%
WY	9%	21%	5%	6%	3%
NCI-IDD Average	8%	17%	3%	26%	24%

Table note: States with more than 25% missing or don't know are marked with \*. NY is not included in this table due to data that could not be validated. The following states had a low count of responses (N<20) and were not shown: MN.

Table 20. Other conditions in record (continued)

State (names abbreviated)	Dysphagia	Pressure Ulcers	Alzheimer's Disease or Other Dementia	Oral Health or Dental Problems	Sleep apnea
AL	0%	0%	2%	2%	5%
AR	8%	2%	4%	4%	10%
CT	12%	0%	3%	25%	11%
DE	14%	3%	5%	11%	14%
DC	3%	0%	1%	3%	7%
FL	3%	2%	1%	2%	6%
GA	4%	0%	2%	0%	6%
HI	11%	1%	2%	0%	3%
IL	3%	1%	4%	3%	7%
IN	10%	0%	2%	1%	10%
KS	7%	1%	3%	3%	13%
KY	5%	2%	4%	4%	8%
MD	4%	0%	2%	1%	6%
MI	7%	2%	4%	4%	13%
MO	7%	0%	2%	5%	11%
MT	6%	0%	2%	4%	13%
NE	11%	2%	6%	8%	13%
NV	3%	0%	4%	4%	9%
NH	8%	2%	3%	4%	8%
NJ	17%	2%	2%	2%	8%
NC	7%	1%	1%	2%	10%
OK	11%	1%	4%	5%	11%
OR	3%	0%	1%	2%	2%
PA	8%	2%	4%	4%	11%
SC	8%	2%	2%	4%	9%
TX	3%	1%	0%	36%	1%
UT	9%	4%	2%	5%	13%
VA	7%	3%	2%	2%	9%
WI	6%	2%	7%	1%	13%
WY	2%	3%	4%	1%	11%
NCI-IDD Average	8%	1%	3%	4%	9%

Table note: States with more than 25% missing or don't know are marked with \*. NY is not included in this table due to data that could not be validated. The following states had a low count of responses (N<20) and were not shown: MN.

**Table 21. Other conditions in record (continued)** 

State (names abbreviated)	Asthma	Other Pulmonary Diagnosis	Chronic Kidney Disease	Long-term Health Problems Associated With COVID-19	Other
AL	6%	1%	2%	1%	64%
AR	11%	3%	3%	0%	39%
CT	14%	4%	1%	0%	89%
DE	8%	38%	10%	1%	48%
DC	7%	0%	0%	0%	83%
FL	7%	3%	3%	1%	51%
GA	8%	2%	2%	0%	76%
HI	12%	1%	3%	0%	79%
IL	9%	3%	4%	0%	47%
IN	12%	2%	2%	0%	83%
KS	16%	8%	3%	0%	40%
KY	12%	5%	3%	0%	57%
MD	11%	3%	1%	1%	75%
MI	12%	5%	2%	0%	49%
MO	6%	2%	4%	0%	64%
MT	6%	2%	1%	1%	41%
NE	8%	3%	5%	0%	82%
NV	8%	3%	4%	0%	57%
NH	8%	2%	3%	1%	69%
NJ	9%	3%	4%	0%	76%
NC	11%	3%	3%	1%	68%
OK	12%	6%	4%	0%	76%
OR	0%	0%	0%	0%	0%
PA	8%	3%	2%	0%	60%
SC	9%	4%	2%	0%	28%
TX	4%	3%	1%	1%	42%
UT	8%	4%	5%	0%	55%
VA	10%	3%	2%	0%	71%
WI	14%	5%	90%	0%	1%
WY	8%	1%	3%	1%	51%
NCI-IDD Average	12%	3%	12%	0%	47%

Table note: States with more than 25% missing or don't know are marked with \*. NY is not included in this table due to data that could not be validated. The following states had a low count of responses (N<20) and were not shown: MN.

**Table 22. Preferred language** 

Information may have been collected in the field

State (names abbreviated)	English	Spanish	Chinese (including Mandarin, Cantonese, and Hokkien)	Tagalog (Including Filipino)	Vietnamese	American Sign Language (ASL)	Other	N
AL	99%	0%	0%	0%	0%	1%	0%	469
AR	99%	1%	0%	0%	0%	0%	0%	415
CT	93%	6%	0%	0%	0%	1%	1%	602
DE	97%	1%	0%	0%	0%	1%	1%	419
DC *	100%	0%	0%	0%	0%	0%	0%	130
FL	91%	7%	0%	0%	0%	0%	1%	518
GA	99%	0%	0%	0%	0%	0%	1%	406
HI	97%	1%	0%	0%	0%	0%	1%	351
IL	95%	4%	0%	1%	0%	1%	1%	392
IN	99%	0%	0%	0%	0%	0%	0%	1,080
KS	98%	2%	0%	0%	0%	0%	0%	318
KY	100%	0%	0%	0%	0%	0%	0%	435
MD	97%	1%	0%	0%	0%	1%	2%	530
MI	98%	0%	0%	0%	0%	0%	1%	666
MN	99%	1%	0%	0%	0%	0%	0%	397
МО	98%	0%	0%	0%	0%	1%	0%	402
MT	99%	0%	0%	0%	0%	0%	0%	363
NE	96%	2%	0%	0%	1%	0%	1%	413
NV	97%	1%	0%	0%	0%	1%	0%	413
NH	98%	1%	0%	0%	0%	1%	1%	395
NJ	97%	2%	0%	0%	0%	0%	1%	457
NY	97%	2%	0%	0%	0%	0%	1%	1,592
NC	98%	1%	0%	0%	0%	0%	0%	591
OK	99%	0%	0%	0%	0%	1%	0%	400
OR	94%	4%	0%	0%	0%	1%	1%	418
PA	99%	1%	0%	0%	0%	0%	0%	679
SC	99%	0%	0%	0%	0%	1%	0%	509
TX	77%	19%	0%	0%	0%	2%	2%	391
UT	97%	1%	0%	0%	0%	1%	1%	355
VA	98%	0%	0%	0%	0%	1%	1%	759
WI	96%	1%	0%	0%	0%	1%	3%	356
WY	97%	0%	0%	0%	0%	1%	1%	401
NCI-IDD Average	92%	6%	0%	0%	0%	0%	1%	24,851

**Table 23. Preferred means of communication** 

Information may have been collected in the field

State (names abbreviated)	Spoken	Gestures or Body Language	Sign Language or Finger Spelling	Communication Device	Other	Don't Know	N
AL	75%	20%	1%	1%	1%	1%	468
AR	80%	11%	1%	1%	6%	0%	412
CT	83%	8%	1%	2%	6%	0%	599
DE *	23%	0%	0%	0%	11%	65%	419
DC *	86%	6%	0%	1%	1%	6%	137
FL	69%	25%	1%	2%	2%	1%	521
GA	91%	8%	1%	0%	0%	0%	406
HI	71%	23%	3%	1%	1%	0%	351
IL	75%	20%	1%	1%	3%	0%	395
IN	82%	10%	1%	2%	4%	0%	1,079
KS	86%	11%	0%	0%	2%	1%	325
KY	85%	11%	1%	1%	2%	0%	434
MD	82%	11%	1%	3%	2%	1%	531
MI	82%	12%	1%	2%	3%	0%	665
MN	73%	13%	12%	2%	0%	0%	403
MO	78%	17%	2%	2%	1%	0%	403
MT	83%	12%	1%	1%	3%	0%	362
NE	83%	11%	1%	5%	0%	0%	419
NV	92%	6%	1%	1%	0%	0%	414
NH	84%	7%	1%	3%	5%	0%	394
NJ	78%	14%	0%	1%	7%	0%	454
NY	68%	11%	0%	1%	16%	3%	1,675
NC	75%	16%	2%	2%	5%	0%	593
OK	75%	23%	2%	1%	0%	0%	400
OR	87%	10%	1%	1%	2%	0%	413
PA	79%	15%	1%	0%	2%	2%	690
SC	80%	17%	1%	0%	2%	0%	510
TX	74%	20%	2%	1%	2%	0%	391
UT	82%	13%	1%	1%	3%	0%	351
VA	72%	20%	2%	3%	3%	1%	760
WI *	73%	1%	1%	1%	1%	24%	353
WY	84%	6%	2%	2%	2%	4%	424
NCI-IDD Average	77%	14%	1%	1%	4%	2%	24,943

**Table 24. Mobility** *Information may have been collected in the field* 

State (names abbreviated)	Moves self around environment without aids	Moves self around environment with aids or uses wheelchair independently	Non-ambulatory and always needs assistance to move around environment	Don't Know	N
AL	77%	17%	6%	0%	469
AR	79%	12%	9%	0%	417
CT	72%	20%	8%	0%	602
DE *	34%	7%	1%	58%	419
DC *	55%	16%	8%	21%	136
FL	77%	14%	9%	1%	523
GA	79%	15%	6%	0%	406
HI	62%	19%	18%	0%	350
IL	86%	10%	4%	0%	394
IN	81%	13%	6%	1%	1,080
KS	77%	16%	6%	1%	325
KY	82%	12%	7%	0%	437
MD	76%	15%	9%	0%	532
MI	75%	14%	9%	2%	665
MN	79%	16%	5%	0%	388
MO	79%	15%	6%	0%	403
MT	74%	22%	4%	0%	362
NE	81%	15%	5%	0%	419
NV	87%	10%	3%	0%	413
NH	77%	16%	7%	0%	395
NJ	74%	15%	11%	0%	457
NY	81%	14%	2%	3%	1,647
NC	77%	10%	12%	0%	593
OK	76%	13%	11%	0%	400
OR	74%	16%	8%	1%	415
PA	76%	14%	9%	2%	694
SC	82%	10%	7%	0%	511
TX	76%	15%	9%	0%	391
UT	78%	14%	8%	0%	353
VA	69%	17%	11%	2%	760
WI	62%	7%	31%	0%	359
WY	78%	14%	7%	1%	401
NCI-IDD Average	77%	12%	10%	1%	24,933

Table 25. Support needed to manage self-injurious behavior

State (names abbreviated)	None	Some	Extensive	Don't Know	N
AL	77%	16%	6%	1%	468
AR	81%	14%	2%	2%	415
CT	67%	19%	14%	0%	602
DE	72%	10%	0%	17%	418
DC *	53%	21%	1%	24%	135
FL	78%	16%	5%	1%	525
GA	74%	21%	5%	0%	406
HI	81%	16%	2%	1%	345
IL	79%	17%	3%	2%	386
IN	76%	18%	4%	1%	1,079
KS	39%	42%	17%	2%	322
KY	75%	20%	4%	1%	428
MD	83%	12%	3%	2%	527
MI	74%	16%	6%	3%	667
MO	81%	17%	2%	0%	403
MT	78%	18%	3%	1%	358
NE	73%	22%	5%	0%	420
NV	87%	11%	1%	0%	414
NH	68%	25%	6%	1%	390
NJ	75%	21%	4%	0%	456
NY	78%	17%	4%	1%	1,624
NC	58%	30%	10%	2%	590
OK	86%	13%	1%	0%	400
OR	68%	27%	5%	0%	413
PA	71%	20%	5%	4%	686
SC	76%	16%	6%	2%	509
TX *	72%	0%	0%	28%	420
UT	59%	31%	9%	1%	350
VA	60%	28%	10%	2%	761
WI	82%	3%	15%	0%	357
WY *	21%	7%	0%	72%	223
NCI-IDD Average	75%	17%	5%	3%	24,296

Table 26. Support needed to manage disruptive behavior

State (names abbreviated)	None	Some	Extensive	Don't Know	N
AL	67%	25%	8%	1%	465
AR	68%	24%	6%	2%	416
СТ	31%	38%	31%	0%	602
DE	56%	26%	0%	18%	418
DC *	45%	30%	2%	24%	128
FL	68%	22%	9%	1%	523
GA	61%	30%	9%	0%	406
HI	77%	19%	3%	1%	342
IL	62%	32%	5%	2%	390
IN	47%	43%	9%	1%	1,079
KS	13%	52%	32%	2%	322
KY	56%	34%	8%	1%	431
MD	78%	15%	4%	2%	531
MI	65%	23%	8%	3%	666
MO	71%	25%	4%	0%	403
MT	57%	37%	5%	1%	362
NE	46%	42%	12%	0%	420
NV	65%	30%	4%	1%	417
NH	56%	34%	9%	2%	396
NJ	61%	32%	6%	1%	458
NY	76%	17%	6%	1%	1,625
NC	46%	39%	14%	2%	591
OK	82%	18%	1%	0%	400
OR	54%	38%	7%	0%	411
PA	59%	31%	6%	3%	693
SC	60%	31%	7%	3%	508
TX *	72%	0%	0%	28%	420
UT	37%	49%	14%	0%	352
VA	52%	32%	14%	3%	759
WI *	7%	0%	0%	93%	358
WY *	37%	21%	2%	40%	291
NCI-IDD Average	57%	25%	10%	8%	24,384

Table 27. Support needed to manage destructive behavior

State (names abbreviated)	None	Some	Extensive	Don't Know	N
AL	74%	18%	6%	1%	472
AR	78%	17%	3%	2%	416
CT	52%	29%	19%	0%	602
DE	61%	20%	1%	18%	418
DC *	53%	20%	2%	25%	135
FL	75%	17%	7%	1%	523
GA	68%	22%	9%	0%	406
HI	82%	14%	3%	1%	342
IL	70%	24%	4%	2%	390
IN	65%	27%	7%	1%	1,079
KS	42%	38%	17%	3%	321
KY	69%	24%	5%	1%	436
MD	84%	9%	5%	2%	531
MI	72%	18%	6%	4%	666
MO	77%	19%	4%	0%	403
MT	69%	26%	5%	1%	363
NE	54%	32%	14%	0%	420
NV	77%	18%	4%	1%	419
NH	71%	21%	6%	2%	395
NJ	75%	20%	4%	1%	458
NY	81%	16%	2%	1%	1,625
NC	59%	29%	9%	3%	591
OK	89%	10%	1%	0%	400
OR	71%	24%	4%	0%	414
PA	70%	22%	4%	4%	692
SC	71%	20%	6%	3%	510
TX *	72%	0%	0%	28%	420
UT	49%	38%	13%	0%	351
VA	61%	26%	10%	3%	760
WI *	7%	0%	0%	93%	359
WY *	30%	9%	2%	59%	267
NCI-IDD Average	68%	17%	5%	10%	16,215

Table 28. Level of guardianship

State (names abbreviated)	None	Limited guardianship	Full guardianship	Has guardian but unable to distinguish level	Don't Know	N
AL	62%	5%	26%	2%	5%	473
AR	40%	4%	54%	2%	0%	413
СТ	16%	7%	76%	0%	0%	602
DE	55%	0%	0%	33%	12%	419
DC *	38%	24%	26%	11%	1%	138
FL	55%	13%	29%	3%	0%	522
GA	78%	2%	20%	0%	0%	406
HI	25%	3%	71%	1%	0%	346
IL	32%	3%	65%	0%	0%	396
IN	46%	1%	51%	2%	0%	1,080
KS	28%	3%	67%	1%	1%	325
KY	23%	4%	71%	1%	1%	438
MD	77%	3%	8%	5%	7%	533
MI	24%	9%	61%	6%	0%	669
MN	11%	0%	0%	66%	23%	403
MO	28%	4%	66%	2%	0%	403
MT	47%	8%	42%	3%	1%	365
NE	32%	4%	63%	1%	0%	416
NV	67%	3%	29%	1%	0%	417
NH	14%	12%	74%	0%	0%	399
NJ	37%	8%	51%	3%	1%	454
NY	52%	2%	24%	14%	9%	1,675
NC	18%	6%	74%	2%	1%	593
OK	46%	2%	52%	0%	0%	400
OR	73%	3%	19%	6%	0%	417
PA	76%	2%	16%	2%	4%	693
SC	70%	5%	19%	2%	4%	509
TX	64%	0%	0%	36%	0%	420
UT	50%	12%	34%	4%	1%	355
VA	43%	6%	47%	3%	0%	758
WI	34%	1%	6%	59%	1%	359
WY	24%	0%	0%	76%	0%	424
NCI-IDD Average	51%	10%	26%	11%	3%	25,049

Table 29. Guardian's relationship to person

State (names abbreviated)	Family	Friend	Public guardian or public administrator	Financial institution	Non-profit guardianship agency	For-profit guardianship agency	Other	Don't Know	N
AL	79%	3%	14%	0%	0%	1%	2%	2%	150
AR	83%	6%	6%	0%	0%	0%	3%	2%	243
CT	86%	6%	2%	0%	1%	0%	4%	1%	507
DE	35%	1%	5%	0%	0%	0%	58%	1%	139
DC *	35%	2%	35%	0%	0%	0%	21%	6%	82
FL	88%	0%	10%	0%	1%	0%	0%	1%	230
GA	83%	0%	15%	0%	0%	0%	0%	2%	88
HI	68%	2%	30%	0%	0%	0%	0%	0%	257
IL	87%	1%	9%	0%	1%	0%	1%	0%	267
IN	90%	1%	2%	0%	1%	4%	2%	1%	585
KS	81%	5%	7%	0%	2%	0%	3%	1%	229
KY	67%	4%	22%	0%	1%	1%	5%	1%	332
MD	94%	0%	1%	0%	0%	0%	1%	3%	87
MI	74%	1%	21%	0%	1%	1%	1%	1%	501
MO	67%	1%	31%	0%	0%	0%	0%	0%	288
MT	86%	8%	3%	0%	0%	1%	3%	1%	191
NE	82%	5%	5%	1%	2%	2%	1%	2%	283
NV	78%	0%	20%	0%	0%	0%	1%	1%	134
NH	75%	2%	21%	0%	1%	0%	1%	0%	340
NJ	84%	1%	10%	0%	4%	0%	0%	1%	282
NY	79%	1%	5%	0%	1%	0%	8%	6%	655
NC	82%	2%	5%	0%	3%	1%	4%	4%	477
OK	85%	7%	4%	0%	0%	0%	3%	0%	215
OR	90%	1%	4%	0%	0%	0%	0%	5%	111
PA	81%	2%	5%	0%	3%	1%	3%	4%	138
SC	84%	1%	1%	0%	1%	0%	2%	11%	132
UT	88%	2%	5%	0%	1%	1%	2%	1%	173
VA	79%	4%	11%	0%	1%	1%	1%	4%	422
WI *	7%	0%	0%	0%	0%	0%	0%	92%	233
WY *	30%	0%	0%	0%	0%	0%	24%	45%	322
NCI-IDD Average	68%	1%	17%	0%	1%	0%	3%	9%	11,010

Table 30. Funding source

State (names abbreviated)	ICF/IID	Medicaid HCBS Waiver Funded Services	Medicaid State Plan Funded	LTC Exclusively Supported by State Funds and no Medicaid	LTC Exclusively Supported by State Funds, person has Medicaid for health	Don't Know	N
AL	0%	91%	17%	0%	0%	1%	479
AR	0%	100%	0%	0%	0%	0%	417
CT	0%	100%	1%	0%	0%	0%	602
DE	0%	79%	7%	2%	0%	13%	419
DC *	14%	88%	2%	0%	1%	3%	138
FL	0%	100%	12%	0%	0%	0%	532
GA	0%	96%	4%	0%	0%	0%	406
HI	0%	89%	0%	0%	0%	0%	351
IL	0%	98%	3%	0%	0%	0%	391
IN	31%	69%	100%	0%	0%	0%	1,080
KS	0%	98%	3%	0%	0%	2%	324
KY	5%	79%	13%	0%	0%	5%	439
MD	0%	84%	15%	1%	1%	2%	507
MI	0%	31%	64%	0%	1%	12%	670
MN	0%	100%	7%	0%	0%	0%	402
MO	0%	93%	11%	1%	1%	0%	403
MT	0%	100%	19%	0%	0%	0%	365
NE	5%	91%	5%	0%	0%	0%	420
NV	0%	100%	0%	0%	0%	0%	419
NH	0%	92%	11%	0%	1%	4%	399
NJ	1%	90%	24%	1%	1%	3%	460
NY	0%	100%	100%	0%	0%	0%	1,676
NC	6%	86%	5%	0%	0%	4%	594
OK	0%	100%	0%	0%	0%	0%	400
OR	0%	19%	100%	0%	0%	0%	417
PA	12%	72%	4%	1%	1%	12%	718
SC	4%	70%	29%	1%	0%	13%	510
TX	0%	100%	0%	0%	0%	0%	420
UT	4%	92%	8%	0%	1%	1%	353
VA	0%	100%	6%	0%	0%	1%	762
WI	0%	99%	100%	0%	0%	0%	362
WY	0%	100%	0%	0%	0%	0%	424
NCI-IDD Average	3%	86%	41%	0%	1%	3%	16,846

**Table 31. Person receives Medicare** 

State (names abbreviated)	Yes	No	Don't Know	N
AL	37%	48%	15%	460
AR	55%	42%	3%	414
СТ	64%	33%	3%	602
DE	50%	39%	11%	419
DC *	42%	35%	23%	131
FL	37%	60%	2%	521
GA	63%	36%	1%	405
HI	41%	58%	1%	349
IL	48%	38%	14%	395
IN	56%	35%	9%	1,077
KS *	49%	42%	9%	317
KY	36%	48%	16%	436
MD	51%	49%	0%	533
MI	52%	38%	10%	661
MN *	100%	0%	0%	269
MO	55%	44%	0%	403
MT	66%	27%	7%	361
NE	57%	42%	1%	417
NV	26%	56%	18%	418
NH	49%	44%	7%	395
NJ	40%	47%	14%	444
NY	53%	47%	0%	1,682
NC	32%	49%	19%	589
OK	2%	98%	0%	400
OR	51%	49%	0%	417
PA *	48%	28%	24%	686
SC	45%	46%	9%	510
TX	0%	100%	0%	420
UT *	35%	35%	31%	353
VA	42%	53%	5%	761
WI	73%	27%	0%	350
WY	47%	53%	0%	424
NCI-IDD Average	47%	47%	6%	16,661

Table 32. Amount of daily support received at home

State (names abbreviated)	24-hour on-site support or supervision	Daily on- site support	Scheduled less frequent than daily support	As-needed visitation and phone contact	None of these options	Don't Know	N
AL	68%	7%	3%	2%	16%	3%	471
AR	48%	40%	5%	0%	5%	1%	417
CT	52%	17%	17%	1%	12%	1%	586
DE	24%	74%	0%	2%	0%	0%	418
DC *	48%	25%	1%	2%	0%	25%	130
FL	43%	25%	21%	3%	8%	0%	522
GA	51%	22%	12%	0%	14%	0%	406
HI	29%	34%	20%	0%	17%	1%	347
IL	59%	19%	11%	3%	6%	3%	396
IN	52%	19%	18%	3%	6%	1%	1,078
KS	55%	31%	6%	2%	4%	3%	321
KY	58%	25%	12%	1%	3%	2%	435
MD	23%	30%	27%	3%	15%	2%	528
MI	43%	16%	17%	3%	15%	6%	668
MO	51%	19%	20%	1%	8%	0%	403
MT	57%	17%	22%	3%	1%	0%	363
NE	58%	10%	22%	0%	10%	0%	419
NV	52%	15%	14%	3%	13%	3%	416
NH	60%	25%	11%	2%	2%	1%	399
NJ	45%	16%	13%	2%	19%	5%	457
NY *	31%	8%	18%	2%	12%	28%	1,639
NC	51%	37%	8%	1%	2%	2%	593
OK	55%	24%	14%	1%	6%	0%	400
OR	33%	0%	67%	0%	0%	0%	418
PA	50%	19%	20%	2%	5%	2%	694
SC	57%	21%	7%	1%	9%	4%	510
TX *	52%	15%	5%	0%	0%	28%	420
UT	59%	21%	19%	0%	0%	1%	359
VA	51%	29%	5%	1%	2%	12%	762
WI *	41%	20%	12%	3%	21%	2%	258
WY	75%	22%	0%	0%	0%	3%	424
NCI-IDD Average	45%	18%	17%	2%	9%	9%	16,269

**Table 33. Has remote supports\*** 

State (names abbreviated)	No, none	Yes, 24-hour remote supports	Yes, less than 24-hour remote supports	Don't Know	N
AL	91%	3%	1%	4%	470
AR	87%	6%	2%	6%	415
CT	92%	2%	2%	5%	592
DE	93%	0%	0%	7%	418
DC *	21%	8%	0%	71%	131
FL	94%	2%	0%	4%	526
GA	99%	0%	0%	0%	406
HI	99%	1%	1%	0%	349
IL	89%	4%	2%	5%	397
IN	96%	2%	1%	1%	1,080
KS	84%	8%	3%	4%	319
KY	92%	2%	1%	5%	438
MD	92%	1%	1%	6%	532
MI	83%	6%	2%	8%	670
MO	98%	1%	1%	0%	403
MT	93%	1%	4%	1%	364
NE	90%	7%	3%	1%	420
NV	91%	5%	0%	4%	414
NH	87%	3%	3%	7%	398
NJ	86%	7%	2%	5%	457
NY *	43%	3%	4%	50%	1,644
NC	85%	7%	2%	7%	593
OK	97%	2%	1%	0%	400
OR	87%	3%	3%	7%	412
PA	88%	2%	2%	7%	694
SC	87%	7%	1%	4%	510
UT	97%	1%	1%	2%	356
VA	80%	2%	2%	16%	761
WI *	82%	4%	6%	8%	258
WY	100%	0%	0%	0%	424
NCI-IDD Average	80%	3%	2%	15%	15,862

<sup>\*</sup>Remote supports combine technology and direct care to provide supports such as home-based sensors, cameras, and other devices

Table 34. Has ever been diagnosed or presumed diagnosed with COVID-19

State (names abbreviated)	No	Yes	Don't Know	N
AL	60%	30%	10%	471
AR	58%	28%	13%	413
CT	46%	48%	5%	601
DC *	32%	2%	66%	128
FL	69%	27%	4%	491
GA	64%	34%	2%	406
HI	85%	13%	3%	336
IL	47%	36%	17%	386
IN	49%	46%	5%	1,080
KS *	48%	35%	17%	316
KY	47%	43%	10%	433
MD	51%	38%	11%	528
MI *	41%	26%	34%	663
MN	53%	44%	3%	385
MO	56%	39%	5%	403
MT	47%	41%	12%	347
NE	64%	27%	8%	419
NV *	33%	17%	50%	413
NH	41%	40%	19%	393
NJ	49%	38%	13%	451
NC *	35%	35%	30%	590
OK	58%	42%	0%	400
OR	54%	43%	3%	413
PA	54%	27%	19%	674
SC	47%	39%	14%	509
TX	64%	34%	2%	391
UT	32%	45%	22%	349
VA *	40%	28%	32%	755
WI *	59%	41%	0%	68
WY	53%	44%	3%	398
NCI-IDD Average	49%	35%	16%	22,439

Table 35. Has ever required in-patient hospitalization due to COVID-19 (of those who had COVID19)

State (names abbreviated)	No	Yes	Don't Know	N
AL	87%	11%	2%	137
AR	91%	8%	2%	116
СТ	90%	9%	1%	289
FL	86%	13%	2%	133
GA	87%	13%	0%	138
HI	86%	14%	0%	43
IL	93%	4%	2%	138
IN	85%	10%	6%	493
KS *	86%	11%	3%	107
KY	91%	8%	1%	185
MD	87%	11%	2%	203
MI *	91%	9%	0%	169
MN	89%	11%	1%	168
MO	91%	8%	1%	158
MT	93%	7%	0%	140
NE	82%	14%	4%	111
NV *	79%	13%	7%	68
NH	96%	3%	2%	156
NJ	90%	10%	1%	166
NC *	92%	8%	0%	202
OK	83%	17%	0%	167
OR	93%	6%	1%	176
PA *	90%	8%	2%	180
SC	89%	8%	3%	196
TX	85%	15%	0%	133
UT *	94%	5%	1%	155
VA *	88%	9%	4%	194
WI *	92%	8%	0%	26
WY	87%	12%	1%	176
NCI-IDD Average	89%	9%	2%	7,483

Table 36. Has gotten the COVID-19 vaccine

State (names abbreviated)	Yes, fully vaccinated and has received at least one booster	Yes, fully vaccinated	Partially vaccinated received one of two doses of Pfizer- BioNTch or Moderna	Not vaccinated at all	Don't Know	N
AL	59%	27%	3%	7%	5%	471
AR	48%	20%	4%	13%	14%	413
CT	67%	26%	1%	3%	3%	600
DC *	41%	57%	0%	1%	2%	132
FL	55%	24%	2%	15%	4%	483
GA	67%	15%	7%	9%	3%	406
HI *	45%	24%	1%	6%	22%	298
IL	57%	19%	1%	7%	16%	385
IN	67%	13%	2%	13%	5%	1,080
KS *	54%	18%	2%	9%	16%	316
KY	49%	24%	4%	13%	10%	436
MD	47%	29%	5%	9%	9%	528
MI *	43%	23%	2%	7%	25%	662
MN	80%	6%	3%	9%	2%	385
MO	56%	21%	1%	16%	6%	403
MT	64%	18%	4%	7%	7%	348
NE	56%	24%	5%	8%	8%	420
NV *	24%	18%	2%	5%	51%	416
NH	60%	18%	3%	6%	13%	396
NJ	68%	22%	0%	7%	2%	457
NC *	42%	16%	2%	8%	32%	593
OK	65%	13%	5%	16%	1%	400
OR	63%	15%	2%	17%	3%	413
PA	57%	16%	2%	12%	13%	670
SC	51%	23%	4%	7%	15%	511
TX	55%	19%	6%	18%	1%	391
UT *	39%	26%	3%	4%	28%	347
VA *	38%	19%	1%	6%	36%	756
WI *	45%	38%	3%	12%	2%	66
WY	53%	19%	3%	22%	4%	398
NCI-IDD Average	49%	26%	3%	10%	11%	22,410



Human Services Research Institute (HSRI)

2336 Massachusetts Avenue

Cambridge, MA 02140



National Association of State Directors

of

# Developmental Disabilities Services

National Association of State Directors of Developmental Disabilities Services (NASDDDS)

301 N Fairfax Street, Suite 101

Alexandria, VA 22314

May 2024

Questions/Comments: nci@nationalcoreindicators.org