



## **Adult Family Survey (AFS) State Report**

### **2022-23 Maryland Report**

## Table of Contents

|   |    |
|---|----|
| Executive Summary.....  | 8  |
| Results .....   | 10 |
| Presentation of the Data.....   | 11 |
| Demographics.....   | 12 |
| Family Member .....   | 13 |
| Table 1. More Than One Person Living in the Home Has IDD.....   | 14 |
| Table 2. Family Member’s Residential Designation .....  | 15 |
| Table 3. Family Member’s Age .....  | 16 |
| Table 4. Family Member’s Gender .....   | 17 |
| Table 5a. Family Member’s Race/Ethnicity.....   | 18 |
| Table 5b. Family Member’s Race/Ethnicity (continued) .....  | 19 |
| Table 6a. Family Member’s Conditions.....   | 20 |
| Table 6b. Family Member’s Conditions (Continued) .....  | 21 |
| Table 6c. Family Member’s Conditions (Continued).....   | 22 |
| Table 7a. Family Member’s Health Conditions.....  | 23 |
| Table 7b. Family Member’s Health Conditions (Continued) .....   | 24 |
| Table 7c. Family Member’s Health Conditions (Continued).....  | 25 |
| Table 8. Family Member’s Preferred Means of Communication .....   | 26 |
| Table 9a. Family Member’s Preferred Language .....  | 27 |
| Table 9b. Family Member’s Preferred Language (continued) .....  | 28 |
| Table 10. Family Member Has Legal Court Appointed Guardian or Conservator   | 29 |
| Table 11. Guardian or Conservator Relationship to Family Member .....   | 30 |
| Table 12a. Family Member’s Highest Level of Education.....  | 31 |
| Table 12b. Family Member’s Highest Level of Education (continued).....  | 32 |
| Table 13. Family Member’s Support Needs for Self-Injurious, Disruptive, and/or<br>Destructive Behaviors.....                        | 33 |
| Table 14. Family Member’s Level of Help Needed with Personal Care Activities<br>(for example, bathing, dressing, eating).....       | 34 |
| Table 15. Family Member’s Need for Help with Other Daily Activities (for<br>example, scheduling, managing money, or shopping) ..... | 35 |
| Respondents .....   | 36 |
| Table 16a. Language Usually Spoken at Home .....  | 37 |

|   |    |
|---|----|
| Table 16b. Language Usually Spoken at Home (continued).....   | 38 |
| Table 17. Respondent’s Age.....   | 39 |
| Table 18. Respondent’s Health.....  | 40 |
| Table 19. Respondent’s Relationship to Family Member .....  | 41 |
| Table 20. Respondent or Other Family Member Provides Paid Support to Family Member Receiving Services .....   | 42 |
| Table 21. Number of Adults in Household (Not Including Family Member Receiving Supports) .....  | 43 |
| Table 22. Number of Children (Under 18 Years Old) in Household.....   | 44 |
| Table 23. Respondent’s Highest Level of Education.....  | 45 |
| Table 24a. Total Taxable Household Income of Wage Earners in the Past 12 Months .....   | 46 |
| Table 24b. Total Taxable Household Income of Wage Earners in the Past 12 Months (continued).....  | 47 |
| Services and Supports Received .....  | 48 |
| Table 25a. Services and Supports Received from ID/DD Agency.....  | 49 |
| Table 25b. Services and Supports Received from ID/DD Agency (Continued) ...   | 50 |
| Table 26. Additional Services and Supports Received (not from the IDD Agency) .....   | 51 |
| Main Survey Results.....  | 52 |
| Information and Planning .....  | 53 |
| Table 27. Do you get enough information to take part in planning services for your family member?.....  | 54 |
| Table 28. Is the information you get about services and supports easy to understand?.....   | 55 |
| Table 29. Do you get information about services and supports in your preferred language? .....  | 56 |
| Table 30. Does the case manager/service coordinator listen to your family’s choices and opinions?.....  | 57 |
| Table 31. Do you have enough information about other public services for which your family is eligible (for example, food stamps, SSI, housing subsidies, etc.)? 58 |    |
| Table 32a. Do you need help planning for your family member’s future in any of the following areas? .....   | 59 |
| Table 32b. Do you need help planning for your family member’s future in any of the following areas? (continued) .....   | 60 |

|   |    |
|---|----|
| Table 33. Has your family learned about alternatives to guardianship? .....   | 61 |
| Table 34. Does your family member have a service plan? .....  | 62 |
| Table 35. Does the plan include all the services and supports your family member needs? .....   | 63 |
| Table 36. Did you or someone else in your family (besides your family member with a disability) help make the plan? .....                 | 64 |
| Table 37. Did your family member help make the plan? .....  | 65 |
| Table 38. Do you feel like your family had enough say or input in making the plan?.....   | 66 |
| Table 39. Did your family member leave school services and begin adult services during the past 12 months? .....                          | 67 |
| Table 40. If your family member left school services during the past 12 months, did they have a transition plan? .....                    | 68 |
| Table 41. If your family member had a transition plan, did the plan include getting or continuing work in a community job? .....          | 69 |
| Access and Delivery of Services and Supports .....  | 70 |
| Table 42. Does your family member get all the services listed in the plan? .....  | 71 |
| Table 43. Does your family get the supports and services it needs? .....  | 72 |
| Table 44a. If your family does not get the support and services needed, what additional services does your family need? .....             | 73 |
| Table 44b. If your family does not get the support and services needed, what additional services does your family need? (continued) ..... | 74 |
| Table 45. Do services and supports change when your family's needs change? .....  | 75 |
| Table 46. Does your family member have enough supports to work or volunteer in the community?.....  | 76 |
| Table 47. Does your family member have the special equipment or accommodations they need?.....  | 77 |
| Table 48. If you need respite services, how often are you able to get them when needed? .....   | 78 |
| Table 49. If you have used respite services in the past 12 months, were you satisfied with the quality of the respite services? .....     | 79 |
| Table 50. Are you or your family member able to contact their support workers when you want? .....  | 80 |
| Table 51. Are you or your family member able to contact their case manager or service coordinator when you want? .....                    | 81 |

|   |     |
|---|-----|
| Table 52. Do service providers for your family member work together to provide support?.....  | 82  |
| Table 53. Are services delivered in a way that is respectful of your family’s culture? .....  | 83  |
| Table 54. Does your family member use technology in their everyday life to help them do things on their own? .....  | 84  |
| Table 55. Is there a computer, tablet (for example an iPad), or smartphone that your family can use in your home? .....   | 85  |
| Table 56. How well does the internet work in your home? .....   | 86  |
| Workforce .....   | 87  |
| Table 57. Do support workers come and go when they are supposed to? .....   | 88  |
| Table 58. Do support workers speak to you in a way you understand? .....  | 89  |
| Table 59. If your family member does not communicate verbally (for example, uses gestures, sign language, or a communication aid), are there support workers who can communicate with them? ..... | 90  |
| Table 60. Do support workers have the right information and skills to meet your family’s needs?.....  | 91  |
| Table 61. Do your family member’s support workers change too often? Is there too much “turnover” of support workers? .....  | 92  |
| Table 62. Is there always a staff person available to support your family member when support is needed? .....  | 93  |
| Choice, Decision Making and Control.....  | 94  |
| Table 63. Can your family choose or change the agency that provides your family member’s services?.....   | 95  |
| Table 64. Can your family choose or change your family member’s support workers? .....  | 96  |
| Table 65. Can someone in your family directly manage support staff? .....   | 97  |
| Table 66. Did you, your family member, or someone else in your family choose your family member’s case manager/service coordinator? .....   | 98  |
| Community Connections.....  | 99  |
| Table 67. Does your family member do things in the community? .....   | 100 |
| Table 68. For your family member, what makes it hard to do things in the community? .....   | 101 |
| Table 69. Does your family member have friends other than paid support workers or family? .....   | 102 |

|  |     |
|--|-----|
| Table 70. In your community, are there resources that your family can use that are not provided by the I/DD agency? (for example, recreational programs, community housing, library programs, religious groups, etc)?..... | 103 |
| Table 71. Does your family take part in any family-to-family networks in your community? .....   | 104 |
| Health, Welfare, and Safety.....   | 105 |
| Table 72. Can your family member see a primary care provider (doctor, registered nurse, etc.) when needed? .....   | 106 |
| Table 73. Does your family member’s primary care doctor understand your family member’s needs related to their disability?.....  | 107 |
| Table 74. Can your family member go to the dentist when needed? .....  | 108 |
| Table 75. Does your family member’s dentist understand your family member’s needs related to their disability?.....  | 109 |
| Table 76. If your family member takes prescription medications, do you know what they’re for? .....  | 110 |
| Table 77. Do you, your family member, or someone else in your family know what is needed to safely take the prescription medications (when it should be taken, how much to take, and the potential side effects)?.....     | 111 |
| Table 78. Can your family member get mental or behavioral health supports when needed? (Like see a therapist, go to group counseling) .....  | 112 |
| Table 79. If your family member uses mental health services, does the mental health professional understand your family member’s needs related to their disability? .....  | 113 |
| Table 80. If you asked for crisis or emergency services during the past 12 months, were services provided when needed?.....  | 114 |
| Table 81. Do you feel prepared to handle the needs of your family member in an emergency such as a medical emergency or natural disaster? .....  | 115 |
| Table 82. Have you talked about how to handle emergencies (such as a medical emergency, pandemic or natural disaster) with your family member’s case manager/service coordinator? .....                                    | 116 |
| Table 83. Do you know how to file a complaint or grievance about provider agencies or staff? .....   | 117 |
| Table 84. If a complaint or grievance was filed or resolved in the past 12 months, are you satisfied with the way it was handled?.....   | 118 |
| Table 85. Do you know how to report abuse or neglect related to your family member?.....   | 119 |

|  |     |
|--|-----|
| Table 86. Within the past 12 months, was a report of abuse or neglect filed on behalf of your family member? .....   | 120 |
| Table 87. If a report of abuse or neglect was filed on behalf of family member, if someone other than you or another family member reported abuse or neglect in the past 12 months, were you notified of the report in a timely manner?..... | 121 |
| Family Satisfaction .....  | 122 |
| Table 88. Overall, are you satisfied with the services and supports your family member currently receives? .....   | 123 |
| Table 89. Do you feel that services and supports have made a positive difference in the life of your family member? .....  | 124 |
| Table 90. Have services and supports reduced your family’s out-of-pocket expenses for your family member’s care?.....  | 125 |
| Table 91. Have the services or supports that your family member received during the past 12 months been reduced, suspended, or terminated?.....  | 126 |
| Table 92. If services or supports received by the family were reduced, suspended or terminated during the past 12 months, did the change in services affect your family member negatively? .....   | 127 |
| Table 93. Have the services or supports that your family member received been increased in the past 12 months? .....   | 128 |
| Table 94. Are services and supports helping your family member to live a good life? .....  | 129 |

## Executive Summary

The National Core Indicators®-Intellectual and Developmental Disabilities (NCI-IDD) are standard measures used across states to assess the outcomes of services provided to individuals with intellectual/developmental disabilities and their families. Indicators address key areas of concern such as employment, respect/rights, service planning, community inclusion, choice, and health and safety. The data that result from NCI-IDD surveys are often used to inform strategic planning, produce legislative reports, and prioritize quality improvement initiatives. Many states also share the data with stakeholder groups such as Quality Councils and use the stakeholder feedback to help set priorities and establish policy direction.

The National Core Indicators (NCI) Adult Family Survey is administered to families who have an adult family member (18 years or older) with an intellectual or developmental disability who lives in the family home and receives at least one service other than case management. Not all states that participate in NCI-IDD administer the Adult Family Survey on an annual basis. Of the 48 states, the District of Columbia and 22 sub-state entities that were members of NCI-IDD during the 2022-23 data collection cycle, 10 states submitted a valid sample of Adult Family Survey data: Delaware (DE), District of Columbia (DC), Georgia (GA), Louisiana (LA), Maryland (MD), Missouri (MO), North Dakota (ND), New Jersey (NJ), Oklahoma (OK), and Pennsylvania (PA). This Final Report provides a summary of results based on data submitted by June 30, 2023.

### ***What is the NCI-IDD Adult Family Survey?***

The NCI-IDD Adult Family Survey is used to gather data on family outcomes. It is mailed to families or guardians who have an adult family member who lives with the respondent and receives at least one service in addition to case management from the state DD agency. The survey collects demographic information on both the individual receiving services ('family member') as well as the person who fills out the survey (the 'respondent') and information on services and supports received. The survey is continually refined and tested to ensure it is valid and reliable.

Please note that while the term "case manager" is used throughout this report, the same role may also be referred to as "service coordinator" or "supports coordinator" depending on the state.

Important note on responses: All data are reported by the respondent based on their understanding of their family member's demographics, diagnoses, and personal characteristics.

### **What is included in this report?**

This report includes this state's Adult Family Survey data compared to the NCI-IDD Average. State outcomes that are significantly higher or lower than the NCI-IDD Average are indicated with an arrow:



- Outcomes where the state is significantly above the NCI-IDD average are denoted with an up arrow ↑;
- Outcomes where the state is significantly below the NCI-IDD average are denoted with a down arrow ↓.

Significance is based on “Always” or “Yes” response.

The charts in this document, grouped by subdomain, display the state results alongside the average across states (NCI-IDD average). The charts are followed by accessible tables containing the same information.

To find out more about the development of the Adult Family Survey, data analysis and state samples, check out the National Adult Family Survey Report.

# Results

## Presentation of the Data

In addition to basic demographic questions and questions on services received, the survey contains six groupings of questions that probe specific areas of quality service provision: information and planning, access and delivery of services, choice and control, community connections, satisfaction, and outcomes.

- Each question is constructed so the respondent selects from either four possible responses (“always”, “usually”, “sometimes”, “seldom/never”) or two responses (“yes” or “no”). Respondents also have the option to indicate that they don’t know the answer to a question or that the question is not applicable.
- Demographic results are shown in table form.
- Statistical significance is taken to be at or below the .01 level. For those states that fall within the NCI-IDD Average range, their ‘always’ or ‘yes’ response was not statistically different from the NCI-IDD Average.
- States with 20 or fewer respondents to a question are not included in tables; however, their data **are** included in the NCI-IDD Average.
- **Note on NCI-IDD Averages:** The NCI-IDD averages contained in this report are “weighted” means; their calculations reflect the relative population sizes of participating states and the states’ sample sizes. Prior to 2016-17, NCI-IDD averages were calculated as the simple arithmetic mean of all state means (an approach known as “average of averages”), so comparisons to past reports should be made with caution. See more about weighting in the Methodology section.
- **Note on language used in this report:** “You” and “Respondent” refers to the person (usually a parent or guardian) filling out the survey. “Family Member” refers to the person receiving services whom the respondent is answering questions about in this survey.
- **Note on responses:** All data are reported by the respondent based on their understanding of their family member’s demographics, diagnoses and personal characteristics.

## Demographics

**Note on responses:** All data are reported by the respondent based on their understanding of their family member's demographics, diagnoses and personal characteristics.

**Note on responses:** Some pages in this section are in landscape orientation because some table headers cannot be displayed in full in portrait orientation

## **Family Member**

*This section provides demographic information about the family member receiving services.*

Table 1. More Than One Person Living in the Home Has IDD

*Please note: All data in this section are reported by the respondent based on their understanding of their family member’s demographics, diagnoses and personal characteristics.*

| State<br>(names abbreviated) | Yes        | No         | N          |
|------------------------------|------------|------------|------------|
| <b>MD</b>                    | <b>12%</b> | <b>88%</b> | <b>715</b> |
| Weighted NCI-IDD Average     | 12%        | 88%        | 4779       |

Table 2. Family Member’s Residential Designation

*Please note: All data in this section are reported by the respondent based on their understanding of their family member’s demographics, diagnoses and personal characteristics.*

| State<br>(names<br>abbreviated) | Urban or suburban (in or near a<br>city or large town) | Rural (outside of a<br>city or town) | N          |
|---------------------------------|--|--------------------------------------|------------|
| <b>MD</b>                       | <b>70%</b>   | <b>30%</b>                           | <b>720</b> |
| Weighted NCI-IDD<br>Average     | 64%  | 36%                                  | 4738       |

Table 3. Family Member's Age

*Please note: All data in this section are reported by the respondent based on their understanding of their family member's demographics, diagnoses and personal characteristics.*

| State<br>(names abbreviated) | Age         | N          |
|------------------------------|-------------|------------|
| <b>MD</b>                    | <b>31.4</b> | <b>755</b> |
| Weighted NCI-IDD Average     | 37.6        | 4900       |



Table 4. Family Member’s Gender

*Please note: All data in this section are reported by the respondent based on their understanding of their family member’s demographics, diagnoses and personal characteristics.*

| State<br>(names abbreviated) | Male       | Female     | Other     | N          |
|------------------------------|------------|------------|-----------|------------|
| <b>MD</b>                    | <b>61%</b> | <b>39%</b> | <b>0%</b> | <b>683</b> |
| Weighted NCI-IDD Average     | 59%        | 40%        | 0%        | 4788       |

Table 5a. Family Member’s Race/Ethnicity

*Please note: All data in this section are reported by the respondent based on their understanding of their family member’s demographics, diagnoses and personal characteristics. Categories are not mutually exclusive, therefore N is not shown.*

| State<br>(names abbreviated) | American<br>Indian<br>or Alaska<br>Native | Asian     | Black or<br>African American | Pacific<br>Islander |
|------------------------------|---|-----------|------------------------------|---------------------|
| <b>MD</b>                    | <b>1%</b>                                 | <b>8%</b> | <b>26%</b>                   | <b>0%</b>           |
| Weighted NCI-IDD Average     | 2%  | 4%        | 19%                          | 0%                  |

Table 5b. Family Member’s Race/Ethnicity (continued)

*Please note: All data in this section are reported by the respondent based on their understanding of their family member’s demographics, diagnoses and personal characteristics. Categories are not mutually exclusive, therefore N is not shown.*

| State<br>(names abbreviated) | White      | Hispanic or<br>Latino | Other     | Prefer not<br>to say |
|------------------------------|------------|-----------------------|-----------|----------------------|
| <b>MD</b>                    | <b>60%</b> | <b>5%</b>             | <b>1%</b> | <b>4%</b>            |
| Weighted NCI-IDD Average     | 72%        | 4%                    | 1%        | 3%                   |

Table 6a. Family Member’s Conditions

*Please note: All data in this section are reported by the respondent based on their understanding of their family member’s demographics, diagnoses and personal characteristics. Categories are not mutually exclusive, therefore N is not shown.*

| State<br>(names abbreviated) | Intellectual<br>disability | Mood illness or<br>psychiatric<br>diagnosis | Autism<br>spectrum<br>disorder | Cerebral<br>palsy |
|------------------------------|----------------------------|---|--------------------------------|-------------------|
| <b>MD</b>                    | <b>70%</b>                 | <b>22%</b>                                  | <b>46%</b>                     | <b>15%</b>        |
| Weighted NCI-IDD<br>Average  | 72%                        | 24%   | 37%                            | 17%               |

Table 6b. Family Member’s Conditions (Continued)

*Please note: All data in this section are reported by the respondent based on their understanding of their family member’s demographics, diagnoses and personal characteristics. Categories are not mutually exclusive, therefore N is not shown.*

| State<br>(names abbreviated) | Limited or no<br>vision | Hearing loss<br>(severe or<br>profound) | Brain injury | Seizure or<br>neurological<br>disorder |
|------------------------------|-------------------------|---|--------------|--|
| <b>MD</b>                    | <b>8%</b>               | <b>4%</b>                               | <b>6%</b>    | <b>22%</b>                             |
| Weighted NCI-IDD Average     | 9%                      | 6%                                      | 8%           | 27%                                    |

Table 6c. Family Member’s Conditions (Continued)

*Please note: All data in this section are reported by the respondent based on their understanding of their family member’s demographics, diagnoses and personal characteristics. Categories are not mutually exclusive, therefore N is not shown.*

| State<br>(names<br>abbreviated) | Chemical<br>dependency | Down<br>syndrome | Prader-<br>Willi<br>Syndrome | Fetal Alcohol<br>Spectrum<br>Disorder<br>(FASD) | Other      |
|---------------------------------|------------------------|------------------|------------------------------|---|------------|
| <b>MD</b>                       | <b>0%</b>              | <b>14%</b>       | <b>0%</b>                    | <b>1%</b>                                       | <b>17%</b> |
| Weighted NCI-IDD<br>Average     | 0%                     | 15%              | 0%                           | 1%  | 17%        |

Table 7a. Family Member’s Health Conditions

*Please note: All data in this section are reported by the respondent based on their understanding of their family member’s demographics, diagnoses and personal characteristics. Categories are not mutually exclusive, therefore N is not shown.*

| State<br>(names abbreviated) | Cardiovascular<br>Disease | Diabetes   | Cancer    | High<br>blood<br>pressure | High<br>cholesterol |
|------------------------------|---------------------------|------------|-----------|---------------------------|---------------------|
| <b>MD</b>                    | <b>11%</b>                | <b>12%</b> | <b>4%</b> | <b>17%</b>                | <b>23%</b>          |
| Weighted NCI-IDD<br>Average  | 11%                       | 17%        | 4%        | 29%                       | 32%                 |

Table 7b. Family Member’s Health Conditions (Continued)

*Please note: All data in this section are reported by the respondent based on their understanding of their family member’s demographics, diagnoses and personal characteristics. Categories are not mutually exclusive, therefore N is not shown.*

| State<br>(names abbreviated) | Dysphagia | Pressure<br>ulcers | Alzheimer's<br>disease or<br>dementia | Oral<br>health<br>problems | Sleep<br>apnea |
|------------------------------|-----------|--------------------|---------------------------------------|----------------------------|----------------|
| <b>MD</b>                    | <b>9%</b> | <b>2%</b>          | <b>1%</b>                             | <b>6%</b>                  | <b>19%</b>     |
| Weighted NCI-IDD<br>Average  | 10%       | 1%                 | 2%                                    | 11%                        | 17%            |



Table 7c. Family Member’s Health Conditions (Continued)

*Please note: All data in this section are reported by the respondent based on their understanding of their family member’s demographics, diagnoses and personal characteristics. Categories are not mutually exclusive, therefore N is not shown.*

| State<br>(names<br>abbreviated) | Asthma     | Other<br>pulmonary<br>diagnosis (e.g.,<br>COPD,<br>bronchitis,<br>emphysema) | Chronic<br>kidney<br>disease | Long-term<br>health<br>problems<br>associated<br>with COVID-19<br>(also known as<br>Long COVID) | Other      |
|---------------------------------|------------|--|------------------------------|---|------------|
| <b>MD</b>                       | <b>17%</b> | <b>5%</b>  | <b>3%</b>                    | <b>1%</b>   | <b>36%</b> |
| Weighted NCI-IDD<br>Average     | 14%        | 5%   | 5%                           | 1%  | 26%        |

Table 8. Family Member’s Preferred Means of Communication

*Please note: All data in this section are reported by the respondent based on their understanding of their family member’s demographics, diagnoses and personal characteristics.*

| State<br>(names<br>abbreviated) | Spoken     | Gestures<br>or body<br>language | Sign<br>language<br>or finger<br>spelling | Communication<br>aid or device | Other     | N          |
|---------------------------------|------------|---------------------------------|---|--------------------------------|-----------|------------|
| <b>MD</b>                       | <b>78%</b> | <b>13%</b>                      | <b>2%</b>                                 | <b>3%</b>                      | <b>4%</b> | <b>742</b> |
| Weighted<br>NCI-IDD<br>Average  | 79%        | 13%                             | 1%  | 2%                             | 5%        | 4893       |

Table 9a. Family Member’s Preferred Language

*Please note: All data in this section are reported by the respondent based on their understanding of their family member’s demographics, diagnoses and personal characteristics.*

| State<br>(names abbreviated) | English    | Spanish   | Chinese   | N          |
|------------------------------|------------|-----------|-----------|------------|
| <b>MD</b>                    | <b>97%</b> | <b>1%</b> | <b>0%</b> | <b>743</b> |
| Weighted NCI-IDD Average     | 96%        | 1%        | 0%        | 4904       |

*Table Note: “Chinese” includes Mandarin, Cantonese, and Hokkien.*

Table 9b. Family Member’s Preferred Language (continued)

*Please note: All data in this section are reported by the respondent based on their understanding of their family member’s demographics, diagnoses and personal characteristics.*

| State<br>(names abbreviated) | Tagalog   | Vietnamese | American<br>Sign<br>Language | Other     | N          |
|------------------------------|-----------|------------|------------------------------|-----------|------------|
| <b>MD</b>                    | <b>0%</b> | <b>0%</b>  | <b>1%</b>                    | <b>2%</b> | <b>743</b> |
| Weighted NCI-IDD Average     | 0%        | 0%         | 1%                           | 2%        | 4904       |

*Table Note: “Tagalog” includes Filipino.*

Table 10. Family Member Has Legal Court Appointed Guardian or Conservator

*Please note: All data in this section are reported by the respondent based on their understanding of their family member’s demographics, diagnoses and personal characteristics.*

| State<br>(names<br>abbreviated) | No<br>guardianship | Limited<br>guardianship | Full<br>guardianship | Has<br>guardianship<br>but level<br>unknown | N          |
|---------------------------------|--------------------|-------------------------|----------------------|---|------------|
| <b>MD</b>                       | <b>55%</b>         | <b>8%</b>               | <b>33%</b>           | <b>4%</b>                                   | <b>691</b> |
| Weighted<br>NCI-IDD<br>Average  | 35%                | 10%                     | 50%                  | 5%  | 4626       |

Table 11. Guardian or Conservator Relationship to Family Member

*Please note: All data in this section are reported by the respondent based on their understanding of their family member’s demographics, diagnoses and personal characteristics.*

| State<br>(names abbreviated) | Family     | Friend    | Employee of<br>state or<br>guardianship agency | Other     | N          |
|------------------------------|------------|-----------|--|-----------|------------|
| <b>MD</b>                    | <b>95%</b> | <b>0%</b> | <b>0%</b>                                      | <b>4%</b> | <b>306</b> |
| Weighted NCI-IDD Average     | 96%        | 0%        | 0%   | 4%        | 2841       |

Table 12a. Family Member’s Highest Level of Education

*Please note: All data in this section are reported by the respondent based on their understanding of their family member’s demographics, diagnoses and personal characteristics.*

| State<br>(names<br>abbreviated) | Did not complete<br>high school – Not<br>currently in school | Currently<br>enrolled in<br>high school | High school<br>certificate (NOT a<br>high school diploma<br>or GED) | N          |
|---------------------------------|--|---|---|------------|
| <b>MD</b>                       | <b>8%</b>  | <b>2%</b>                               | <b>59%</b>  | <b>732</b> |
| Weighted NCI-<br>IDD Average    | 15%  | 2%                                      | 32%   | 4779       |

Table 12b. Family Member’s Highest Level of Education (continued)

*Please note: All data in this section are reported by the respondent based on their understanding of their family member’s demographics, diagnoses and personal characteristics.*

| State<br>(names<br>abbreviated) | High school<br>diploma or<br>GED | Vocational<br>school or<br>certificate<br>program | Some<br>college | College<br>degree or<br>higher | N          |
|---------------------------------|----------------------------------|---|-----------------|--------------------------------|------------|
| <b>MD</b>                       | <b>16%</b>                       | <b>3%</b>   | <b>5%</b>       | <b>6%</b>                      | <b>732</b> |
| Weighted NCI-<br>IDD Average    | 40%                              | 3%  | 4%              | 5%                             | 4779       |



Table 13. Family Member’s Support Needs for Self-Injurious, Disruptive, and/or Destructive Behaviors

*Please note: All data in this section are reported by the respondent based on their understanding of their family member’s demographics, diagnoses and personal characteristics.*

| State<br>(names<br>abbreviated) | No support<br>needed; no<br>issues with<br>managing<br>behavior | Some support<br>needed; requires<br>only occasional<br>assistance or<br>monitoring | Extensive support<br>needed; frequent or<br>severe enough to<br>require regular<br>assistance | N          |
|---------------------------------|---|--|---|------------|
| <b>MD</b>                       | <b>57%</b>  | <b>25%</b>   | <b>18%</b>  | <b>715</b> |
| Weighted NCI-<br>IDD Average    | 56%   | 29%  | 15%   | 4802       |

Table 14. Family Member’s Level of Help Needed with Personal Care Activities (for example, bathing, dressing, eating)

*Please note: All data in this section are reported by the respondent based on their understanding of their family member’s demographics, diagnoses and personal characteristics.*

| State<br>(names<br>abbreviated) | No support<br>needed; no issues<br>with personal care<br>activities | Some support needed;<br>requires only<br>occasional assistance<br>or monitoring | Extensive<br>support<br>needed | N          |
|---------------------------------|---|---|--------------------------------|------------|
| <b>MD</b>                       | <b>24%</b>  | <b>38%</b>  | <b>38%</b>                     | <b>734</b> |
| Weighted NCI-<br>IDD Average    | 24%   | 37%   | 39%                            | 4879       |

Table 15. Family Member’s Need for Help with Other Daily Activities (for example, scheduling, managing money, or shopping)

*Please note: All data in this section are reported by the respondent based on their understanding of their family member’s demographics, diagnoses and personal characteristics.*

| State<br>(names<br>abbreviated) | No support<br>needed; no issues<br>with other daily<br>activities | Some support needed;<br>requires only<br>occasional assistance<br>or monitoring | Extensive<br>support<br>needed | N          |
|---------------------------------|---|---|--------------------------------|------------|
| <b>MD</b>                       | <b>2%</b>   | <b>19%</b>  | <b>79%</b>                     | <b>739</b> |
| Weighted NCI-<br>IDD Average    | 4%  | 19%   | 77%                            | 4873       |

## **Respondents**

*This section provides information about the survey respondent.*

Table 16a. Language Usually Spoken at Home

| State<br>(names abbreviated) | English    | Spanish   | Chinese   | N          |
|------------------------------|------------|-----------|-----------|------------|
| <b>MD</b>                    | <b>95%</b> | <b>2%</b> | <b>0%</b> | <b>723</b> |
| Weighted NCI-IDD Average     | 97%        | 1%        | 0%        | 4883       |

*Table Note: "Chinese" includes Mandarin, Cantonese, and Hokkien*

Table 16b. Language Usually Spoken at Home (continued)

| State<br>(names abbreviated) | Tagalog   | Vietnamese | American Sign<br>Language | Other     | N          |
|------------------------------|-----------|------------|---------------------------|-----------|------------|
| <b>MD</b>                    | <b>0%</b> | <b>0%</b>  | <b>0%</b>                 | <b>2%</b> | <b>723</b> |
| Weighted NCI-IDD<br>Average  | 0%        | 0%         | 0%                        | 1%        | 4883       |

*Table Note: "Tagalog" includes Filipino.*

Table 17. Respondent's Age

| State<br>(names abbreviated) | 18 – 34   | 35 – 54    | 55 – 74    | 75 or older | N          |
|------------------------------|-----------|------------|------------|-------------|------------|
| <b>MD</b>                    | <b>3%</b> | <b>19%</b> | <b>72%</b> | <b>6%</b>   | <b>741</b> |
| Weighted NCI-IDD Average     | 2%        | 16%        | 68%        | 14%         | 4925       |

Table 18. Respondent's Health

| State<br>(names abbreviated) | Excellent  | Very good  | Good       | Fair       | Poor      | N          |
|------------------------------|------------|------------|------------|------------|-----------|------------|
| <b>MD</b>                    | <b>14%</b> | <b>38%</b> | <b>36%</b> | <b>11%</b> | <b>1%</b> | <b>741</b> |
| Weighted NCI-IDD Average     | 11%        | 33%        | 39%        | 15%        | 2%        | 4919       |



Table 19. Respondent’s Relationship to Family Member

| State<br>(names<br>abbreviated) | Parent<br>(biological,<br>adoptive, or<br>foster) | Sibling   | Spouse    | Grandparent | Other     | N          |
|---------------------------------|---|-----------|-----------|-------------|-----------|------------|
| <b>MD</b>                       | <b>94%</b>  | <b>4%</b> | <b>0%</b> | <b>0%</b>   | <b>1%</b> | <b>743</b> |
| Weighted NCI-<br>IDD Average    | 86%   | 10%       | 0%        | 1%          | 3%        | 4938       |

Table 20. Respondent or Other Family Member Provides Paid Support to Family Member Receiving Services

| State<br>(names abbreviated) | No         | Yes, respondent<br>does | Yes, another family<br>member does | N          |
|------------------------------|------------|-------------------------|------------------------------------|------------|
| <b>MD</b>                    | <b>65%</b> | <b>25%</b>              | <b>13%</b>                         | <b>738</b> |
| Weighted NCI-IDD<br>Average  | 63%        | 23%                     | 17%                                | 4880       |

*Table Note: Data combined from “select all that apply” questions and therefore might sum over 100%.*

Table 21. Number of Adults in Household (Not Including Family Member Receiving Supports)

| State<br>(names abbreviated) | One       | Two        | Three      | Four or more | N          |
|------------------------------|-----------|------------|------------|--------------|------------|
| <b>MD</b>                    | <b>4%</b> | <b>22%</b> | <b>52%</b> | <b>23%</b>   | <b>737</b> |
| Weighted NCI-IDD Average     | 6%        | 28%        | 48%        | 18%          | 4890       |

Table 22. Number of Children (Under 18 Years Old) in Household

| State<br>(names abbreviated) | One       | Two       | Three     | Four or more | None       | N          |
|------------------------------|-----------|-----------|-----------|--------------|------------|------------|
| <b>MD</b>                    | <b>7%</b> | <b>3%</b> | <b>1%</b> | <b>0%</b>    | <b>89%</b> | <b>740</b> |
| Weighted NCI-IDD Average     | 5%        | 2%        | 1%        | 0%           | 92%        | 4911       |

Table 23. Respondent’s Highest Level of Education

| State<br>(names<br>abbreviated) | No high<br>school<br>diploma<br>or GED | High<br>school<br>diploma<br>or GED | Vocational<br>school or<br>certificate<br>program | Some<br>college | College<br>degree<br>or<br>higher | N          |
|---------------------------------|--|-------------------------------------|---|-----------------|-----------------------------------|------------|
| <b>MD</b>                       | <b>1%</b>                              | <b>13%</b>                          | <b>2%</b>   | <b>20%</b>      | <b>63%</b>                        | <b>723</b> |
| Weighted<br>NCI-IDD<br>Average  | 5%                                     | 27%                                 | 7%  | 19%             | 43%                               | 4856       |

Table 24a. Total Taxable Household Income of Wage Earners in the Past 12 Months

| State<br>(names abbreviated) | No earned<br>income | Up to<br>\$15,000 | \$15,001–<br>\$25,000 | N          |
|------------------------------|---------------------|-------------------|-----------------------|------------|
| <b>MD</b>                    | <b>5%</b>           | <b>1%</b>         | <b>4%</b>             | <b>725</b> |
| Weighted NCI-IDD<br>Average  | 11%                 | 5%                | 8%                    | 4800       |

*Table Note: Respondents did not respond if they were a public guardian/administrator, or if they represent a financial institution or guardianship agency. Does not include state/federal benefits such as SSI, SSDI etc.*

Table 24b. Total Taxable Household Income of Wage Earners in the Past 12 Months (continued)

| State<br>(names<br>abbreviated) | \$25,001–<br>\$50,000 | \$50,001–<br>\$75,000 | Over<br>\$75,000 | Prefer not<br>to say | N          |
|---------------------------------|-----------------------|-----------------------|------------------|----------------------|------------|
| <b>MD</b>                       | <b>12%</b>            | <b>15%</b>            | <b>37%</b>       | <b>26%</b>           | <b>725</b> |
| Weighted NCI-IDD<br>Average     | 15%                   | 12%                   | 23%              | 25%                  | 4800       |

*Table Note: Respondents did not respond if they were a public guardian/administrator, or if they represent a financial institution or guardianship agency. Does not include state/federal benefits such as SSI, SSDI etc.*

## **Services and Supports Received**

*This section provides information about the services and supports received by the family from the state ID/DD agency.*

*Please note: All data in this section are reported by the respondent based on their understanding of their family member's demographics, diagnoses and personal characteristics.*



Table 25a. Services and Supports Received from ID/DD Agency

*Please note: All data in this section are reported by the respondent based on their understanding of their family member’s demographics, diagnoses and personal characteristics. Categories are not mutually exclusive, therefore N is not shown.*

| State<br>(names abbreviated) | Financial<br>support | In home<br>support | Out-of-home<br>respite care | Day or<br>employment<br>supports |
|------------------------------|----------------------|--------------------|-----------------------------|----------------------------------|
| <b>MD</b>                    | <b>13%</b>           | <b>43%</b>         | <b>21%</b>                  | <b>55%</b>                       |
| Weighted NCI-IDD Average     | 16%                  | 40%                | 20%                         | 51%                              |

Table 25b. Services and Supports Received from ID/DD Agency (Continued)

*Please note: All data in this section are reported by the respondent based on their understanding of their family member’s demographics, diagnoses and personal characteristics. Categories are not mutually exclusive, therefore N is not shown.*

| State<br>(names abbreviated) | Transportation | Mental or<br>behavioral<br>health care<br>or other<br>treatments<br>or therapies | Self-direction<br>or fiscal<br>intermediary services |
|------------------------------|----------------|--|--|
| <b>MD</b>                    | <b>57%</b>     | <b>30%</b>   | <b>41%</b>   |
| Weighted NCI-IDD Average     | 58%            | 29%  | 47%  |

Table 26. Additional Services and Supports Received (not from the IDD Agency)

*Please note: All data in this section are reported by the respondent based on their understanding of their family member’s demographics, diagnoses and personal characteristics. Categories are not mutually exclusive, therefore N is not shown.*

| State<br>(names abbreviated) | Social Security<br>(SSI or SSB) | Services or<br>supports from<br>other agencies<br>or organizations |
|------------------------------|---------------------------------|--|
| <b>MD</b>                    | <b>93%</b>                      | <b>34%</b>   |
| Weighted NCI-IDD Average     | 94%                             | 32%  |

## Main Survey Results

**Note on Significance:** *Statistical significance depends on both the amount by which a state differs from the average for a given item and the state's sample size for that item. There may be instances where State A's difference from the average is larger than State B's, but State B is shown as significantly different from the average whereas State A is not. The larger the sample size of a state, the smaller the difference needs to be for it to be statistically significant.*

## Information and Planning

*Families have the information and support needed to take part in planning supports and services for their family member receiving services and supports from the state developmental disabilities system.*

**Note: Significance is based on “Always” or “Yes” response.**

“**You**” and “**Respondent**” refers to the person (usually a parent or guardian) filling out the survey.

“**Family Member**” refers to the person receiving services whom the respondent is answering questions about in this survey.

**Do you get enough information to take part in planning services for your family member?**




Table 27. Do you get enough information to take part in planning services for your family member?

If arrows are present, Key: Up Arrow (↑) represents Significantly Above Average; down arrow (↓) represents Significantly Below Average

| State (names abbreviated) | Always     | Usually    | Sometimes  | Seldom or never | N          |
|---------------------------|------------|------------|------------|-----------------|------------|
| <b>MD</b>                 | <b>30%</b> | <b>43%</b> | <b>20%</b> | <b>7%</b>       | <b>705</b> |
| Weighted NCI-IDD Average  | 34%        | 40%        | 18%        | 7%              | 4569       |

**Is the information you get about services and supports easy to understand?**




Table 28. Is the information you get about services and supports easy to understand?

If arrows are present, Key: Up Arrow (↑) represents Significantly Above Average; down arrow (↓) represents Significantly Below Average

| State (names abbreviated) | Always     | Usually    | Sometimes  | Seldom or never | N          |
|---------------------------|------------|------------|------------|-----------------|------------|
| <b>MD ↓</b>               | <b>19%</b> | <b>49%</b> | <b>25%</b> | <b>7%</b>       | <b>717</b> |
| Weighted NCI-IDD Average  | 25%        | 47%        | 23%        | 5%              | 4646       |

**Do you get information about services and supports in your preferred language?**




Table 29. Do you get information about services and supports in your preferred language?

If arrows are present, Key: Up Arrow (↑) represents Significantly Above Average; down arrow (↓) represents Significantly Below Average

| State (names abbreviated) | Always     | Usually   | Sometimes | Seldom or never | N          |
|---------------------------|------------|-----------|-----------|-----------------|------------|
| <b>MD</b>                 | <b>88%</b> | <b>6%</b> | <b>2%</b> | <b>3%</b>       | <b>732</b> |
| Weighted NCI-IDD Average  | 88%        | 7%        | 2%        | 3%              | 4759       |



**Does the case manager/service coordinator listen to your family's choices and opinions?**




Table 30. Does the case manager/service coordinator listen to your family's choices and opinions?

If arrows are present, Key: Up Arrow (↑) represents Significantly Above Average; down arrow (↓) represents Significantly Below Average

| State (names abbreviated) | Always     | Usually    | Sometimes | Seldom or never | N          |
|---------------------------|------------|------------|-----------|-----------------|------------|
| <b>MD</b>                 | <b>65%</b> | <b>25%</b> | <b>7%</b> | <b>3%</b>       | <b>716</b> |
| Weighted NCI-IDD Average  | 68%        | 23%        | 7%        | 2%              | 4672       |

**Do you have enough information about other public services for which your family is eligible?**




Table 31. Do you have enough information about other public services for which your family is eligible (for example, food stamps, SSI, housing subsidies, etc.)?

If arrows are present, Key: Up Arrow (↑) represents Significantly Above Average; down arrow (↓) represents Significantly Below Average

| State (names abbreviated) | Always     | Usually    | Sometimes  | Seldom or never | N          |
|---------------------------|------------|------------|------------|-----------------|------------|
| <b>MD ↓</b>               | <b>21%</b> | <b>31%</b> | <b>26%</b> | <b>23%</b>      | <b>623</b> |
| Weighted NCI-IDD Average  | 25%        | 32%        | 21%        | 22%             | 4026       |




Table 32a. Do you need help planning for your family member’s future in any of the following areas?

*Categories are not mutually exclusive, therefore N is not shown.*

| State<br>(names abbreviated) | Employment | Financial  | Housing    | Legal      |
|------------------------------|------------|------------|------------|------------|
| <b>MD</b>                    | <b>39%</b> | <b>46%</b> | <b>60%</b> | <b>44%</b> |
| Weighted NCI-IDD Average     | 26%        | 35%        | 55%        | 34%        |

**Do you need help planning for your family member's future in any of the following areas? (continued)**




Table 32b. Do you need help planning for your family member’s future in any of the following areas? (continued)

Categories are not mutually exclusive, therefore N is not shown.

| State (names abbreviated) | Medical    | Social or Relationships | Transition from School | Recreation or Having Fun | Other      |
|---------------------------|------------|-------------------------|------------------------|--------------------------|------------|
| <b>MD</b>                 | <b>35%</b> | <b>41%</b>              | <b>7%</b>              | <b>41%</b>               | <b>12%</b> |
| Weighted NCI-IDD Average  | 31%        | 33%                     | 6%                     | 39%                      | 16%        |

Has your family learned about alternatives to guardianship?




Table 33. Has your family learned about alternatives to guardianship?

If arrows are present, Key: Up Arrow (↑) represents Significantly Above Average; down arrow (↓) represents Significantly Below Average

| State (names abbreviated) | Yes | No  | N    |
|---------------------------|-----|-----|------|
| MD                        | 48% | 52% | 655  |
| Weighted NCI-IDD Average  | 50% | 50% | 4108 |

Table Note: Alternatives to guardianship let a family member make more decisions for themselves, with or without the help of others. This might include: **“Supported Decision Making (SDM)”**, allows a person with a disability to make their own decisions with the help of people they trust. **“Other decision-making supports”** like health-care proxies, advance directives, powers of attorney, notarized statements, representation agreements, etc.

**Does your family member have a service plan?**




Table 34. Does your family member have a service plan?

If arrows are present, Key: Up Arrow (↑) represents Significantly Above Average; down arrow (↓) represents Significantly Below Average

| State (names abbreviated) | Yes        | No         | N          |
|---------------------------|------------|------------|------------|
| <b>MD</b>                 | <b>90%</b> | <b>10%</b> | <b>645</b> |
| Weighted NCI-IDD Average  | 88%        | 12%        | 4323       |

**Does the plan include all the services and supports your family member needs?**




Table 35. Does the plan include all the services and supports your family member needs?

If arrows are present, Key: Up Arrow (↑) represents Significantly Above Average; down arrow (↓) represents Significantly Below Average

| State (names abbreviated) | Yes        | No         | N          |
|---------------------------|------------|------------|------------|
| <b>MD ↓</b>               | <b>81%</b> | <b>19%</b> | <b>506</b> |
| Weighted NCI-IDD Average  | 88%        | 12%        | 3226       |

**Did you or someone else in your family (besides your family member with a disability) help make the plan?**




Table 36. Did you or someone else in your family (besides your family member with a disability) help make the plan?

If arrows are present, Key: Up Arrow (↑) represents Significantly Above Average; down arrow (↓) represents Significantly Below Average

| State (names abbreviated) | Yes        | No         | N          |
|---------------------------|------------|------------|------------|
| <b>MD ↑</b>               | <b>90%</b> | <b>10%</b> | <b>562</b> |
| Weighted NCI-IDD Average  | 85%        | 15%        | 3532       |



**Did your family member help make the plan?**




Table 37. Did your family member help make the plan?

If arrows are present, Key: Up Arrow (↑) represents Significantly Above Average; down arrow (↓) represents Significantly Below Average

| State (names abbreviated) | Yes        | No         | N          |
|---------------------------|------------|------------|------------|
| <b>MD ↑</b>               | <b>76%</b> | <b>24%</b> | <b>558</b> |
| Weighted NCI-IDD Average  | 64%        | 36%        | 3506       |

**Do you feel like your family had enough say or input in making the plan?**




Table 38. Do you feel like your family had enough say or input in making the plan?

If arrows are present, Key: Up Arrow (↑) represents Significantly Above Average; down arrow (↓) represents Significantly Below Average

| State (names abbreviated) | Yes        | No        | N          |
|---------------------------|------------|-----------|------------|
| <b>MD</b>                 | <b>94%</b> | <b>6%</b> | <b>532</b> |
| Weighted NCI-IDD Average  | 94%        | 6%        | 3356       |

**Did your family member leave school services and begin adult services during the past 12 months?**




Table 39. Did your family member leave school services and begin adult services during the past 12 months?

If arrows are present, Key: Up Arrow (↑) represents Significantly Above Average; down arrow (↓) represents Significantly Below Average

| State (names abbreviated) | Yes | No  | N    |
|---------------------------|-----|-----|------|
| MD                        | n/a | n/a | n/a  |
| Weighted NCI-IDD Average  | 5%  | 95% | 3693 |

**If your family member left school services during the past 12 months, did they have a transition plan?**




Table 40. If your family member left school services during the past 12 months, did they have a transition plan?

If arrows are present, Key: Up Arrow (↑) represents Significantly Above Average; down arrow (↓) represents Significantly Below Average

| State (names abbreviated) | Yes | No  | N   |
|---------------------------|-----|-----|-----|
| MD                        | n/a | n/a | n/a |
| Weighted NCI-IDD Average  | 83% | 17% | 158 |

**If your family member had a transition plan, did the plan include getting or continuing work in a community job?**




Table 41. If your family member had a transition plan, did the plan include getting or continuing work in a community job?

If arrows are present, Key: Up Arrow (↑) represents Significantly Above Average; down arrow (↓) represents Significantly Below Average

| State (names abbreviated) | Yes | No  | N   |
|---------------------------|-----|-----|-----|
| MD                        | n/a | n/a | n/a |
| Weighted NCI-IDD Average  | 58% | 42% | 108 |

### **Access and Delivery of Services and Supports**

*Families receive services and supports that are appropriate to the needs of the family and the family member receiving services and supports from the state developmental disabilities system.*

**Note: Significance is based on “Always” or “Yes” response.**

“**You**” and “**Respondent**” refers to the person (usually a parent or guardian) filling out the survey.

“**Family Member**” refers to the person receiving services whom the respondent is answering questions about in this survey.

**Does your family member get all the services listed in the plan?**




Table 42. Does your family member get all the services listed in the plan?

If arrows are present, Key: Up Arrow (↑) represents Significantly Above Average; down arrow (↓) represents Significantly Below Average

| State (names abbreviated) | Yes        | No         | N          |
|---------------------------|------------|------------|------------|
| <b>MD ↓</b>               | <b>75%</b> | <b>25%</b> | <b>522</b> |
| Weighted NCI-IDD Average  | 86%        | 14%        | 3280       |

**Does your family get the supports and services it needs?**




Table 43. Does your family get the supports and services it needs?

If arrows are present, Key: Up Arrow (↑) represents Significantly Above Average; down arrow (↓) represents Significantly Below Average

| State (names abbreviated) | Yes        | No         | N          |
|---------------------------|------------|------------|------------|
| <b>MD</b>                 | <b>68%</b> | <b>32%</b> | <b>615</b> |
| Weighted NCI-IDD Average  | 71%        | 29%        | 4086       |



**If your family does not get the support and services needed, what additional services does your family need?**




Table 44a. If your family does not get the support and services needed, what additional services does your family need?

Categories are not mutually exclusive, therefore N is not shown.

| State (names abbreviated) | Respite    | Regularly scheduled support for family member | Homemaker services | Home and/or vehicle modifications |
|---------------------------|------------|---|--------------------|-----------------------------------|
| <b>MD</b>                 | <b>66%</b> | <b>46%</b>                                    | <b>23%</b>         | <b>15%</b>                        |
| Weighted NCI-IDD Average  | 61%        | 38%   | 19%                | 14%                               |

**If your family does not get the support and services needed, what additional services does your family need? (continued)**




Table 44b. If your family does not get the support and services needed, what additional services does your family need? (continued)

Categories are not mutually exclusive, therefore N is not shown.

| State (names abbreviated) | Counseling | Family-to-family networks | Assistive technology training and support | Other      |
|---------------------------|------------|---------------------------|---|------------|
| <b>MD</b>                 | <b>19%</b> | <b>22%</b>                | <b>16%</b>                                | <b>32%</b> |
| Weighted NCI-IDD Average  | 15%        | 15%                       | 12%                                       | 34%        |

**Do services and supports change when your family's needs change?**




Table 45. Do services and supports change when your family's needs change?

If arrows are present, Key: Up Arrow (↑) represents Significantly Above Average; down arrow (↓) represents Significantly Below Average

| State (names abbreviated) | Always     | Usually    | Sometimes  | Seldom or never | N          |
|---------------------------|------------|------------|------------|-----------------|------------|
| <b>MD ↓</b>               | <b>31%</b> | <b>43%</b> | <b>16%</b> | <b>10%</b>      | <b>532</b> |
| Weighted NCI-IDD Average  | 40%        | 39%        | 13%        | 7%              | 3513       |

**Does your family member have enough supports to work or volunteer in the community?**




Table 46. Does your family member have enough supports to work or volunteer in the community?

If arrows are present, Key: Up Arrow (↑) represents Significantly Above Average; down arrow (↓) represents Significantly Below Average

| State (names abbreviated) | Yes        | No         | N          |
|---------------------------|------------|------------|------------|
| <b>MD</b>                 | <b>58%</b> | <b>42%</b> | <b>551</b> |
| Weighted NCI-IDD Average  | 58%        | 42%        | 3219       |

**Does your family member have the special equipment or accommodations they need?**




Table 47. Does your family member have the special equipment or accommodations they need?

If arrows are present, Key: Up Arrow (↑) represents Significantly Above Average; down arrow (↓) represents Significantly Below Average

| State (names abbreviated) | Always     | Usually    | Sometimes  | Seldom or never | N          |
|---------------------------|------------|------------|------------|-----------------|------------|
| <b>MD</b>                 | <b>43%</b> | <b>30%</b> | <b>16%</b> | <b>11%</b>      | <b>294</b> |
| Weighted NCI-IDD Average  | 50%        | 30%        | 11%        | 9%              | 2137       |

**If you need respite services, how often are you able to get them when needed?**




Table 48. If you need respite services, how often are you able to get them when needed?

If arrows are present, Key: Up Arrow (↑) represents Significantly Above Average; down arrow (↓) represents Significantly Below Average

| State (names abbreviated) | Always     | Usually    | Sometimes  | Seldom or never | N          |
|---------------------------|------------|------------|------------|-----------------|------------|
| <b>MD ↓</b>               | <b>15%</b> | <b>25%</b> | <b>21%</b> | <b>39%</b>      | <b>380</b> |
| Weighted NCI-IDD Average  | 22%        | 24%        | 17%        | 36%             | 2610       |

**If you have used respite services in the past 12 months, were you satisfied with the quality of the respite services?**




Table 49. If you have used respite services in the past 12 months, were you satisfied with the quality of the respite services?

*If arrows are present, Key: Up Arrow (↑) represents Significantly Above Average; down arrow (↓) represents Significantly Below Average*

| State (names abbreviated) | Always     | Usually    | Sometimes | Seldom or never | N          |
|---------------------------|------------|------------|-----------|-----------------|------------|
| <b>MD</b>                 | <b>51%</b> | <b>27%</b> | <b>8%</b> | <b>14%</b>      | <b>191</b> |
| Weighted NCI-IDD Average  | 55%        | 23%        | 8%        | 13%             | 1200       |

**Are you or your family member able to contact their support workers when you want?**




Table 50. Are you or your family member able to contact their support workers when you want?

If arrows are present, Key: Up Arrow (↑) represents Significantly Above Average; down arrow (↓) represents Significantly Below Average

| State (names abbreviated) | Always     | Usually    | Sometimes  | Seldom or never | N          |
|---------------------------|------------|------------|------------|-----------------|------------|
| <b>MD ↓</b>               | <b>48%</b> | <b>36%</b> | <b>12%</b> | <b>3%</b>       | <b>607</b> |
| Weighted NCI-IDD Average  | 54%        | 34%        | 9%         | 3%              | 4235       |



**Are you or your family member able to contact their case manager or service coordinator when you want?**




Table 51. Are you or your family member able to contact their case manager or service coordinator when you want?

If arrows are present, Key: Up Arrow (↑) represents Significantly Above Average; down arrow (↓) represents Significantly Below Average

| State (names abbreviated) | Always     | Usually    | Sometimes | Seldom or never | N          |
|---------------------------|------------|------------|-----------|-----------------|------------|
| <b>MD ↓</b>               | <b>57%</b> | <b>33%</b> | <b>8%</b> | <b>2%</b>       | <b>701</b> |
| Weighted NCI-IDD Average  | 62%        | 29%        | 7%        | 2%              | 4652       |

**Do service providers for your family member work together to provide support?**




Table 52. Do service providers for your family member work together to provide support?

If arrows are present, Key: Up Arrow (↑) represents Significantly Above Average; down arrow (↓) represents Significantly Below Average

| State (names abbreviated) | Yes        | No         | N          |
|---------------------------|------------|------------|------------|
| <b>MD</b>                 | <b>81%</b> | <b>19%</b> | <b>394</b> |
| Weighted NCI-IDD Average  | 82%        | 18%        | 2547       |

**Are services delivered in a way that is respectful  
of your family's culture?**




Table 53. Are services delivered in a way that is respectful of your family's culture?

*If arrows are present, Key: Up Arrow (↑) represents Significantly Above Average; down arrow (↓) represents Significantly Below Average*

| State<br>(names abbreviated) | Always     | Usually    | Sometimes | Seldom or<br>never | N          |
|------------------------------|------------|------------|-----------|--------------------|------------|
| <b>MD ↓</b>                  | <b>76%</b> | <b>20%</b> | <b>3%</b> | <b>2%</b>          | <b>654</b> |
| Weighted NCI-IDD<br>Average  | 81%        | 16%        | 2%        | 1%                 | 4345       |

**Does your family member use technology in their everyday life to help them do things on their own?**




Table 54. Does your family member use technology in their everyday life to help them do things on their own?

If arrows are present, Key: Up Arrow (↑) represents Significantly Above Average; down arrow (↓) represents Significantly Below Average

| State (names abbreviated) | Yes        | No         | N          |
|---------------------------|------------|------------|------------|
| <b>MD ↑</b>               | <b>35%</b> | <b>65%</b> | <b>680</b> |
| Weighted NCI-IDD Average  | 27%        | 73%        | 4668       |

**Is there a computer, tablet (for example an iPad), or smartphone that your family can use in your home?**




Table 55. Is there a computer, tablet (for example an iPad), or smartphone that your family can use in your home?

If arrows are present, Key: Up Arrow (↑) represents Significantly Above Average; down arrow (↓) represents Significantly Below Average

| State (names abbreviated) | Yes        | No        | N          |
|---------------------------|------------|-----------|------------|
| <b>MD ↑</b>               | <b>95%</b> | <b>5%</b> | <b>700</b> |
| Weighted NCI-IDD Average  | 88%        | 12%       | 4757       |

### How well does the internet work in your home?




Table 56. How well does the internet work in your home?

If arrows are present, Key: Up Arrow (↑) represents Significantly Above Average; down arrow (↓) represents Significantly Below Average

| State<br>(names abbreviated) | The internet<br>always<br>works<br>and the<br>connection<br>is<br>good | The internet<br>sometimes<br>works<br>and the<br>connection is<br>sometimes<br>good | The internet<br>rarely or<br>never works,<br>the connection<br>is bad or I<br>do not have<br>internet in my<br>home | N          |
|------------------------------|--|---|---|------------|
| <b>MD ↑</b>                  | <b>83%</b>   | <b>16%</b>  | <b>1%</b>   | <b>704</b> |
| Weighted NCI-IDD<br>Average  | 77%  | 19%   | 4%  | 4674       |

## Workforce

*There is stable and sufficient workforce to meet demand. People are supported by staff who demonstrate respect for what is important to the person in their day-to-day life. Staff have the right skills to support people.*

**Note: Significance is based on “Always” or “Yes” response.**

“**You**” and “**Respondent**” refers to the person (usually a parent or guardian) filling out the survey.

“**Family Member**” refers to the person receiving services whom the respondent is answering questions about in this survey.

**Do support workers come and go when they are supposed to?**




Table 57. Do support workers come and go when they are supposed to?

If arrows are present, Key: Up Arrow (↑) represents Significantly Above Average; down arrow (↓) represents Significantly Below Average

| State (names abbreviated) | Always     | Usually    | Sometimes | Seldom or never | N          |
|---------------------------|------------|------------|-----------|-----------------|------------|
| <b>MD ↓</b>               | <b>48%</b> | <b>41%</b> | <b>7%</b> | <b>4%</b>       | <b>555</b> |
| Weighted NCI-IDD Average  | 61%        | 31%        | 6%        | 2%              | 3827       |



**Do support workers speak to you in a way you understand?**




Table 58. Do support workers speak to you in a way you understand?

If arrows are present, Key: Up Arrow (↑) represents Significantly Above Average; down arrow (↓) represents Significantly Below Average

| State (names abbreviated) | Always     | Usually    | Sometimes | Seldom or never | N          |
|---------------------------|------------|------------|-----------|-----------------|------------|
| <b>MD ↓</b>               | <b>72%</b> | <b>21%</b> | <b>5%</b> | <b>2%</b>       | <b>591</b> |
| Weighted NCI-IDD Average  | 79%        | 19%        | 2%        | 1%              | 4106       |

**If your family member does not communicate verbally, are there support workers who can communicate with them?**




Table 59. If your family member does not communicate verbally (for example, uses gestures, sign language, or a communication aid), are there support workers who can communicate with them?

If arrows are present, Key: Up Arrow (↑) represents Significantly Above Average; down arrow (↓) represents Significantly Below Average

| State (names abbreviated) | Always | Usually | Sometimes | Seldom or never | N    |
|---------------------------|--------|---------|-----------|-----------------|------|
| MD ↓                      | 38%    | 42%     | 14%       | 7%              | 285  |
| Weighted NCI-IDD Average  | 47%    | 34%     | 12%       | 8%              | 1912 |

**Do support workers have the right information and skills to meet your family's needs?**




Table 60. Do support workers have the right information and skills to meet your family's needs?

If arrows are present, Key: Up Arrow (↑) represents Significantly Above Average; down arrow (↓) represents Significantly Below Average

| State (names abbreviated) | Always     | Usually    | Sometimes  | Seldom or never | N          |
|---------------------------|------------|------------|------------|-----------------|------------|
| <b>MD ↓</b>               | <b>39%</b> | <b>44%</b> | <b>13%</b> | <b>5%</b>       | <b>576</b> |
| Weighted NCI-IDD Average  | 51%        | 37%        | 9%         | 2%              | 3961       |

**Do your family member's support workers change too often? Is there too much "turnover" of support workers?**




Table 61. Do your family member's support workers change too often? Is there too much "turnover" of support workers?

If arrows are present, Key: Up Arrow (↑) represents Significantly Above Average; down arrow (↓) represents Significantly Below Average

| State (names abbreviated) | Yes | No  | N    |
|---------------------------|-----|-----|------|
| MD ↑                      | 45% | 55% | 537  |
| Weighted NCI-IDD Average  | 34% | 66% | 3733 |

**Is there always a staff person available to support your family member when support is needed?**




Table 62. Is there always a staff person available to support your family member when support is needed?

If arrows are present, Key: Up Arrow (↑) represents Significantly Above Average; down arrow (↓) represents Significantly Below Average

| State (names abbreviated) | Yes        | No         | N          |
|---------------------------|------------|------------|------------|
| <b>MD ↓</b>               | <b>68%</b> | <b>32%</b> | <b>551</b> |
| Weighted NCI-IDD Average  | 76%        | 24%        | 3758       |

## Choice, Decision Making and Control

*Families and family members with disabilities determine the services and supports they receive and the individuals or agencies who provide them.*

**Note: Significance is based on “Always” or “Yes” response.**

**“You”** and **“Respondent”** refers to the person (usually a parent or guardian) filling out the survey.

**“Family Member”** refers to the person receiving services whom the respondent is answering questions about in this survey.

**Can someone in your family choose or change the agency that provides your family member's services?**




Table 63. Can your family choose or change the agency that provides your family member's services?

If arrows are present, Key: Up Arrow (↑) represents Significantly Above Average; down arrow (↓) represents Significantly Below Average

| State (names abbreviated) | Always     | Usually    | Sometimes | Seldom or never | N          |
|---------------------------|------------|------------|-----------|-----------------|------------|
| <b>MD</b>                 | <b>67%</b> | <b>22%</b> | <b>6%</b> | <b>5%</b>       | <b>504</b> |
| Weighted NCI-IDD Average  | 69%        | 21%        | 5%        | 6%              | 3408       |

**Can someone in your family choose or change your family member's support workers?**




Table 64. Can your family choose or change your family member's support workers?

If arrows are present, Key: Up Arrow (↑) represents Significantly Above Average; down arrow (↓) represents Significantly Below Average

| State (names abbreviated) | Always     | Usually    | Sometimes  | Seldom or never | N          |
|---------------------------|------------|------------|------------|-----------------|------------|
| <b>MD</b>                 | <b>57%</b> | <b>24%</b> | <b>10%</b> | <b>8%</b>       | <b>482</b> |
| Weighted NCI-IDD Average  | 62%        | 21%        | 8%         | 9%              | 3200       |



**Can someone in your family directly manage support staff?**




Table 65. Can someone in your family directly manage support staff?

If arrows are present, Key: Up Arrow (↑) represents Significantly Above Average; down arrow (↓) represents Significantly Below Average

| State (names abbreviated) | Always     | Usually    | Sometimes  | Seldom or never | N          |
|---------------------------|------------|------------|------------|-----------------|------------|
| <b>MD</b>                 | <b>56%</b> | <b>19%</b> | <b>11%</b> | <b>14%</b>      | <b>437</b> |
| Weighted NCI-IDD Average  | 61%        | 20%        | 6%         | 13%             | 2958       |

**Did you, your family member, or someone else in your family choose your family member's case manager/service coordinator?**




Table 66. Did you, your family member, or someone else in your family choose your family member's case manager/service coordinator?

If arrows are present, Key: Up Arrow (↑) represents Significantly Above Average; down arrow (↓) represents Significantly Below Average

| State (names abbreviated) | Yes        | No, didn't choose but can change case manager or service coordinator if wanted | No, didn't choose and cannot change case manager or service coordinator if wanted | N          |
|---------------------------|------------|--|---|------------|
| <b>MD</b>                 | <b>34%</b> | <b>51%</b>   | <b>15%</b>  | <b>613</b> |
| Weighted NCI-IDD Average  | 38%        | 50%  | 13%   | 3941       |

## Community Connections

*Family members receiving services and supports from the state Developmental disabilities system are meaningfully engaged as members of their communities and have strong relationships. Families can use supports in their community.*

**Note: Significance is based on “Always” or “Yes” response.**

“**You**” and “**Respondent**” refers to the person (usually a parent or guardian) filling out the survey.

“**Family Member**” refers to the person receiving services whom the respondent is answering questions about in this survey.

*If arrows are present, Key: Up Arrow (↑) represents Significantly Above Average; down arrow (↓) represents Significantly Below Average*

Does your family member do things in the community?




Table 67. Does your family member do things in the community?

If arrows are present, Key: Up Arrow (↑) represents Significantly Above Average; down arrow (↓) represents Significantly Below Average

| State (names abbreviated) | Yes        | No         | N          |
|---------------------------|------------|------------|------------|
| <b>MD</b>                 | <b>88%</b> | <b>12%</b> | <b>673</b> |
| Weighted NCI-IDD Average  | 86%        | 14%        | 4708       |

**For your family member, what makes it hard to do things in the community?**




Table 68. For your family member, what makes it hard to do things in the community?

Categories are not mutually exclusive, therefore N is not shown.

| State (names abbreviated) | Lack of transportation | Cost       | Lack of support staff | Stigma     | Other      |
|---------------------------|------------------------|------------|-----------------------|------------|------------|
| <b>MD</b>                 | <b>23%</b>             | <b>16%</b> | <b>29%</b>            | <b>12%</b> | <b>27%</b> |
| Weighted NCI-IDD Average  | 21%                    | 16%        | 21%                   | 10%        | 26%        |

**Does your family member have friends other than paid support workers or family?**




Table 69. Does your family member have friends other than paid support workers or family?

If arrows are present, Key: Up Arrow (↑) represents Significantly Above Average; down arrow (↓) represents Significantly Below Average

| State (names abbreviated) | Yes        | No         | N          |
|---------------------------|------------|------------|------------|
| <b>MD ↓</b>               | <b>57%</b> | <b>43%</b> | <b>662</b> |
| Weighted NCI-IDD Average  | 64%        | 36%        | 4632       |

**In your community, are there resources that your family can use that are not provided by the IDD agency?**




Table 70. In your community, are there resources that your family can use that are not provided by the I/DD agency? (for example, recreational programs, community housing, library programs, religious groups, etc)?

If arrows are present, Key: Up Arrow (↑) represents Significantly Above Average; down arrow (↓) represents Significantly Below Average

| State (names abbreviated) | Yes        | No         | N          |
|---------------------------|------------|------------|------------|
| <b>MD</b>                 | <b>75%</b> | <b>25%</b> | <b>505</b> |
| Weighted NCI-IDD Average  | 72%        | 28%        | 3455       |

**Does your family take part in any family-to-family networks in your community?**




Table 71. Does your family take part in any family-to-family networks in your community?

If arrows are present, Key: Up Arrow (↑) represents Significantly Above Average; down arrow (↓) represents Significantly Below Average

| State (names abbreviated) | Yes        | No         | N          |
|---------------------------|------------|------------|------------|
| <b>MD</b>                 | <b>19%</b> | <b>81%</b> | <b>585</b> |
| Weighted NCI-IDD Average  | 18%        | 82%        | 3964       |



## Health, Welfare, and Safety

*Families are supported to ensure the health, welfare, and safety of their family member receiving services and supports from the state developmental disabilities system.*

**Note: Significance is based on “Always” or “Yes” response.**

**“You”** and **“Respondent”** refers to the person (usually a parent or guardian) filling out the survey.

**“Family Member”** refers to the person receiving services whom the respondent is answering questions about in this survey.

**Can your family member see a primary care provider (doctor, registered nurse, etc.) when needed?**




Table 72. Can your family member see a primary care provider (doctor, registered nurse, etc.) when needed?

If arrows are present, Key: Up Arrow (↑) represents Significantly Above Average; down arrow (↓) represents Significantly Below Average

| State (names abbreviated) | Always     | Usually    | Sometimes | Seldom or never | N          |
|---------------------------|------------|------------|-----------|-----------------|------------|
| <b>MD</b>                 | <b>80%</b> | <b>16%</b> | <b>2%</b> | <b>1%</b>       | <b>674</b> |
| Weighted NCI-IDD Average  | 80%        | 15%        | 2%        | 3%              | 4722       |

**Does your family member's primary care doctor understand your family member's needs related to their disability?**




Table 73. Does your family member’s primary care doctor understand your family member’s needs related to their disability?

If arrows are present, Key: Up Arrow (↑) represents Significantly Above Average; down arrow (↓) represents Significantly Below Average

| State (names abbreviated) | Always     | Usually    | Sometimes | Seldom or never | N          |
|---------------------------|------------|------------|-----------|-----------------|------------|
| <b>MD</b>                 | <b>62%</b> | <b>30%</b> | <b>7%</b> | <b>1%</b>       | <b>674</b> |
| Weighted NCI-IDD Average  | 63%        | 29%        | 7%        | 2%              | 4688       |

**Can your family member go to the dentist when needed?**




Table 74. Can your family member go to the dentist when needed?

If arrows are present, Key: Up Arrow (↑) represents Significantly Above Average; down arrow (↓) represents Significantly Below Average

| State (names abbreviated) | Always     | Usually    | Sometimes | Seldom or never | N          |
|---------------------------|------------|------------|-----------|-----------------|------------|
| <b>MD</b>                 | <b>71%</b> | <b>17%</b> | <b>7%</b> | <b>6%</b>       | <b>676</b> |
| Weighted NCI-IDD Average  | 67%        | 18%        | 7%        | 9%              | 4675       |

**Does your family member's dentist understand your family member's needs related to their disability?**




Table 75. Does your family member’s dentist understand your family member’s needs related to their disability?

If arrows are present, Key: Up Arrow (↑) represents Significantly Above Average; down arrow (↓) represents Significantly Below Average

| State (names abbreviated) | Always     | Usually    | Sometimes | Seldom or never | N          |
|---------------------------|------------|------------|-----------|-----------------|------------|
| <b>MD</b>                 | <b>65%</b> | <b>25%</b> | <b>8%</b> | <b>3%</b>       | <b>627</b> |
| Weighted NCI-IDD Average  | 63%        | 26%        | 8%        | 4%              | 4169       |

**If your family member takes prescription medications, do you know what they're for?**




Table 76. If your family member takes prescription medications, do you know what they're for?

If arrows are present, Key: Up Arrow (↑) represents Significantly Above Average; down arrow (↓) represents Significantly Below Average

| State (names abbreviated) | Always     | Usually   | Sometimes | Seldom or never | N          |
|---------------------------|------------|-----------|-----------|-----------------|------------|
| <b>MD</b>                 | <b>94%</b> | <b>4%</b> | <b>1%</b> | <b>1%</b>       | <b>551</b> |
| Weighted NCI-IDD Average  | 92%        | 5%        | 2%        | 1%              | 4165       |

**Do you, your family member, or someone else in your family know what is needed to safely take the prescription medications?**




Table 77. Do you, your family member, or someone else in your family know what is needed to safely take the prescription medications (when it should be taken, how much to take, and the potential side effects)?

If arrows are present, Key: Up Arrow (↑) represents Significantly Above Average; down arrow (↓) represents Significantly Below Average

| State (names abbreviated) | Always     | Usually   | Sometimes | Seldom or never | N          |
|---------------------------|------------|-----------|-----------|-----------------|------------|
| <b>MD</b>                 | <b>92%</b> | <b>6%</b> | <b>1%</b> | <b>1%</b>       | <b>560</b> |
| Weighted NCI-IDD Average  | 93%        | 6%        | 1%        | 0%              | 4172       |

**Can your family member get mental or behavioral health supports when needed? (Like see a therapist, go to group counseling)**




Table 78. Can your family member get mental or behavioral health supports when needed? (Like see a therapist, go to group counseling)

If arrows are present, Key: Up Arrow (↑) represents Significantly Above Average; down arrow (↓) represents Significantly Below Average

| State (names abbreviated) | Always     | Usually    | Sometimes | Seldom or never | N          |
|---------------------------|------------|------------|-----------|-----------------|------------|
| <b>MD</b>                 | <b>53%</b> | <b>19%</b> | <b>8%</b> | <b>21%</b>      | <b>487</b> |
| Weighted NCI-IDD Average  | 49%        | 20%        | 7%        | 23%             | 3375       |



**If your family member uses mental health services, does the mental health professional understand your family member's needs related to their disability?**




Table 79. If your family member uses mental health services, does the mental health professional understand your family member's needs related to their disability?

If arrows are present, Key: Up Arrow (↑) represents Significantly Above Average; down arrow (↓) represents Significantly Below Average

| State (names abbreviated) | Always     | Usually    | Sometimes | Seldom or never | N          |
|---------------------------|------------|------------|-----------|-----------------|------------|
| <b>MD</b>                 | <b>54%</b> | <b>30%</b> | <b>9%</b> | <b>7%</b>       | <b>320</b> |
| Weighted NCI-IDD Average  | 57%        | 30%        | 9%        | 5%              | 2307       |

**If you asked for crisis or emergency services during the past 12 months, were services provided when needed?**




Table 80. If you asked for crisis or emergency services during the past 12 months, were services provided when needed?

If arrows are present, Key: Up Arrow (↑) represents Significantly Above Average; down arrow (↓) represents Significantly Below Average

| State (names abbreviated) | Yes        | No         | N          |
|---------------------------|------------|------------|------------|
| <b>MD ↓</b>               | <b>45%</b> | <b>55%</b> | <b>102</b> |
| Weighted NCI-IDD Average  | 60%        | 40%        | 918        |

**Do you feel prepared to handle the needs of your family member in an emergency such as a medical emergency or natural disaster?**




Table 81. Do you feel prepared to handle the needs of your family member in an emergency such as a medical emergency or natural disaster?

If arrows are present, Key: Up Arrow (↑) represents Significantly Above Average; down arrow (↓) represents Significantly Below Average

| State (names abbreviated) | Yes        | No        | N          |
|---------------------------|------------|-----------|------------|
| <b>MD</b>                 | <b>92%</b> | <b>8%</b> | <b>621</b> |
| Weighted NCI-IDD Average  | 95%        | 5%        | 4431       |

**Have you talked about how to handle emergencies with your family member's case manager/service coordinator?**




Table 82. Have you talked about how to handle emergencies (such as a medical emergency, pandemic or natural disaster) with your family member’s case manager/service coordinator?

*If arrows are present, Key: Up Arrow (↑) represents Significantly Above Average; down arrow (↓) represents Significantly Below Average*

| State (names abbreviated) | Yes | No  | N    |
|---------------------------|-----|-----|------|
| MD ↓                      | 52% | 48% | 632  |
| Weighted NCI-IDD Average  | 59% | 41% | 4503 |

**Do you know how to file a complaint or grievance about provider agencies or staff?**




Table 83. Do you know how to file a complaint or grievance about provider agencies or staff?

If arrows are present, Key: Up Arrow (↑) represents Significantly Above Average; down arrow (↓) represents Significantly Below Average

| State (names abbreviated) | Yes | No or don't know | N    |
|---------------------------|-----|------------------|------|
| MD ↓                      | 43% | 57%              | 674  |
| Weighted NCI-IDD Average  | 57% | 43%              | 4722 |

**If a complaint or grievance was filed or resolved in the past 12 months, are you satisfied with the way it was handled?**




Table 84. If a complaint or grievance was filed or resolved in the past 12 months, are you satisfied with the way it was handled?

If arrows are present, Key: Up Arrow (↑) represents Significantly Above Average; down arrow (↓) represents Significantly Below Average

| State (names abbreviated) | Yes        | No         | N         |
|---------------------------|------------|------------|-----------|
| <b>MD</b>                 | <b>32%</b> | <b>68%</b> | <b>38</b> |
| Weighted NCI-IDD Average  | 45%        | 55%        | 340       |

**Do you know how to report abuse or neglect related to your family member?**




Table 85. Do you know how to report abuse or neglect related to your family member?

If arrows are present, Key: Up Arrow (↑) represents Significantly Above Average; down arrow (↓) represents Significantly Below Average

| State (names abbreviated) | Yes        | No or don't know | N          |
|---------------------------|------------|------------------|------------|
| <b>MD ↓</b>               | <b>65%</b> | <b>35%</b>       | <b>679</b> |
| Weighted NCI-IDD Average  | 79%        | 21%              | 4731       |

**Within the past 12 months, was a report of abuse or neglect filed on behalf of your family member?**




Table 86. Within the past 12 months, was a report of abuse or neglect filed on behalf of your family member?

If arrows are present, Key: Up Arrow (↑) represents Significantly Above Average; down arrow (↓) represents Significantly Below Average

| State<br>(names abbreviated) | Yes       | No         | N          |
|------------------------------|-----------|------------|------------|
| <b>MD</b>                    | <b>2%</b> | <b>98%</b> | <b>660</b> |
| Weighted NCI-IDD Average     | 2%        | 98%        | 4637       |



**If a report of abuse or neglect was filed on behalf of your family member, or if someone other than you or another family member reported abuse or neglect in the past 12 months, were you notified of the report in a timely manner?**




Table 87. If a report of abuse or neglect was filed on behalf of your family member, or if someone other than you or another family member reported abuse or neglect in the past 12 months, were you notified of the report in a timely manner?

If arrows are present, Key: Up Arrow (↑) represents Significantly Above Average; down arrow (↓) represents Significantly Below Average

| State (names abbreviated) | Yes        | No         | N          |
|---------------------------|------------|------------|------------|
| <b>MD</b>                 | <b>n/a</b> | <b>n/a</b> | <b>n/a</b> |
| Weighted NCI-IDD Average  | 84%        | 16%        | 38         |

## Family Satisfaction

*Services and supports lead to better lives for people with disabilities and their families.*

**Note: Significance is based on “Always” or “Yes” response.**

“**You**” and “**Respondent**” refers to the person (usually a parent or guardian) filling out the survey.

“**Family Member**” refers to the person receiving services whom the respondent is answering questions about in this survey.

**Overall, are you satisfied with the services and supports your family member currently receives?**




Table 88. Overall, are you satisfied with the services and supports your family member currently receives?

If arrows are present, Key: Up Arrow (↑) represents Significantly Above Average; down arrow (↓) represents Significantly Below Average

| State (names abbreviated) | Always     | Usually    | Sometimes  | Seldom or never | N          |
|---------------------------|------------|------------|------------|-----------------|------------|
| <b>MD ↓</b>               | <b>31%</b> | <b>46%</b> | <b>17%</b> | <b>6%</b>       | <b>671</b> |
| Weighted NCI-IDD Average  | 42%        | 40%        | 13%        | 4%              | 4690       |

**Do you feel that services and supports have made a positive difference in the life of your family member?**




Table 89. Do you feel that services and supports have made a positive difference in the life of your family member?

If arrows are present, Key: Up Arrow (↑) represents Significantly Above Average; down arrow (↓) represents Significantly Below Average

| State (names abbreviated) | Yes        | No        | N          |
|---------------------------|------------|-----------|------------|
| <b>MD</b>                 | <b>92%</b> | <b>8%</b> | <b>623</b> |
| Weighted NCI-IDD Average  | 94%        | 6%        | 4429       |

**Have services and supports reduced your family's out-of-pocket expenses for your family member's care?**




Table 90. Have services and supports reduced your family’s out-of-pocket expenses for your family member’s care?

If arrows are present, Key: Up Arrow (↑) represents Significantly Above Average; down arrow (↓) represents Significantly Below Average

| State (names abbreviated) | Yes        | No         | N          |
|---------------------------|------------|------------|------------|
| <b>MD</b>                 | <b>70%</b> | <b>30%</b> | <b>593</b> |
| Weighted NCI-IDD Average  | 65%        | 35%        | 4159       |

**Have the services or supports that your family member received during the past 12 months been reduced, suspended, or terminated?**




Table 91. Have the services or supports that your family member received during the past 12 months been reduced, suspended, or terminated?

*If arrows are present, Key: Up Arrow (↑) represents Significantly Above Average; down arrow (↓) represents Significantly Below Average*

| State<br>(names abbreviated) | Yes        | No         | N          |
|------------------------------|------------|------------|------------|
| <b>MD ↑</b>                  | <b>16%</b> | <b>84%</b> | <b>640</b> |
| Weighted NCI-IDD Average     | 12%        | 88%        | 4352       |

**If services or supports received by the family were reduced, suspended or terminated during the past 12 months, did the change in services affect your family member negatively?**




Table 92. If services or supports received by the family were reduced, suspended or terminated during the past 12 months, did the change in services affect your family member negatively?

If arrows are present, Key: Up Arrow (↑) represents Significantly Above Average; down arrow (↓) represents Significantly Below Average

| State (names abbreviated) | Yes        | No         | N         |
|---------------------------|------------|------------|-----------|
| <b>MD</b>                 | <b>80%</b> | <b>20%</b> | <b>92</b> |
| Weighted NCI-IDD Average  | 80%        | 20%        | 461       |

**Have the services or supports that your family member received been increased in the past 12 months?**




Table 93. Have the services or supports that your family member received been increased in the past 12 months?

If arrows are present, Key: Up Arrow (↑) represents Significantly Above Average; down arrow (↓) represents Significantly Below Average

| State<br>(names abbreviated) | Yes        | No         | N          |
|------------------------------|------------|------------|------------|
| <b>MD ↑</b>                  | <b>30%</b> | <b>70%</b> | <b>608</b> |
| Weighted NCI-IDD Average     | 23%        | 77%        | 4155       |



**Are services and supports helping your family member to live a good life?**




Table 94. Are services and supports helping your family member to live a good life?

If arrows are present, Key: Up Arrow (↑) represents Significantly Above Average; down arrow (↓) represents Significantly Below Average

| State<br>(names abbreviated) | Yes        | No        | N          |
|------------------------------|------------|-----------|------------|
| <b>MD</b>                    | <b>92%</b> | <b>8%</b> | <b>612</b> |
| Weighted NCI-IDD Average     | 94%        | 6%        | 4256       |