

National Core Indicators® - Intellectual and Developmental Disabilities (NCI®-IDD)



National Report 2023-24

Appendix C:

Uncollapsed and Unweighted Data

Appendix C: Uncollapsed and Unweighted Crosstabs/Averages

Uncollapsed and unweighted crosstabs/averages are provided in this file. "Uncollapsed" means that all original response options are shown, rather than summarizing them into broader categories like "yes" or "usually." This approach allows for a more granular view of the data. "Unweighted" indicates that the averages are calculated using all participants' responses, without adjusting for the population size of each state. As a result, responses from more populous states may have a greater influence on the overall average.




Table of Contents: Appendix C Uncollapsed and Unweighted Crosstabs/Averages

Chapter C2: Employment..... 9

Table C2-1. Does this person do this activity during the typical two-week period? Paid individual job in a community-based setting.....	10
Table C2-2. Does this person do this activity during the typical two-week period? Paid small-group job in a community-based setting.....	11
Table C2-3. Does this person do this activity during the typical two-week period? Paid work in a community business that primarily hires people with disabilities	12
Table C2-4. Has community employment as a goal in their service plan	13
Table C2-5. Does not have paid community job and wants a paid community job	14
Table C2-6. Uses special technology to help do their job.....	15
Table C2-7. Takes part in classes, training or skills building activities to gain skills to expand their job opportunities.....	16

Chapter C3: Community Inclusion 17

Table C3-1. Gets to go out and do the things likes to do in the community as much as wants to	18
Table C3-2. Does things in the community with the people they want	19
Table C3-3. Can be themselves when with others in groups, organizations, or communities the person takes part in (if person takes part in groups, organizations, or communities)	20
Table C3-4. Others include them as part of the group in groups, organizations, or communities the person takes part in (if person takes part in groups, organizations, or communities)	21
Table C3-5. Gets help to learn new things	22

Chapter C4: Choice..... 23

Table C4-1. Chose or had some input in choosing where they live if not living in the family home	24
Table C4-2. Chose or had some input in choosing their housemates if not living in the family home, or chose to live alone	25
Table C4-3. Decides or has help deciding their daily schedule	26
Table C4-4. Decides or has help deciding how to spend free time	27
Table C4-5. Has enough choice about what to do in free time	28
Table C4-6. Chose or had some help in choosing where they work (among those with a paid community job).....	29
Table C4-7. Chose or had some input in choosing day program or workshop.....	30
Table C4-8. Has input in choosing their regular day activities (in addition to or instead of a paid community job and/or day program/workshop)	31
Table C4-9. Chooses or has help deciding what to buy or has set limits on what to buy with their spending money	32
Table C4-10. Chose staff or were aware they could request to change staff.....	33
Table C4-11. Can change their case manager/service coordinator if wants to	34

Chapter C5: Community Participation 35

Table C5-1. Went out shopping at least once in the past month	36
Table C5-2. Went out on errands at least once in the past month.....	37
Table C5-3. Went out for entertainment at least once in the past month.....	38

Table C5-4. Went out to a restaurant or coffee shop at least once in the past month	39
Table C5-5. Went out to religious service or spiritual practice at least once in the past month	40
Table C5-6. Takes part in groups, organizations or communities (in-person or virtually)	41
Table C5-7. The groups, organizations or communities takes part in include people without disabilities	42
Chapter C6: Relationships	43
Table C6-1. Has friends who are not staff or family members.....	44
Table C6-2. Has best friend (may be staff or family).....	45
Table C6-3. Wants help to make or keep in contact with friends.....	46
Table C6-4. Has friends (may be staff or family) and can meet with their friends in person when they want	47
Table C6-5. Has other ways of talking, chatting, or communicating with friends when cannot see them in person.....	48
Table C6-6. Can see and/or talk with their family when they want (among those who do not live in the family home).....	49
Table C6-7. Often feels lonely	50
Table C6-8. Can go on a date or is married or living with partner	51
Chapter C7: Satisfaction	52
Table C7-1. Likes home or where lives.....	53
Table C7-2. Wants to live somewhere else	54
Table C7-3. Has enough things they like to do at home.....	55
Table C7-4. Likes paid community job (if working in a paid community job)	56
Table C7-5. Wants to go out shopping more, less or the same amount as last month.....	57
Table C7-6. Wants to go out for entertainment more, less or the same amount as last month.....	58
Table C7-7. Wants to go out to a restaurant or coffee shop more, less or the same amount as last month	59
Table C7-8. Wants to go out to a religious service or spiritual practice more, less or the same amount as last month.....	60
Table C7-9. Person wants to be a part of more community groups	61
Table C7-10. Likes how they usually spend time during the day	62
Table C7-11. Has used telehealth for healthcare services and like using it	63
Table C7-12. Has accessed services and support using video conference technology and like using it	64
Table C7-13. Have talked with their case manager/service coordinator using video conference technology and like using it.....	65
Chapter C8: Self-Direction	66
Table C8-1. Using a self-directed supports option.....	67
Table C8-2. People who make decisions or have input in making decisions about the services that are self directed.....	68
Table C8-3. Can make changes to individual budget/services if needed	69
Table C8-4. Has enough help deciding how to direct services	70
Table C8-5. Has the amount of control wanted with the services that are self-directed	71

Table C8-6. The services and supports they want to self-direct are always available. This includes things like having the services that they want available when they want them and having enough staff to hire.	72
Table C8-7. Gets information about budget and services from financial management service (FMS)	73
Table C8-8. Information from FMS is easy to understand.....	74
Table C8-9. Frequency with which the person gets information from FMS	75
Chapter C9: Service Coordination	76
Table C9-1. Has met or spoken with case manager/service coordinator	77
Table C9-2. Case manager/service coordinator knows what is important to person.....	78
Table C9-3. Able to contact case manager/service coordinator when wants	79
Table C9-4. Case manager/service coordinator has talked to them about technology that may help them in their everyday life.....	80
Table C9-5. Was at last service planning meeting, or had the opportunity to be but chose not to.....	81
Table C9-6. Knew what was being talked about at last service planning meeting	82
Table C9-7. Last service planning meeting included people person wanted to be there.....	83
Table C9-8. Person helped make service plan	84
Table C9-9. Case manager/service coordinator reviews their service plan with them throughout the year, when needed	85
Table C9-10. Service plan includes things that are important to person	86
Table C9-11. Knows who to ask if wants to change something about services.....	87
Table C9-12. Of those who say they want to learn to perform ADLs more independently, the percentage who have a related goal in the service plan.....	88
Table C9-13. Of those who say they want a paid job in the community (and do not currently have one), the percentage who have community employment as a goal in the service plan	89
Chapter C10: Workforce	90
Table C10-1. Staff are respectful of person's culture	91
Table C10-2. Staff treat person with respect	92
Table C10-3. Person can talk or communicate with staff in their preferred language	93
Table C10-4. Staff do things the way person wants them done.....	94
Table C10-5. When in the community, staff support person in the way they want.....	95
Table C10-6. Staff come and leave when they are supposed to.....	96
Table C10-7. Person's staff change too often.....	97
Table C10-8. Staff have the right training to meet person's needs	98
Chapter C11: Access	99
Table C11-1. Able to get places when wants to do something outside of home like going out to see friends, for entertainment, or to do something fun.	100
Table C11-2. Has a way to get places needs to go (like work, appointments, etc.)	101
Table C11-3. Has access to the internet.....	102
Table C11-4. Internet always works at home	103
Table C11-5. Frequency uses internet.....	104

Table C11-6. Uses technology in everyday life to help them do more things on their own	105
Table C11-7. Has enough help to use the technology and devices that help them in their everyday life (if uses technology that helps them do more things on their own).....	106
Table C11-8. Knows who to talk to if there are issues with the technology and devices that help them in their everyday life (if uses technology that helps them do more things on their own)	107
Table C11-9. Has used telehealth to talk with a health professional.	108
Table C11-10. Accessed services or supports using videoconference technology.....	109
Table C11-11. Has talked with their case manager/service coordinator using videoconference technology	110
Table C11-12. Has a cell phone or smartphone	111
Table C11-13. Wants a cell phone or smartphone (if does not have one).....	112
Chapter C12: Safety	113
Table C12-1. Are there any places that you feel afraid or scared? - Home	114
Table C12-2. Are there any places that you feel afraid or scared? - Day program	115
Table C12-3. Are there any places that you feel afraid or scared? - Work.....	116
Table C12-4. Are there any places that you feel afraid or scared? - Walking in neighborhood	117
Table C12-5. Are there any places that you feel afraid or scared? - In transport.....	118
Table C12-6. Are there any places that you feel afraid or scared? - Other.....	119
Table C12-7. Has someone to go to for help when they feel afraid.....	120
Chapter C13: Health.....	121
Table C13-1. Has a primary care doctor or practitioner.....	122
Table C13-2. In poor health.....	123
Table C13-3. Last physical exam.....	124
Table C13-4. Last dental exam	125
Table C13-5. Had an eye exam/vision screening in the past year	126
Table C13-6. Had a hearing test in the past five years.....	127
Table C13-7. Had a Pap test in the past three years (among women 21 and older)	128
Table C13-8. Had a mammogram test in the past two years (among women age 40 and over)	129
Table C13-9a. Person received colorectal cancer screening: Colonoscopy within the past 10 years (among people ages 45 to 75).....	130
Table C13-9b. Person received colorectal cancer screening: Flexible sigmoidoscopy within the past 5 years (among people ages 45 to 75)	131
Table C13-9c. Person received colorectal cancer screening: Testing for colorectal cancer with stool sample, using a Fecal Occult Blood Test (FOBT) or Fecal Immunochemical Test (FIT) in the past year (among people ages 45 to 75).....	132
Table C13-9d. Person has never had screening for colorectal cancer or screening was outside of the recommended timeframes reflected in the previous response options.....	133
Table C13-9e. Person received colorectal cancer screening: Don't know.....	134
Table C13-9f. Person received colorectal cancer screening: Not applicable – individual is under ages 45 or over age 75	135
Table C13-10. Had a flu vaccine in the past 12 months	136

Table C13-11. Went to the emergency room for any reason to get care for themselves in the past 12 months.....	137
Table C13-12a. Of those with an unexpected hospital admission in last year, those that were admitted for dehydration	138
Table C13-12b. Of those with an unexpected hospital admission in last year, those that were admitted for bowel obstruction.....	139
Table C13-12c. Of those with an unexpected hospital admission in last year, those that were admitted for seizure	140
Table C13-12d. Of those with an unexpected hospital admission in last year, those that were admitted for aspiration (food, liquids, saliva, or vomit breathed into the airways)	141
Table C13-12e. Of those with an unexpected hospital admission in last year, those that were admitted for gastroesophageal reflux disease (GERD)	142
Table C13-13. Fell and hurt themselves in the past six months.....	143
Chapter C14: Medications	144
Table C14-1. Takes at least one medication for mood, anxiety, psychotic disorder, and/or behavioral challenges	145
Table C14-2. Takes medication for mood, anxiety, and/or psychotic disorders	146
Table C14-3. Number of medications taken for at least one of the following: mood disorders, anxiety, or psychotic disorders.....	147
Table C14-4. Takes medication for behavioral challenges	148
Table C14-5. Number of medications taken for behavioral challenges if taking at least one for this purpose	149
Table C14-6. Has behavior plan.....	150
Table C14-7. Has behavior plan (among those who take medication for a behavior challenge).....	151
Chapter C15: Wellness.....	152
Table C15-1. Uses nicotine or tobacco products	153
Table C15-2. Body Mass Index (BMI) category (BMI calculated using data on weight and height)	154
Table C15-3. Exercises or does physical activity at least once per week for 10 minutes or more at a time	155
Table C15-4. Exercises or does physical activity at least once per week that makes the muscles in arms, legs, back, and/or chest work hard	156
Chapter C16: Rights and Respect	157
Table C16-1. Has attended a self-advocacy group, meeting, conference or event or had the opportunity and chose not to	158
Table C16-2. Has ever voted in local, state, or federal election, or had the opportunity and chose not to.....	159
Table C16-3. Has a place to be alone in the home	160
Table C16-4. Has a key to the home	161
Table C16-5. Wants a key to the home (if does not have one).....	162
Table C16-6. Can lock bedroom if wants	163
Table C16-7. Others (who do not live in the home) let person know before entering home	164
Table C16-8. Others let person know before coming into person's bedroom	165
Table C16-9. Others read person's mail or email without asking	166
Table C16-10. There are no rules for using phone or internet.....	167

Table C16-11. There are rules about having friends or visitors in the home.....	168
Table C16-12. Can stay at home if others in the house go somewhere	169

Chapter C2: Employment

Table C2-1. Does this person do this activity during the typical two-week period? Paid individual job in a community-based setting

State	Yes	No	N
AL	6%	94%	602
AR	7%	93%	386
CO	18%	82%	846
CT	13%	87%	499
DE *	n/a	n/a	n/a
DC	14%	86%	375
GA	10%	90%	404
IL	10%	90%	371
IN	15%	85%	837
KS *	n/a	n/a	n/a
KY	7%	93%	405
MD	21%	79%	452
MA	17%	83%	397
MI	11%	89%	627
MN *	n/a	n/a	n/a
MO	12%	88%	403
NE	24%	76%	397
NV	6%	94%	422
NJ	8%	92%	488
NY	12%	88%	1658
NC	10%	90%	480
ND	24%	76%	311
OH	16%	84%	514
OK	10%	90%	400
OR	7%	93%	414
PA	15%	85%	646
SC	12%	88%	399
UT	18%	82%	342
VA	9%	91%	799
WI	2%	98%	954
Unweighted NCI-IDD Average	12%	88%	14828

Table note: Data display is suppressed (i.e. shown as n/a) for the following states with low counts of responses (n<20): DE, KS, MN. These responses are retained in NCI-IDD Average calculation. States with more than 25% missing or don't know responses are marked with an asterisk (). Please note that this and following items are collapsed to determine whether the respondent has a paid job in a community-based setting.*

Table C2-2. Does this person do this activity during the typical two-week period? Paid small-group job in a community-based setting

State	Yes	No	N
AL	1%	99%	595
AR	1%	99%	380
CO	4%	96%	845
CT	16%	84%	502
DE *	n/a	n/a	n/a
DC	4%	96%	378
GA	1%	99%	404
IL	1%	99%	368
IN	0%	100%	837
KS *	n/a	n/a	n/a
KY	1%	99%	413
MD	2%	98%	452
MA	6%	94%	394
MI	3%	97%	623
MN *	n/a	n/a	n/a
MO	1%	99%	402
NE	3%	97%	392
NV	2%	98%	422
NJ	1%	99%	488
NY	1%	99%	1653
NC	0%	100%	477
ND	17%	83%	311
OH	4%	96%	513
OK	11%	90%	400
OR	3%	97%	414
PA	3%	97%	638
SC	11%	89%	395
UT	4%	96%	342
VA	2%	98%	787
WI	20%	80%	956
Unweighted NCI-IDD Average	4%	96%	14781

Table note: Data display is suppressed (i.e. shown as n/a) for the following states with low counts of responses (n<20): DE, KS, MN. These responses are retained in NCI-IDD Average calculation. States with more than 25% missing or don't know responses are marked with an asterisk ().*

Table C2-3. Does this person do this activity during the typical two-week period? Paid work in a community business that primarily hires people with disabilities

State	Yes	No	N
AL	1%	99%	594
AR	0%	100%	379
CO	3%	97%	839
CT	4%	96%	486
DE *	n/a	n/a	n/a
DC	6%	94%	372
GA	0%	100%	403
IL	1%	99%	371
IN	0%	100%	837
KS *	n/a	n/a	n/a
KY	0%	100%	408
MD	1%	99%	451
MA	3%	97%	395
MI	1%	99%	617
MN *	n/a	n/a	n/a
MO	1%	99%	402
NE	5%	95%	393
NV	2%	98%	424
NJ	1%	99%	488
NY	2%	98%	1616
NC	1%	99%	478
ND	4%	96%	311
OH	2%	98%	507
OK	10%	90%	400
OR	1%	99%	414
PA	2%	98%	636
SC	3%	97%	395
UT	3%	97%	338
VA	2%	98%	783
WI *	n/a	n/a	n/a
Unweighted NCI-IDD Average	2%	98%	13755

Table note: Data display is suppressed (i.e. shown as n/a) for the following states with low counts of responses (n<20): DE, KS, MN, WI. These responses are retained in NCI-IDD Average calculation. States with more than 25% missing or don't know responses are marked with an asterisk (*).

Table C2-4. Has community employment as a goal in their service plan

State	Yes	No	N
AL	30%	70%	594
AR	16%	84%	376
CO *	22%	78%	674
CT	35%	65%	593
DE	17%	83%	412
DC	73%	27%	366
GA	13%	87%	404
IL	18%	82%	370
IN	30%	70%	833
KS	12%	88%	1159
KY	16%	84%	408
MD	39%	61%	449
MA	21%	79%	384
MI	26%	74%	635
MN *	n/a	n/a	n/a
MO	18%	82%	400
NE	31%	69%	381
NV	24%	76%	413
NJ	41%	59%	468
NY	16%	84%	1673
NC	25%	75%	471
ND	34%	66%	310
OH	29%	71%	496
OK	51%	50%	400
OR	45%	55%	403
PA	28%	72%	646
SC	24%	76%	388
UT	30%	70%	343
VA	26%	74%	806
WI *	n/a	n/a	n/a
Unweighted NCI-IDD Average	26%	74%	15257

Table note: Data display is suppressed (i.e. shown as n/a) for the following states with low counts of responses ($n < 20$): MN, WI. These responses are retained in NCI-IDD Average calculation. States with more than 25% missing or don't know responses are marked with an asterisk (*).

Table C2-5. Does not have paid community job and wants a paid community job

State	Yes	No	In-between	N
AL	45%	47%	7%	203
AR	39%	53%	8%	221
CO	42%	48%	10%	230
CT	56%	37%	7%	165
DE	n/a	n/a	n/a	n/a
DC	55%	39%	6%	135
GA	31%	64%	4%	156
IL	35%	54%	10%	134
IN	42%	50%	7%	501
KS	n/a	n/a	n/a	n/a
KY	17%	72%	10%	126
MD	61%	33%	6%	150
MA	35%	55%	10%	144
MI	34%	41%	25%	206
MN	n/a	n/a	n/a	n/a
MO	23%	62%	15%	194
NE	41%	53%	7%	179
NV	47%	45%	8%	240
NJ	47%	44%	9%	178
NY	51%	42%	6%	608
NC	47%	45%	8%	152
ND	18%	73%	9%	33
OH	34%	59%	7%	193
OK	47%	39%	14%	107
OR	44%	46%	10%	164
PA	39%	55%	7%	211
SC	57%	37%	7%	167
UT	35%	60%	5%	98
VA	45%	46%	9%	283
WI	29%	62%	9%	256
Unweighted NCI-IDD Average	42%	49%	9%	5434

Table note: Data display is suppressed (i.e. shown as n/a) for the following states with low counts of responses ($n < 20$): DE, KS, MN. These responses are retained in NCI-IDD Average calculation.

Table C2-6. Uses special technology to help do their job

State	Yes	No	N
AL	13%	88%	40
AR	5%	95%	38
CO	17%	83%	241
CT	9%	91%	128
DE	20%	80%	81
DC	14%	86%	51
GA	11%	89%	45
IL	19%	81%	52
IN	8%	92%	124
KS	16%	84%	207
KY	29%	71%	24
MD	21%	79%	100
MA	9%	91%	92
MI	4%	96%	68
MN	14%	86%	79
MO	8%	92%	53
NE	13%	87%	118
NV	20%	80%	54
NJ	5%	95%	44
NY	10%	90%	247
NC	14%	86%	51
ND	19%	81%	78
OH	11%	89%	115
OK	9%	91%	75
OR	20%	80%	86
PA	16%	84%	136
SC	15%	85%	54
UT	9%	91%	58
VA	21%	79%	71
WI *	22%	78%	101
Unweighted NCI-IDD Average	14%	86%	2711

Table note: States with more than 25% missing or don't know responses are marked with an asterisk (*).

Table C2-7. Takes part in classes, training or skills building activities to gain skills to expand their job opportunities

State	Yes	No	N
AL	15%	85%	263
AR	7%	93%	270
CO	19%	81%	579
CT	16%	84%	363
DE	12%	88%	213
DC	9%	91%	221
GA	27%	73%	204
IL	19%	81%	218
IN	18%	82%	639
KS	19%	81%	552
KY	9%	91%	168
MD	23%	77%	254
MA	19%	81%	271
MI	22%	78%	322
MN	7%	93%	177
MO	7%	93%	255
NE	11%	89%	314
NV	16%	84%	347
NJ	16%	84%	239
NY	18%	83%	920
NC	20%	80%	230
ND	14%	86%	131
OH	13%	87%	356
OK	13%	87%	203
OR	18%	82%	265
PA	10%	90%	392
SC	29%	71%	251
UT	19%	81%	172
VA	8%	92%	385
WI	12%	88%	427
Unweighted NCI-IDD Average	16%	84%	9601

Chapter C3: Community Inclusion

Table C3-1. Gets to go out and do the things likes to do in the community as much as wants to

State	Yes	Some activities or sometimes	No	N
AL	71%	16%	13%	276
AR	86%	12%	2%	263
CO	70%	20%	9%	559
CT	70%	19%	11%	350
DE	69%	14%	17%	213
DC	67%	19%	13%	224
GA	87%	9%	3%	201
IL	77%	20%	3%	228
IN	73%	21%	6%	615
KS	74%	16%	10%	542
KY	47%	53%	0%	171
MD	71%	20%	9%	251
MA	70%	21%	9%	267
MI	61%	34%	5%	324
MN	67%	21%	12%	168
MO	78%	17%	6%	249
NE	61%	30%	9%	301
NV	71%	20%	9%	331
NJ	65%	25%	10%	235
NY	72%	18%	10%	895
NC	71%	17%	12%	212
ND	75%	21%	4%	114
OH	69%	22%	9%	346
OK	60%	25%	15%	202
OR	62%	24%	14%	253
PA	82%	13%	6%	374
SC	66%	19%	15%	250
UT	68%	25%	7%	167
VA	67%	28%	5%	382
WI	65%	21%	14%	406
Unweighted NCI-IDD Average	70%	21%	9%	9369

Table C3-2. Does things in the community with the people they want

State	Yes	Some activities or some people	No	N
AL	83%	10%	7%	279
AR	89%	8%	3%	265
CO	82%	14%	4%	557
CT	89%	7%	4%	339
DE	75%	16%	9%	212
DC	77%	12%	11%	221
GA	93%	6%	2%	200
IL	85%	13%	2%	219
IN	84%	13%	3%	607
KS	80%	14%	6%	532
KY	47%	53%	1%	171
MD	79%	9%	12%	250
MA	84%	13%	3%	263
MI	70%	27%	3%	320
MN	84%	9%	7%	165
MO	85%	13%	2%	247
NE	78%	18%	4%	297
NV	79%	15%	6%	326
NJ	68%	23%	9%	233
NY	83%	12%	4%	889
NC	78%	16%	6%	212
ND	86%	9%	5%	113
OH	80%	15%	5%	340
OK	85%	10%	5%	202
OR	77%	17%	6%	238
PA	88%	8%	4%	365
SC	69%	14%	17%	246
UT	89%	7%	4%	166
VA	82%	17%	2%	369
WI	75%	15%	9%	398
Unweighted NCI-IDD Average	81%	14%	5%	9241

Table C3-3. Can be themselves when with others in groups, organizations, or communities the person takes part in (if person takes part in groups, organizations, or communities)

Proxy respondents were allowed for this question

State	Yes, all groups	Sometimes, some groups	No	N
AL	94%	4%	3%	113
AR	99%	0%	1%	88
CO	87%	11%	2%	380
CT	95%	5%	1%	187
DE	84%	16%	0%	140
DC	100%	0%	0%	67
GA	89%	9%	2%	47
IL	91%	9%	0%	97
IN	97%	3%	0%	261
KS	91%	7%	2%	432
KY	89%	11%	0%	28
MD	92%	5%	3%	135
MA	95%	4%	1%	84
MI	80%	20%	1%	168
MN	92%	6%	3%	106
MO	92%	7%	1%	83
NE	93%	4%	3%	98
NV	92%	6%	2%	95
NJ	86%	12%	2%	91
NY	90%	8%	2%	459
NC	87%	13%	1%	182
ND	95%	4%	1%	154
OH	94%	6%	0%	114
OK	93%	5%	2%	111
OR	93%	5%	2%	110
PA	94%	6%	0%	203
SC	97%	3%	0%	66
UT	95%	4%	1%	107
VA	97%	3%	1%	231
WI	91%	6%	4%	302
Unweighted NCI-IDD Average	92%	7%	1%	4739

Table C3-4. Others include them as part of the group in groups, organizations, or communities the person takes part in (if person takes part in groups, organizations, or communities)

Proxy respondents were allowed for this question

State	Yes, all groups	Sometimes, some groups	No	N
AL	94%	5%	2%	110
AR	97%	0%	3%	87
CO	83%	12%	4%	385
CT	94%	4%	3%	191
DE	79%	20%	1%	140
DC	93%	4%	3%	69
GA	80%	9%	11%	45
IL	87%	12%	1%	99
IN	96%	3%	1%	262
KS	81%	10%	10%	439
KY	89%	7%	4%	28
MD	93%	4%	3%	138
MA	82%	16%	2%	83
MI	80%	20%	1%	167
MN	93%	5%	3%	107
MO	92%	8%	0%	91
NE	90%	9%	1%	100
NV	92%	7%	1%	91
NJ	88%	10%	2%	93
NY	91%	7%	2%	454
NC	88%	12%	0%	181
ND	89%	11%	0%	155
OH	93%	6%	1%	117
OK	97%	1%	2%	110
OR	94%	6%	1%	108
PA	92%	5%	2%	201
SC	94%	6%	0%	70
UT	97%	2%	1%	103
VA	97%	3%	0%	232
WI	91%	7%	2%	300
Unweighted NCI-IDD Average	90%	8%	3%	4756

Table C3-5. Gets help to learn new things

State	Yes	Maybe	No	N
AL	88%	10%	3%	275
AR	93%	4%	3%	266
CO	73%	15%	13%	578
CT	85%	7%	7%	337
DE	73%	15%	11%	214
DC	79%	12%	9%	221
GA	89%	9%	3%	200
IL	85%	11%	4%	233
IN	90%	6%	4%	626
KS	78%	13%	9%	547
KY	48%	51%	1%	170
MD	76%	12%	12%	247
MA	68%	20%	12%	256
MI	51%	40%	10%	334
MN	82%	9%	9%	163
MO	67%	21%	12%	249
NE	81%	11%	8%	307
NV	72%	16%	12%	338
NJ	71%	17%	12%	230
NY	79%	10%	11%	887
NC	85%	7%	8%	225
ND	76%	18%	6%	122
OH	73%	17%	11%	331
OK	84%	4%	12%	207
OR	83%	10%	7%	254
PA	83%	7%	9%	383
SC	63%	10%	27%	227
UT	77%	8%	15%	163
VA	84%	11%	5%	378
WI	71%	13%	16%	414
Unweighted NCI-IDD Average	77%	13%	10%	9382

Chapter C4: Choice

Table C4-1. Chose or had some input in choosing where they live if not living in the family home

Proxy respondents were allowed for this question

State	Person made the choice	Person had some input	Someone else chose	N
AL	19%	28%	53%	411
AR	37%	36%	27%	181
CO	33%	36%	31%	539
CT	18%	27%	55%	337
DE	16%	22%	63%	313
DC	28%	23%	48%	271
GA	24%	42%	33%	217
IL	35%	38%	27%	183
IN	33%	36%	31%	401
KS	29%	34%	37%	484
KY	36%	58%	5%	247
MD	26%	25%	49%	170
MA	16%	41%	43%	294
MI	12%	46%	42%	312
MN	12%	32%	56%	323
MO	23%	48%	29%	261
NE	25%	41%	34%	291
NV	34%	27%	40%	265
NJ	10%	28%	63%	374
NY	19%	26%	55%	909
NC	15%	37%	48%	170
ND	20%	40%	41%	197
OH	34%	42%	24%	301
OK	31%	30%	39%	216
OR	35%	30%	36%	162
PA	29%	32%	39%	318
SC	5%	17%	78%	237
UT	27%	24%	49%	191
VA	25%	47%	28%	406
WI	23%	30%	47%	368
Unweighted NCI-IDD Average	24%	34%	43%	9349

Table C4-2. Chose or had some input in choosing their housemates if not living in the family home, or chose to live alone

Proxy respondents were allowed for this question

State	Person made the choice	Person had some input	Someone else chose	N
AL	15%	24%	61%	405
AR	53%	16%	30%	174
CO	27%	25%	48%	526
CT	25%	17%	58%	339
DE	10%	10%	80%	324
DC	38%	17%	45%	267
GA	23%	23%	54%	218
IL	22%	31%	47%	180
IN	30%	24%	46%	407
KS	31%	18%	50%	472
KY	36%	55%	9%	246
MD	25%	20%	55%	163
MA	16%	25%	60%	300
MI	12%	25%	63%	318
MN	6%	10%	83%	325
MO	27%	39%	34%	256
NE	31%	30%	38%	291
NV	40%	16%	44%	254
NJ	7%	15%	78%	374
NY	17%	9%	74%	968
NC	17%	30%	53%	183
ND	35%	19%	46%	184
OH	45%	27%	28%	307
OK	33%	27%	40%	214
OR	31%	19%	51%	156
PA	28%	19%	53%	321
SC	10%	7%	83%	237
UT	19%	16%	65%	191
VA	19%	51%	30%	403
WI	33%	15%	52%	365
Unweighted NCI-IDD Average	24%	22%	54%	9368

Table C4-3. Decides or has help deciding their daily schedule

Proxy respondents were allowed for this question

State	Person decides	Person has help deciding	Someone else decides	N
AL	62%	28%	10%	577
AR	66%	28%	6%	380
CO	59%	28%	13%	1039
CT	51%	34%	16%	594
DE	49%	34%	18%	405
DC	63%	27%	10%	375
GA	78%	17%	5%	402
IL	57%	37%	6%	383
IN	63%	25%	11%	818
KS	59%	24%	17%	1172
KY	47%	50%	3%	414
MD	59%	24%	17%	449
MA	65%	29%	6%	397
MI	48%	44%	7%	654
MN	46%	31%	24%	388
MO	67%	28%	5%	401
NE	65%	19%	15%	385
NV	72%	20%	8%	422
NJ	38%	46%	16%	485
NY	55%	26%	19%	1643
NC	37%	42%	21%	484
ND	42%	39%	18%	401
OH	65%	24%	11%	533
OK	64%	22%	14%	389
OR	65%	26%	10%	412
PA	67%	24%	9%	681
SC	47%	31%	22%	393
UT	48%	36%	16%	315
VA	51%	33%	16%	810
WI	53%	29%	18%	949
Unweighted NCI-IDD Average	57%	30%	14%	17150

Table C4-4. Decides or has help deciding how to spend free time

Proxy respondents were allowed for this question

State	Person decides	Person has help deciding	Someone else decides	N
AL	67%	25%	7%	578
AR	79%	16%	4%	386
CO	80%	15%	5%	1038
CT	66%	25%	9%	591
DE	58%	32%	11%	405
DC	69%	23%	8%	382
GA	84%	12%	3%	404
IL	74%	23%	4%	377
IN	81%	12%	6%	821
KS	77%	15%	8%	1170
KY	55%	43%	2%	417
MD	72%	19%	9%	451
MA	77%	20%	3%	398
MI	79%	18%	3%	651
MN	65%	24%	11%	388
MO	77%	22%	1%	402
NE	82%	15%	3%	383
NV	78%	18%	4%	424
NJ	64%	30%	7%	492
NY	72%	21%	7%	1638
NC	66%	27%	8%	478
ND	55%	34%	11%	402
OH	76%	17%	7%	535
OK	83%	11%	6%	388
OR	77%	20%	3%	410
PA	79%	17%	4%	684
SC	69%	21%	10%	393
UT	83%	12%	4%	313
VA	71%	23%	6%	810
WI	67%	24%	8%	955
Unweighted NCI-IDD Average	73%	21%	6%	17164

Table note: This is asking about who chooses how the person spends their time when they are not working, attending a day program, or doing other regular daily activity with or without supports.

Table C4-5. Has enough choice about what to do in free time

Proxy respondents were allowed for this question

State	Yes	No	N
AL	95%	5%	557
AR	96%	4%	387
CO	94%	6%	1010
CT	90%	10%	572
DE	94%	6%	385
DC	94%	6%	381
GA	96%	4%	398
IL	98%	2%	364
IN	97%	3%	792
KS	92%	8%	1140
KY	99%	1%	411
MD	95%	5%	438
MA	93%	7%	385
MI	93%	7%	635
MN	89%	11%	373
MO	97%	3%	386
NE	94%	6%	368
NV	93%	7%	410
NJ	93%	7%	468
NY	93%	7%	1609
NC	96%	4%	468
ND	95%	5%	389
OH	93%	7%	520
OK	96%	4%	386
OR	90%	10%	396
PA	97%	3%	676
SC	87%	13%	350
UT	96%	4%	282
VA	95%	5%	798
WI	91%	9%	933
Unweighted NCI-IDD Average	94%	6%	16667

Table C4-6. Chose or had some help in choosing where they work (among those with a paid community job)

Proxy respondents were allowed for this question; Reported for those determined to have a paid community job based on Background Information section.

State	Person made the choice	Person had some input	Someone else chose	N
AL	41%	43%	16%	51
AR	72%	28%	0%	29
CO	49%	42%	9%	164
CT	45%	32%	23%	121
DE	n/a	n/a	n/a	n/a
DC	42%	34%	24%	50
GA	22%	76%	2%	49
IL	42%	53%	5%	38
IN	63%	33%	4%	126
KS	n/a	n/a	n/a	n/a
KY *	100%	0%	0%	22
MD	42%	37%	21%	100
MA	48%	44%	8%	91
MI *	45%	48%	6%	64
MN	n/a	n/a	n/a	n/a
MO	60%	37%	4%	52
NE	59%	36%	5%	117
NV	68%	29%	3%	34
NJ	43%	48%	9%	44
NY	46%	41%	13%	190
NC	52%	41%	7%	44
ND	39%	49%	13%	103
OH	59%	35%	6%	95
OK	39%	46%	15%	85
OR	43%	49%	9%	35
PA	55%	35%	10%	97
SC *	27%	53%	20%	59
UT	50%	44%	6%	54
VA	34%	51%	15%	74
WI	45%	41%	14%	162
Unweighted NCI-IDD Average	48%	41%	11%	2150

Table note: Data display is suppressed (i.e. shown as n/a) for the following states with low counts of responses (n<20): DE, KS. These responses are retained in NCI-IDD Average calculation. States with more than 25% missing or don't know responses are marked with an asterisk (*). MN did not have data related to employment.

Table C4-7. Chose or had some input in choosing day program or workshop

Proxy respondents were allowed for this question. Only includes the respondents who have an unpaid community activity, unpaid paid facility-based activity, or paid facility-based activity in the Background Information section.

State	Person made the choice	Person had some input	Someone else chose	N
AL	24%	49%	27%	218
AR	37%	36%	27%	97
CO	32%	36%	31%	591
CT	12%	26%	62%	277
DE	n/a	n/a	n/a	n/a
DC	26%	27%	47%	134
GA	20%	54%	26%	265
IL	33%	47%	20%	187
IN	36%	38%	26%	569
KS	n/a	n/a	n/a	n/a
KY	40%	53%	7%	153
MD	20%	33%	47%	213
MA	15%	43%	42%	224
MI	18%	69%	13%	181
MN	n/a	n/a	n/a	n/a
MO	28%	47%	25%	171
NE	24%	38%	39%	322
NV	40%	30%	30%	261
NJ	8%	32%	60%	343
NY	22%	24%	54%	379
NC	19%	44%	38%	167
ND	12%	50%	38%	143
OH	36%	35%	29%	249
OK	26%	41%	33%	92
OR	32%	42%	26%	57
PA	35%	35%	30%	194
SC	7%	33%	61%	178
UT	22%	46%	32%	136
VA	20%	51%	29%	239
WI	26%	43%	31%	35
Unweighted NCI-IDD Average	25%	39%	36%	6077

Table C4-8. Has input in choosing their regular day activities (in addition to or instead of a paid community job and/or day program/workshop)

Proxy respondents were allowed for this question

State	Person made the choice	Person had some input	Someone else chose	N
AL	35%	43%	23%	404
AR	45%	42%	13%	354
CO	53%	33%	14%	652
CT	36%	45%	20%	505
DE	27%	39%	34%	180
DC	54%	20%	27%	275
GA	82%	14%	4%	319
IL	46%	48%	7%	212
IN	55%	35%	10%	557
KS	53%	31%	16%	792
KY	48%	51%	1%	268
MD	40%	36%	24%	349
MA	45%	40%	15%	234
MI	40%	53%	7%	405
MN	44%	40%	16%	199
MO	49%	40%	11%	228
NE	56%	33%	11%	263
NV	61%	29%	10%	193
NJ	33%	44%	23%	257
NY	45%	34%	21%	952
NC	38%	51%	11%	343
ND	39%	48%	14%	237
OH	50%	39%	11%	331
OK	40%	31%	29%	129
OR	44%	47%	9%	320
PA	53%	34%	13%	413
SC	19%	47%	33%	165
UT	52%	39%	9%	218
VA	34%	53%	13%	536
WI	39%	41%	20%	523
Unweighted NCI-IDD Average	46%	39%	15%	10813

Table C4-9. Chooses or has help deciding what to buy or has set limits on what to buy with their spending money

Proxy respondents were allowed for this question

State	Person chooses	Person has help choosing what to buy or has set limits (such as can buy small items but not big items)	Someone else chooses	N
AL	67%	24%	9%	558
AR	36%	52%	12%	369
CO	55%	37%	8%	972
CT	42%	46%	12%	556
DE	48%	37%	15%	385
DC	58%	34%	8%	379
GA	52%	36%	13%	400
IL	50%	44%	6%	365
IN	37%	40%	23%	807
KS	54%	33%	12%	1145
KY	38%	58%	4%	414
MD	62%	28%	11%	427
MA	56%	38%	7%	394
MI	49%	46%	5%	650
MN	54%	32%	14%	377
MO	54%	38%	8%	398
NE	44%	51%	5%	384
NV	66%	25%	9%	409
NJ	25%	59%	16%	479
NY	50%	38%	12%	1555
NC	43%	50%	8%	436
ND	31%	62%	7%	343
OH	47%	46%	7%	532
OK	50%	34%	16%	382
OR	62%	33%	5%	388
PA	65%	28%	7%	668
SC	16%	66%	18%	369
UT	78%	18%	3%	294
VA	33%	55%	12%	799
WI	51%	38%	11%	918
Unweighted NCI-IDD Average	49%	40%	11%	16552

Table C4-10. Chose staff or were aware they could request to change staff

Proxy respondents were allowed for this question

State	Person chose staff	Staff are assigned but can be changed if requested by person	Someone else chose	N
AL	11%	46%	43%	488
AR	35%	30%	34%	364
CO	20%	56%	25%	764
CT	17%	40%	42%	561
DE	7%	41%	53%	360
DC	18%	62%	20%	363
GA	7%	85%	9%	395
IL	20%	45%	36%	312
IN	11%	41%	47%	771
KS	17%	40%	43%	1012
KY	17%	16%	66%	370
MD	24%	51%	25%	418
MA	22%	49%	29%	359
MI	17%	42%	41%	491
MN	8%	12%	81%	360
MO	19%	62%	20%	364
NE	14%	78%	8%	375
NV	25%	52%	23%	378
NJ	5%	53%	41%	439
NY	17%	34%	48%	1372
NC	22%	49%	29%	420
ND	6%	64%	31%	358
OH	19%	45%	36%	454
OK	18%	53%	29%	330
OR	32%	28%	40%	346
PA	18%	50%	32%	548
SC	4%	14%	82%	342
UT	14%	66%	20%	290
VA	14%	53%	33%	744
WI	24%	31%	45%	651
Unweighted NCI-IDD Average	17%	45%	38%	14799

Table note: States with more than 25% missing or don't know responses are marked with an asterisk (*).

Table C4-11. Can change their case manager/service coordinator if wants to

Proxy respondents were allowed for this question

State	Yes	Maybe, not sure	No	N
AL	67%	16%	17%	536
AR	96%	3%	1%	384
CO	66%	21%	13%	962
CT	55%	16%	28%	523
DE	66%	23%	10%	370
DC	73%	15%	12%	342
GA	88%	7%	5%	391
IL	67%	27%	6%	333
IN	84%	9%	7%	783
KS	88%	7%	5%	1158
KY	84%	15%	0%	410
MD	70%	8%	23%	422
MA	49%	42%	8%	332
MI	57%	23%	20%	633
MN	66%	19%	14%	322
MO	72%	19%	9%	362
NE	74%	16%	10%	305
NV	70%	19%	11%	397
NJ	80%	10%	10%	454
NY	75%	9%	16%	1537
NC	83%	12%	5%	448
ND	84%	9%	7%	379
OH	79%	14%	7%	484
OK	78%	12%	10%	367
OR	82%	10%	9%	364
PA	74%	14%	12%	607
SC	73%	12%	15%	294
UT	91%	3%	6%	301
VA	73%	11%	16%	779
WI	77%	15%	8%	881
Unweighted NCI-IDD Average	75%	14%	11%	15860

Table note: States with more than 25% missing or don't know responses are marked with an asterisk (*).

Chapter C5: Community Participation

Table C5-1. Went out shopping at least once in the past month

Proxy respondents were allowed for this question

State	Did not go	One or two times	Three or four times	Five or more times	N
AL	11%	25%	29%	34%	571
AR	8%	18%	26%	48%	384
CO	7%	16%	28%	49%	1031
CT	14%	23%	29%	35%	588
DE	12%	33%	26%	29%	396
DC	18%	33%	27%	21%	376
GA	5%	28%	41%	26%	401
IL	10%	31%	29%	30%	367
IN	12%	27%	34%	28%	816
KS	13%	21%	34%	32%	1173
KY	11%	60%	18%	11%	413
MD	9%	27%	29%	35%	434
MA	16%	31%	28%	25%	391
MI	10%	23%	30%	38%	648
MN	14%	27%	33%	27%	392
MO	13%	28%	27%	32%	394
NE	10%	32%	33%	26%	374
NV	12%	37%	33%	18%	404
NJ	14%	27%	26%	32%	474
NY	13%	23%	29%	35%	1611
NC	12%	14%	26%	47%	477
ND	23%	26%	32%	19%	400
OH	10%	30%	29%	30%	530
OK	14%	21%	20%	45%	381
OR	8%	19%	22%	52%	408
PA	11%	26%	28%	35%	678
SC	19%	26%	31%	24%	384
UT	13%	36%	33%	18%	320
VA	10%	24%	22%	44%	805
WI	18%	24%	27%	31%	950
Unweighted NCI-IDD Average	12%	26%	29%	33%	16971

Table C5-2. Went out on errands at least once in the past month

Proxy respondents were allowed for this question

State	Did not go	One or two times	Three or four times	Five or more times	N
AL	13%	47%	25%	15%	557
AR	18%	39%	20%	23%	388
CO	7%	36%	26%	31%	1022
CT	13%	35%	25%	27%	576
DE	15%	40%	21%	24%	392
DC	20%	44%	19%	17%	365
GA	30%	54%	11%	4%	388
IL	12%	51%	22%	15%	364
IN	22%	54%	14%	9%	801
KS	16%	42%	21%	22%	1134
KY	21%	56%	17%	6%	411
MD	13%	38%	25%	23%	423
MA	17%	45%	22%	16%	387
MI	16%	45%	22%	17%	652
MN	17%	40%	23%	20%	388
MO	18%	43%	24%	15%	391
NE	18%	59%	16%	6%	365
NV	23%	48%	18%	11%	391
NJ	13%	40%	26%	21%	472
NY	15%	37%	25%	23%	1603
NC	15%	32%	28%	25%	474
ND	18%	45%	22%	16%	394
OH	14%	47%	25%	15%	518
OK	13%	36%	19%	33%	376
OR	18%	30%	21%	30%	398
PA	9%	38%	29%	24%	674
SC	21%	24%	29%	26%	352
UT	14%	56%	18%	13%	311
VA	15%	42%	25%	18%	805
WI	20%	37%	20%	23%	932
Unweighted NCI-IDD Average	16%	42%	22%	20%	16704

Table C5-3. Went out for entertainment at least once in the past month

Proxy respondents were allowed for this question

State	Did not go	One or two times	Three or four times	Five or more times	N
AL	19%	35%	29%	17%	571
AR	30%	32%	13%	25%	386
CO	25%	26%	21%	27%	1026
CT	25%	29%	20%	26%	585
DE	20%	35%	23%	23%	399
DC	26%	29%	21%	24%	379
GA	12%	30%	32%	26%	401
IL	24%	43%	19%	14%	372
IN	28%	40%	20%	12%	811
KS	19%	32%	24%	25%	1152
KY	26%	53%	18%	3%	414
MD	19%	28%	25%	27%	441
MA	36%	37%	19%	9%	383
MI	21%	35%	23%	22%	645
MN	27%	31%	21%	21%	391
MO	25%	36%	22%	18%	394
NE	21%	42%	14%	22%	376
NV	26%	48%	14%	12%	408
NJ	30%	31%	19%	20%	484
NY	32%	28%	20%	19%	1611
NC	25%	29%	22%	24%	478
ND	28%	32%	23%	17%	399
OH	25%	35%	21%	19%	530
OK	25%	25%	17%	33%	383
OR	38%	21%	17%	25%	408
PA	27%	34%	23%	16%	674
SC	20%	26%	32%	23%	382
UT	15%	43%	29%	13%	317
VA	28%	35%	18%	20%	802
WI	35%	29%	17%	19%	944
Unweighted NCI-IDD Average	26%	33%	21%	20%	16946

Table C5-4. Went out to a restaurant or coffee shop at least once in the past month

Proxy respondents were allowed for this question

State	Did not go	One or two times	Three or four times	Five or more times	N
AL	10%	30%	31%	30%	568
AR	20%	25%	23%	32%	385
CO	13%	26%	25%	37%	1033
CT	19%	24%	26%	31%	595
DE	14%	33%	27%	26%	400
DC	14%	39%	24%	23%	378
GA	14%	23%	33%	31%	400
IL	13%	39%	29%	18%	368
IN	12%	30%	31%	27%	820
KS	14%	25%	28%	33%	1165
KY	11%	46%	28%	14%	412
MD	16%	24%	25%	34%	440
MA	15%	29%	29%	26%	390
MI	13%	33%	29%	25%	646
MN	19%	33%	23%	25%	392
MO	12%	32%	27%	29%	398
NE	9%	26%	34%	32%	380
NV	20%	47%	21%	12%	402
NJ	17%	36%	23%	23%	471
NY	19%	29%	25%	27%	1611
NC	14%	17%	25%	44%	484
ND	22%	31%	28%	18%	396
OH	14%	33%	29%	24%	529
OK	22%	19%	21%	38%	388
OR	25%	30%	17%	27%	411
PA	18%	28%	26%	28%	682
SC	13%	24%	30%	32%	388
UT	8%	25%	43%	24%	314
VA	16%	28%	28%	27%	806
WI	24%	28%	22%	26%	946
Unweighted NCI-IDD Average	16%	29%	27%	28%	16998

Table C5-5. Went out to religious service or spiritual practice at least once in the past month

Proxy respondents were allowed for this question

State	Did not go	One or two times	Three or four times	Five or more times	N
AL	50%	16%	21%	12%	553
AR	54%	10%	16%	19%	385
CO	62%	11%	17%	10%	1030
CT	72%	11%	14%	3%	587
DE	56%	17%	18%	8%	402
DC	56%	14%	22%	8%	374
GA	39%	13%	37%	11%	384
IL	61%	13%	18%	8%	367
IN	58%	9%	23%	10%	805
KS	56%	12%	25%	8%	1171
KY	72%	6%	15%	7%	391
MD	49%	14%	24%	13%	421
MA	77%	10%	11%	2%	399
MI	58%	15%	17%	10%	654
MN	66%	12%	15%	7%	382
MO	61%	9%	24%	6%	390
NE	56%	11%	24%	9%	381
NV	70%	12%	12%	6%	405
NJ	72%	11%	11%	6%	465
NY	72%	10%	13%	5%	1630
NC	40%	15%	29%	16%	477
ND	47%	13%	24%	16%	396
OH	65%	13%	16%	6%	534
OK	59%	8%	16%	17%	387
OR	72%	8%	13%	7%	407
PA	64%	11%	17%	9%	672
SC	49%	12%	33%	6%	384
UT	62%	6%	23%	9%	307
VA	54%	14%	24%	8%	806
WI	66%	10%	16%	8%	943
Unweighted NCI-IDD Average	61%	12%	19%	9%	16889

Table C5-6. Takes part in groups, organizations or communities (in-person or virtually)

Proxy respondents were allowed for this question

State	Yes	No	N
AL	22%	78%	564
AR	23%	77%	386
CO	38%	62%	1035
CT	35%	65%	594
DE	35%	65%	396
DC	19%	81%	370
GA	13%	87%	395
IL	29%	71%	362
IN	33%	67%	821
KS	38%	62%	1162
KY	8%	92%	398
MD	32%	68%	437
MA	22%	78%	390
MI	27%	73%	647
MN	29%	71%	383
MO	24%	76%	391
NE	29%	71%	377
NV	24%	76%	407
NJ	20%	80%	483
NY	29%	71%	1632
NC	39%	61%	480
ND	39%	61%	398
OH	23%	77%	531
OK	29%	71%	388
OR	27%	73%	412
PA	34%	66%	668
SC	23%	77%	383
UT	38%	62%	309
VA	29%	71%	803
WI	33%	67%	947
Unweighted NCI-IDD Average	29%	71%	16949

Table C5-7. The groups, organizations or communities takes part in include people without disabilities

Proxy respondents were allowed for this question

State	Yes	Some groups	No	N
AL	73%	6%	21%	109
AR	57%	4%	39%	84
CO	63%	10%	27%	386
CT	49%	4%	46%	194
DE	61%	14%	26%	137
DC	63%	1%	35%	68
GA	65%	4%	31%	48
IL	57%	15%	28%	96
IN	53%	8%	39%	260
KS	63%	8%	29%	431
KY	59%	22%	19%	27
MD	70%	3%	27%	132
MA	60%	10%	30%	80
MI	55%	22%	23%	166
MN	44%	7%	48%	108
MO	53%	12%	35%	86
NE	43%	9%	48%	102
NV	58%	9%	33%	93
NJ	55%	17%	28%	93
NY	56%	6%	38%	450
NC	52%	13%	35%	181
ND	58%	6%	36%	154
OH	64%	6%	30%	109
OK	60%	6%	34%	110
OR	61%	8%	30%	109
PA	64%	8%	29%	192
SC	49%	6%	45%	78
UT	32%	15%	53%	113
VA	51%	10%	40%	229
WI	58%	11%	32%	294
Unweighted NCI-IDD Average	57%	9%	34%	4719

Table note: States with more than 25% missing or don't know responses are marked with an asterisk (*).

Chapter C6: Relationships

Table C6-1. Has friends who are not staff or family members

State	Has friends who are not staff or family	All friends are staff or family, or cannot determine	No does not have friends	N
AL	91%	5%	4%	290
AR	89%	4%	6%	270
CO	78%	14%	8%	587
CT	79%	11%	10%	371
DE	80%	9%	11%	212
DC	78%	1%	21%	233
GA	90%	7%	3%	207
IL	80%	11%	9%	235
IN	72%	19%	8%	642
KS	82%	9%	9%	558
KY	74%	26%	0%	172
MD	75%	12%	13%	252
MA	79%	9%	12%	275
MI	68%	20%	12%	332
MN	86%	6%	8%	175
MO	78%	11%	11%	255
NE	85%	10%	5%	317
NV	77%	6%	17%	346
NJ	76%	6%	18%	246
NY	80%	9%	10%	926
NC	80%	8%	12%	234
ND	82%	9%	9%	133
OH	80%	8%	12%	356
OK	84%	9%	7%	208
OR	77%	9%	14%	273
PA	78%	11%	12%	400
SC	77%	8%	15%	267
UT	82%	12%	6%	171
VA	78%	14%	8%	407
WI	77%	7%	16%	432
Unweighted NCI-IDD Average	79%	10%	10%	9782

Table C6-2. Has best friend (may be staff or family)

State	Yes, has a best friend	No, does not have a best friend	N
AL	84%	16%	260
AR	87%	13%	250
CO	84%	16%	534
CT	82%	18%	320
DE	75%	25%	186
DC	84%	16%	182
GA	90%	10%	194
IL	74%	26%	204
IN	79%	21%	579
KS	86%	14%	486
KY	54%	46%	170
MD	87%	13%	214
MA	74%	26%	227
MI	78%	22%	276
MN	81%	19%	157
MO	78%	22%	221
NE	77%	23%	284
NV	81%	19%	286
NJ	79%	21%	194
NY	80%	20%	798
NC	85%	16%	200
ND	80%	20%	115
OH	78%	22%	293
OK	86%	14%	193
OR	82%	18%	218
PA	82%	18%	331
SC	79%	21%	223
UT	83%	17%	156
VA	81%	19%	347
WI	82%	18%	353
Unweighted NCI-IDD Average	81%	19%	8451

Table C6-3. Wants help to make or keep in contact with friends

“Yes” and “Maybe” responses combined.

State	Yes	Maybe	No	N
AL	58%	9%	33%	279
AR	26%	4%	69%	268
CO	42%	16%	42%	574
CT	60%	5%	36%	355
DE	49%	7%	44%	213
DC	37%	4%	58%	230
GA	28%	11%	62%	200
IL	37%	15%	48%	230
IN	60%	11%	29%	622
KS	41%	8%	51%	545
KY	7%	14%	79%	167
MD	55%	6%	38%	251
MA	46%	13%	41%	269
MI	30%	37%	33%	322
MN	35%	6%	58%	171
MO	38%	13%	49%	251
NE	42%	9%	49%	307
NV	45%	12%	42%	346
NJ	51%	11%	37%	235
NY	49%	8%	43%	901
NC	52%	10%	38%	230
ND	33%	17%	50%	127
OH	38%	13%	49%	339
OK	52%	6%	42%	208
OR	48%	8%	43%	244
PA	36%	7%	57%	376
SC	64%	4%	31%	270
UT	27%	8%	64%	169
VA	53%	7%	40%	374
WI	36%	8%	57%	426
Unweighted NCI-IDD Average	44%	10%	45%	9499

Table C6-4. Has friends (may be staff or family) and can meet with their friends in person when they want

State	Yes, always	Sometimes cannot see friends	No	N
AL	75%	15%	9%	265
AR	92%	6%	2%	251
CO	67%	26%	7%	529
CT	68%	21%	11%	319
DE	62%	30%	8%	185
DC	71%	16%	13%	181
GA	86%	11%	4%	197
IL	69%	24%	7%	198
IN	73%	21%	6%	578
KS	64%	27%	9%	480
KY	23%	75%	2%	170
MD	74%	14%	13%	216
MA	72%	19%	8%	225
MI	60%	31%	9%	281
MN	81%	13%	7%	160
MO	76%	22%	2%	217
NE	68%	27%	4%	284
NV	74%	19%	7%	280
NJ	66%	25%	9%	192
NY	68%	23%	9%	806
NC	56%	32%	13%	200
ND	78%	17%	5%	115
OH	65%	26%	9%	290
OK	75%	15%	10%	191
OR	61%	32%	7%	223
PA	79%	15%	6%	325
SC	64%	22%	14%	198
UT	76%	18%	7%	153
VA	54%	42%	5%	341
WI	65%	24%	11%	353
Unweighted NCI-IDD Average	69%	24%	8%	8403

Table C6-5. Has other ways of talking, chatting, or communicating with friends when cannot see them in person

State	Yes	Sometimes	No	N
AL	71%	8%	21%	272
AR	88%	1%	11%	252
CO	77%	5%	18%	536
CT	73%	6%	21%	317
DE	79%	7%	14%	187
DC	86%	3%	10%	184
GA	86%	4%	10%	198
IL	72%	9%	19%	202
IN	78%	8%	14%	582
KS	76%	6%	18%	496
KY	42%	46%	12%	170
MD	81%	5%	14%	217
MA	78%	7%	15%	231
MI	80%	12%	9%	281
MN	81%	4%	15%	159
MO	77%	6%	17%	222
NE	80%	5%	15%	292
NV	80%	7%	13%	283
NJ	71%	10%	19%	191
NY	79%	7%	14%	814
NC	66%	9%	25%	196
ND	73%	10%	17%	117
OH	79%	7%	14%	299
OK	76%	8%	16%	193
OR	89%	5%	6%	226
PA	80%	6%	15%	324
SC	76%	6%	18%	215
UT	67%	5%	28%	156
VA	72%	18%	10%	336
WI	82%	4%	14%	356
Unweighted NCI-IDD Average	77%	8%	15%	8504

Table C6-6. Can see and/or talk with their family when they want (among those who do not live in the family home)

State	Yes, can see or talk to family when they want to, or chooses not to see family	Sometimes	No	N
AL	83%	13%	5%	198
AR	93%	1%	6%	168
CO	81%	12%	7%	307
CT	83%	11%	6%	218
DE	72%	22%	6%	174
DC	80%	12%	8%	178
GA	89%	6%	5%	102
IL	80%	16%	4%	131
IN	88%	6%	6%	307
KS	80%	13%	6%	238
KY	55%	42%	3%	105
MD	80%	9%	11%	89
MA	90%	5%	5%	192
MI	78%	18%	4%	180
MN	n/a	n/a	n/a	n/a
MO	87%	8%	5%	170
NE	86%	8%	6%	216
NV	73%	15%	12%	222
NJ	77%	16%	7%	196
NY	80%	13%	7%	581
NC	78%	14%	8%	92
ND	94%	6%	0%	79
OH	82%	10%	8%	233
OK	76%	12%	11%	140
OR	90%	3%	8%	106
PA	85%	9%	6%	154
SC	84%	10%	7%	166
UT	84%	7%	9%	112
VA	85%	12%	3%	229
WI	87%	7%	7%	200
Unweighted NCI-IDD Average	82%	11%	6%	5500

Table note: Data display is suppressed (i.e. shown as n/a) for the following states with low counts of responses (n<20): MN. These responses are retained in NCI-IDD Average calculation.

Table C6-7. Often feels lonely

State	Yes, often	Sometimes	No	N
AL	18%	32%	50%	270
AR	9%	33%	58%	268
CO	10%	36%	54%	581
CT	14%	28%	58%	360
DE	9%	39%	52%	215
DC	9%	31%	60%	231
GA	8%	24%	68%	205
IL	12%	25%	63%	231
IN	17%	33%	51%	629
KS	13%	38%	48%	544
KY	2%	43%	56%	169
MD	16%	22%	62%	250
MA	8%	39%	53%	263
MI	10%	48%	43%	324
MN	15%	30%	54%	171
MO	9%	33%	58%	247
NE	12%	30%	58%	313
NV	15%	34%	51%	344
NJ	11%	38%	50%	232
NY	15%	32%	53%	908
NC	12%	31%	57%	223
ND	9%	29%	63%	128
OH	11%	36%	53%	350
OK	19%	26%	54%	206
OR	15%	37%	49%	260
PA	6%	26%	69%	383
SC	20%	33%	47%	242
UT	8%	45%	47%	169
VA	9%	34%	57%	367
WI	18%	29%	53%	419
Unweighted NCI-IDD Average	12%	33%	54%	9502

Table C6-8. Can go on a date or is married or living with partner

State	Yes, can go on a date without restrictions or rules or is married/living with partner	There are some restrictions or rules about dating	No, cannot go on a date	N
AL	81%	6%	13%	231
AR	91%	4%	5%	215
CO	81%	12%	8%	450
CT	72%	20%	8%	267
DE	72%	19%	9%	176
DC	88%	2%	10%	215
GA	86%	5%	10%	194
IL	82%	7%	11%	169
IN	82%	11%	8%	523
KS	67%	24%	9%	469
KY	32%	48%	20%	50
MD	72%	10%	19%	218
MA	82%	11%	6%	205
MI	68%	21%	11%	235
MN	83%	10%	7%	144
MO	73%	19%	7%	202
NE	84%	12%	4%	227
NV	83%	6%	11%	298
NJ	81%	4%	14%	180
NY	79%	11%	10%	703
NC	59%	29%	12%	182
ND	81%	9%	10%	100
OH	82%	10%	9%	283
OK	65%	24%	11%	188
OR	88%	8%	3%	181
PA	84%	9%	7%	300
SC	40%	44%	16%	195
UT	91%	6%	3%	143
VA	68%	24%	7%	237
WI	71%	16%	13%	329
Unweighted NCI-IDD Average	77%	14%	9%	7509

Chapter C7: Satisfaction

Table C7-1. Likes home or where lives

State	Yes	In-between	No	N
AL	88%	6%	6%	298
AR	90%	5%	5%	271
CO	88%	7%	5%	590
CT	87%	7%	6%	396
DE	89%	6%	5%	217
DC	90%	4%	6%	234
GA	96%	2%	2%	210
IL	93%	4%	3%	235
IN	89%	6%	5%	647
KS	90%	6%	4%	501
KY	98%	2%	0%	173
MD	90%	4%	6%	265
MA	84%	10%	6%	275
MI	87%	8%	5%	343
MN	86%	10%	5%	177
MO	90%	7%	3%	260
NE	92%	5%	3%	318
NV	89%	6%	4%	342
NJ	85%	7%	8%	247
NY	87%	7%	6%	946
NC	92%	4%	4%	237
ND	88%	8%	4%	131
OH	91%	5%	4%	371
OK	86%	8%	6%	211
OR	87%	8%	5%	277
PA	90%	7%	3%	400
SC	86%	6%	8%	294
UT	82%	14%	4%	175
VA	93%	4%	3%	430
WI	85%	9%	6%	425
Unweighted NCI-IDD Average	89%	6%	5%	9896

Table C7-2. Wants to live somewhere else

State	Yes	In-between	No	N
AL	24%	9%	66%	278
AR	31%	7%	61%	270
CO	23%	16%	60%	576
CT	33%	7%	60%	379
DE	26%	8%	66%	215
DC	29%	9%	62%	234
GA	17%	6%	77%	206
IL	20%	8%	72%	237
IN	35%	12%	54%	640
KS	27%	12%	61%	497
KY	4%	2%	95%	171
MD	35%	6%	60%	257
MA	28%	9%	63%	270
MI	28%	18%	54%	340
MN	32%	7%	61%	174
MO	28%	12%	61%	258
NE	24%	10%	66%	313
NV	32%	10%	58%	346
NJ	41%	11%	47%	235
NY	33%	9%	58%	933
NC	25%	9%	67%	231
ND	18%	8%	74%	129
OH	23%	11%	67%	359
OK	39%	6%	54%	206
OR	38%	14%	48%	260
PA	25%	8%	67%	387
SC	35%	7%	59%	286
UT	20%	12%	69%	169
VA	14%	7%	79%	399
WI	36%	8%	56%	415
Unweighted NCI-IDD Average	28%	10%	62%	9670

Table C7-3. Has enough things they like to do at home

State	Yes, always	Sometimes	Not enough	N
AL	86%	11%	4%	284
AR	94%	6%	0%	265
CO	87%	10%	3%	582
CT	81%	11%	7%	354
DE	80%	16%	4%	215
DC	87%	8%	5%	225
GA	89%	10%	1%	205
IL	94%	4%	2%	234
IN	91%	7%	2%	630
KS	81%	15%	5%	542
KY	58%	40%	2%	173
MD	87%	8%	6%	252
MA	77%	17%	6%	270
MI	76%	20%	5%	335
MN	81%	10%	10%	168
MO	85%	12%	2%	253
NE	86%	10%	3%	310
NV	82%	13%	5%	346
NJ	79%	13%	8%	238
NY	83%	11%	6%	894
NC	84%	11%	5%	222
ND	85%	8%	7%	132
OH	81%	14%	5%	356
OK	86%	11%	3%	205
OR	87%	10%	4%	267
PA	89%	7%	5%	390
SC	65%	24%	11%	266
UT	56%	37%	8%	169
VA	84%	12%	3%	385
WI	84%	12%	4%	425
Unweighted NCI-IDD Average	83%	12%	5%	9592

Table C7-4. Likes paid community job (if working in a paid community job)

Based on those reported to have a paid community job (from the Background Information Section)

State	Yes	In-between	No	N
AL	98%	2%	0%	42
AR	89%	11%	0%	28
CO	92%	8%	0%	135
CT	90%	8%	2%	112
DE	n/a	n/a	n/a	n/a
DC	90%	8%	2%	49
GA	98%	2%	0%	45
IL	94%	6%	0%	32
IN	92%	6%	2%	122
KS	n/a	n/a	n/a	n/a
KY	90%	10%	0%	21
MD	86%	10%	4%	94
MA	97%	2%	1%	88
MI	91%	9%	0%	56
MN	n/a	n/a	n/a	n/a
MO	96%	4%	0%	46
NE	92%	6%	2%	116
NV	87%	3%	10%	30
NJ	95%	5%	0%	38
NY	86%	10%	4%	181
NC	95%	5%	0%	40
ND	86%	10%	3%	58
OH	93%	4%	2%	91
OK	84%	13%	3%	68
OR	88%	6%	6%	32
PA	94%	5%	1%	87
SC	82%	12%	6%	50
UT	85%	15%	0%	46
VA	84%	11%	5%	57
WI *	98%	0%	2%	56
Unweighted NCI-IDD Average	91%	7%	2%	1820

Table note: States with more than 25% missing or don't know responses are marked with an asterisk (*).

Table C7-5. Wants to go out shopping more, less or the same amount as last month

Proxy respondents were allowed for this question

State	More	Less	The same amount	N
AL	36%	9%	54%	563
AR	43%	3%	54%	383
CO	30%	7%	62%	1017
CT	43%	7%	50%	569
DE	28%	5%	67%	392
DC	52%	3%	45%	377
GA	28%	9%	63%	395
IL	34%	4%	63%	363
IN	49%	4%	47%	819
KS	32%	6%	62%	1155
KY	8%	5%	87%	383
MD	45%	9%	46%	437
MA	34%	8%	59%	379
MI	30%	4%	66%	633
MN	40%	7%	52%	383
MO	25%	6%	68%	390
NE	36%	6%	58%	380
NV	43%	7%	50%	414
NJ	48%	4%	49%	469
NY	37%	6%	57%	1599
NC	35%	6%	59%	476
ND	22%	4%	74%	392
OH	33%	8%	60%	520
OK	43%	8%	49%	384
OR	33%	10%	57%	388
PA	23%	6%	72%	650
SC	50%	8%	42%	379
UT	40%	4%	56%	269
VA	35%	6%	60%	798
WI	30%	9%	61%	939
Unweighted NCI-IDD Average	35%	6%	59%	16695

Table C7-6. Wants to go out for entertainment more, less or the same amount as last month

Proxy respondents were allowed for this question

State	More	Less	The same amount	N
AL	45%	6%	49%	563
AR	46%	1%	53%	388
CO	41%	3%	57%	1010
CT	57%	4%	39%	570
DE	32%	3%	65%	397
DC	58%	5%	37%	371
GA	36%	5%	59%	398
IL	36%	3%	62%	364
IN	55%	2%	44%	811
KS	42%	2%	56%	1143
KY	11%	3%	86%	361
MD	51%	5%	44%	439
MA	53%	3%	44%	384
MI	48%	1%	51%	630
MN	49%	4%	48%	387
MO	34%	2%	64%	389
NE	48%	1%	51%	373
NV	65%	3%	32%	411
NJ	56%	1%	43%	473
NY	51%	2%	47%	1596
NC	47%	3%	51%	479
ND	34%	2%	64%	395
OH	46%	2%	52%	523
OK	54%	2%	44%	384
OR	42%	2%	56%	386
PA	27%	3%	70%	641
SC	61%	3%	36%	384
UT	52%	2%	46%	270
VA	47%	1%	52%	797
WI	46%	3%	51%	934
Unweighted NCI-IDD Average	46%	3%	52%	16651

Table C7-7. Wants to go out to a restaurant or coffee shop more, less or the same amount as last month

Proxy respondents were allowed for this question

State	More	Less	The same amount	N
AL	44%	7%	50%	565
AR	37%	3%	60%	387
CO	40%	3%	57%	1025
CT	52%	4%	44%	570
DE	34%	3%	63%	397
DC	56%	5%	39%	379
GA	39%	4%	56%	394
IL	44%	1%	55%	366
IN	52%	2%	46%	818
KS	41%	4%	55%	1163
KY	13%	7%	80%	373
MD	43%	8%	49%	439
MA	46%	4%	50%	391
MI	48%	2%	50%	638
MN	50%	3%	47%	383
MO	35%	3%	62%	392
NE	41%	5%	54%	374
NV	54%	7%	39%	411
NJ	57%	2%	41%	464
NY	46%	3%	51%	1609
NC	51%	2%	46%	485
ND	27%	3%	71%	391
OH	44%	2%	54%	522
OK	48%	3%	49%	386
OR	36%	4%	60%	395
PA	29%	3%	68%	654
SC	62%	4%	34%	388
UT	53%	3%	45%	268
VA	49%	2%	50%	800
WI	41%	5%	54%	939
Unweighted NCI-IDD Average	44%	4%	53%	16766

Table C7-8. Wants to go out to a religious service or spiritual practice more, less or the same amount as last month

Proxy respondents were allowed for this question

State	More	Less	The same amount	N
AL	29%	8%	62%	536
AR	27%	2%	71%	382
CO	19%	3%	78%	1002
CT	31%	3%	66%	542
DE	26%	2%	73%	379
DC	43%	3%	54%	360
GA	27%	4%	70%	364
IL	17%	1%	82%	335
IN	24%	2%	74%	797
KS	22%	3%	75%	1131
KY *	3%	1%	95%	238
MD	31%	7%	62%	408
MA	15%	3%	83%	359
MI	17%	1%	82%	630
MN	22%	5%	73%	360
MO	23%	2%	75%	377
NE	21%	2%	76%	329
NV	30%	2%	68%	403
NJ	23%	1%	76%	427
NY	21%	3%	76%	1532
NC	27%	3%	70%	463
ND	11%	6%	83%	380
OH	19%	3%	77%	494
OK	32%	2%	66%	379
OR	20%	2%	77%	384
PA	12%	2%	86%	613
SC	46%	5%	49%	353
UT	10%	3%	87%	262
VA	24%	2%	74%	781
WI	20%	6%	74%	911
Unweighted NCI-IDD Average	23%	3%	74%	15911

Table note: States with more than 25% missing or don't know responses are marked with an asterisk (*).

Table C7-9. Person wants to be a part of more community groups

Proxy respondents were allowed for this question

State	Yes	No	N
AL	35%	65%	534
AR	28%	72%	384
CO	39%	61%	948
CT	48%	52%	545
DE	43%	57%	375
DC	42%	58%	339
GA	21%	79%	380
IL	27%	73%	337
IN	32%	68%	802
KS	32%	68%	1114
KY	10%	90%	399
MD	50%	50%	411
MA	29%	71%	356
MI	39%	61%	590
MN	30%	70%	366
MO	25%	75%	367
NE	29%	71%	351
NV	44%	56%	396
NJ	36%	64%	433
NY	42%	58%	1498
NC	49%	51%	457
ND	26%	74%	379
OH	25%	75%	477
OK	40%	60%	369
OR	38%	62%	375
PA	31%	69%	627
SC	46%	54%	349
UT	27%	73%	260
VA	43%	57%	779
WI	34%	66%	889
Unweighted NCI-IDD Average	36%	64%	15886

Table C7-10. Likes how they usually spend time during the day

State	Yes, always or almost always	Some days or sometimes	No	N
AL	81%	16%	3%	277
AR	93%	7%	1%	269
CO	76%	21%	3%	579
CT	87%	10%	3%	353
DE	75%	21%	4%	215
DC	85%	11%	3%	229
GA	88%	12%	0%	203
IL	90%	9%	1%	232
IN	86%	13%	2%	629
KS	77%	21%	2%	533
KY	37%	63%	1%	171
MD	85%	10%	4%	250
MA	78%	19%	3%	269
MI	75%	23%	2%	333
MN	88%	11%	2%	168
MO	81%	17%	2%	255
NE	84%	14%	2%	305
NV	82%	16%	2%	347
NJ	78%	18%	4%	233
NY	80%	17%	3%	914
NC	88%	11%	2%	227
ND	82%	15%	3%	130
OH	80%	16%	4%	351
OK	85%	10%	5%	208
OR	79%	17%	4%	262
PA	92%	7%	1%	392
SC	74%	20%	6%	273
UT	63%	34%	3%	170
VA	81%	17%	2%	387
WI	74%	21%	5%	423
Unweighted NCI-IDD Average	80%	17%	3%	9587

Table C7-11. Has used telehealth for healthcare services and like using it

Proxy respondents were allowed for this question

State	Yes	In-between	No	N
AL	56%	26%	18%	176
AR	59%	15%	26%	147
CO	47%	32%	20%	545
CT	57%	19%	24%	317
DE	55%	33%	11%	229
DC	55%	25%	20%	198
GA	63%	24%	13%	131
IL	58%	24%	19%	135
IN	69%	19%	12%	252
KS	47%	31%	23%	503
KY	70%	25%	5%	204
MD	72%	15%	13%	265
MA	45%	32%	23%	236
MI	34%	42%	24%	343
MN	53%	24%	22%	161
MO	48%	29%	22%	163
NE	65%	21%	15%	117
NV	49%	24%	27%	176
NJ	46%	35%	19%	256
NY	55%	24%	21%	953
NC	48%	27%	25%	266
ND	37%	16%	48%	109
OH	56%	27%	17%	268
OK	48%	29%	23%	172
OR	36%	31%	33%	229
PA	56%	23%	21%	305
SC	61%	23%	16%	122
UT	44%	44%	12%	93
VA	62%	27%	12%	509
WI	52%	25%	23%	384
Unweighted NCI-IDD Average	53%	27%	20%	7964

Table C7-12. Has accessed services and support using video conference technology and like using it

Proxy respondents were allowed for this question

State	Yes	In-between	No	N
AL	67%	25%	7%	55
AR	69%	18%	13%	39
CO	54%	28%	19%	308
CT	60%	17%	24%	163
DE	60%	33%	7%	117
DC	65%	19%	16%	100
GA	80%	14%	6%	70
IL	57%	25%	17%	63
IN	69%	12%	19%	89
KS	61%	26%	13%	239
KY	73%	17%	10%	41
MD	68%	16%	15%	168
MA	47%	29%	24%	118
MI	46%	31%	23%	87
MN	61%	15%	24%	54
MO	40%	27%	33%	48
NE	72%	16%	12%	69
NV	59%	14%	26%	76
NJ	50%	31%	19%	150
NY	55%	20%	25%	480
NC	56%	24%	20%	82
ND	57%	22%	21%	58
OH	68%	23%	10%	114
OK	56%	25%	19%	32
OR	37%	30%	33%	76
PA	62%	18%	20%	180
SC	n/a	n/a	n/a	n/a
UT	56%	26%	19%	27
VA	79%	13%	8%	143
WI	56%	19%	25%	188
Unweighted NCI-IDD Average	59%	22%	19%	3451

Table note: Data display is suppressed (i.e. shown as n/a) for the following states with low counts of responses (n<20): SC. These responses are retained in NCI-IDD Average calculation.

Table C7-13. Have talked with their case manager/service coordinator using video conference technology and like using it

Proxy respondents were allowed for this question

State	Yes	In-between	No	N
AL	76%	11%	13%	101
AR	68%	13%	19%	69
CO	55%	28%	17%	586
CT	55%	23%	22%	245
DE	51%	39%	10%	145
DC	60%	25%	16%	220
GA	72%	18%	10%	108
IL	54%	32%	14%	117
IN	70%	17%	13%	255
KS	52%	26%	22%	424
KY	70%	27%	4%	225
MD	68%	19%	13%	253
MA	46%	33%	21%	218
MI	40%	34%	26%	255
MN	43%	30%	27%	137
MO	40%	37%	23%	169
NE	73%	9%	18%	66
NV	55%	24%	21%	121
NJ	48%	30%	22%	176
NY	60%	21%	19%	868
NC	54%	23%	23%	213
ND	38%	21%	41%	63
OH	57%	24%	18%	164
OK	50%	30%	20%	199
OR	41%	34%	26%	200
PA	63%	22%	15%	265
SC	58%	19%	22%	36
UT	59%	30%	11%	122
VA	65%	25%	9%	295
WI	55%	27%	18%	115
Unweighted NCI-IDD Average	57%	25%	18%	6430

Chapter C8: Self-Direction

Table C8-1. Using a self-directed supports option

Information may have been obtained through state records

State	Yes	No	N
AL	3%	97%	602
AR	n/a	n/a	n/a
CO	1%	99%	1045
CT	22%	78%	599
DE	10%	90%	415
DC	n/a	n/a	n/a
GA	2%	98%	405
IL	40%	60%	374
IN	n/a	n/a	n/a
KS	35%	65%	1170
KY	18%	82%	417
MD	8%	92%	452
MA	4%	96%	408
MI	19%	81%	638
MN	4%	96%	411
MO	15%	85%	403
NE	5%	95%	397
NV	n/a	n/a	n/a
NJ	8%	92%	495
NY	26%	74%	1699
NC	2%	98%	454
ND	5%	95%	407
OH	4%	96%	546
OK	5%	95%	400
OR	67%	33%	414
PA	16%	84%	651
SC	6%	94%	381
UT	28%	72%	337
VA	30%	70%	812
WI	51%	49%	941
Unweighted NCI-IDD Average	19%	81%	15273

Table note: AR, DC, IN, and NV do not offer self-direction.

Table C8-2. People who make decisions or have input in making decisions about the services that are self directed

State	Person mostly makes decisions	Person has input, and family/friend helps	Family/friend makes decisions, person does not have input	Case manager/service coordinator or another professional employed by the state	N
AL	n/a	n/a	n/a	n/a	n/a
AR	n/a	n/a	n/a	n/a	n/a
CO	n/a	n/a	n/a	n/a	n/a
CT	6%	32%	55%	7%	118
DE	5%	43%	45%	8%	40
DC	n/a	n/a	n/a	n/a	n/a
GA	n/a	n/a	n/a	n/a	n/a
IL	4%	56%	37%	2%	124
IN	n/a	n/a	n/a	n/a	n/a
KS	6%	40%	53%	0%	228
KY	5%	75%	20%	0%	75
MD	12%	62%	26%	0%	34
MA	n/a	n/a	n/a	n/a	n/a
MI	7%	54%	37%	2%	100
MN	n/a	n/a	n/a	n/a	n/a
MO	12%	48%	38%	2%	60
NE	n/a	n/a	n/a	n/a	n/a
NV	n/a	n/a	n/a	n/a	n/a
NJ	0%	36%	64%	0%	42
NY	20%	44%	31%	5%	394
NC	n/a	n/a	n/a	n/a	n/a
ND	n/a	n/a	n/a	n/a	n/a
OH	n/a	n/a	n/a	n/a	n/a
OK	n/a	n/a	n/a	n/a	n/a
OR	25%	43%	28%	3%	253
PA	17%	36%	40%	7%	58
SC	0%	9%	52%	39%	23
UT	6%	28%	63%	3%	67
VA	7%	31%	62%	0%	213
WI	15%	32%	51%	2%	377
Unweighted NCI-IDD Average	12%	41%	43%	3%	2344

Table note: Data display is suppressed (i.e. shown as n/a) for the following states with low counts of responses (n<20): AL, CO, GA, MA, MN, NE, NC, ND, OH, OK. These responses are retained in NCI-IDD Average calculation. States with more than 25% missing or don't know responses are marked with an asterisk (*). AR, DC, IN, and NV do not offer self-direction.

Table C8-3. Can make changes to individual budget/services if needed

Proxy respondents were allowed for this question

State	Yes	In-between	No	N
AL	n/a	n/a	n/a	n/a
AR	n/a	n/a	n/a	n/a
CO	n/a	n/a	n/a	n/a
CT	93%	4%	3%	94
DE	64%	18%	18%	33
DC	n/a	n/a	n/a	n/a
GA	n/a	n/a	n/a	n/a
IL	95%	4%	1%	99
IN	n/a	n/a	n/a	n/a
KS	95%	4%	1%	210
KY	100%	0%	0%	66
MD	97%	3%	0%	32
MA	n/a	n/a	n/a	n/a
MI	86%	12%	2%	84
MN	n/a	n/a	n/a	n/a
MO	96%	4%	0%	48
NE	n/a	n/a	n/a	n/a
NV	n/a	n/a	n/a	n/a
NJ	94%	0%	6%	32
NY	93%	5%	2%	334
NC	n/a	n/a	n/a	n/a
ND	n/a	n/a	n/a	n/a
OH	n/a	n/a	n/a	n/a
OK	n/a	n/a	n/a	n/a
OR	84%	12%	4%	230
PA	95%	5%	0%	44
SC	n/a	n/a	n/a	n/a
UT	98%	2%	0%	53
VA	85%	10%	5%	203
WI	93%	6%	2%	352
Unweighted NCI-IDD Average	91%	7%	2%	2027

Table note: Data display is suppressed (i.e. shown as n/a) for the following states with low counts of responses ($n < 20$): AL, CO, GA, MA, MN, NE, NC, ND, OH, OK, SC. These responses are retained in NCI-IDD Average calculation. AR, DC, IN, and NV do not offer self-direction.

Table C8-4. Has enough help deciding how to direct services

Proxy respondents were allowed for this question

State	Yes	In-between	No	N
AL	n/a	n/a	n/a	n/a
AR	n/a	n/a	n/a	n/a
CO	n/a	n/a	n/a	n/a
CT	81%	4%	15%	96
DE	67%	27%	6%	33
DC	n/a	n/a	n/a	n/a
GA	n/a	n/a	n/a	n/a
IL	97%	3%	0%	99
IN	n/a	n/a	n/a	n/a
KS	89%	6%	5%	211
KY	100%	0%	0%	65
MD	91%	9%	0%	33
MA	n/a	n/a	n/a	n/a
MI	75%	19%	6%	81
MN	n/a	n/a	n/a	n/a
MO	100%	0%	0%	49
NE	n/a	n/a	n/a	n/a
NV	n/a	n/a	n/a	n/a
NJ	85%	6%	9%	34
NY	88%	6%	6%	336
NC	n/a	n/a	n/a	n/a
ND	n/a	n/a	n/a	n/a
OH	n/a	n/a	n/a	n/a
OK	n/a	n/a	n/a	n/a
OR	81%	12%	8%	234
PA	90%	10%	0%	42
SC	n/a	n/a	n/a	n/a
UT	93%	7%	0%	54
VA	84%	9%	6%	204
WI	88%	8%	4%	353
Unweighted NCI-IDD Average	86%	8%	5%	2040

Table note: Data display is suppressed (i.e. shown as n/a) for the following states with low counts of responses ($n < 20$): AL, CO, GA, MA, MN, NE, NC, ND, OH, OK, SC. These responses are retained in NCI-IDD Average calculation. AR, DC, IN, and NV do not offer self-direction.

Table C8-5. Has the amount of control wanted with the services that are self-directed

Proxy respondents were allowed for this question

State	Yes	In-between	No	N
AL	n/a	n/a	n/a	n/a
AR	n/a	n/a	n/a	n/a
CO	n/a	n/a	n/a	n/a
CT	86%	7%	6%	96
DE	58%	27%	15%	33
DC	n/a	n/a	n/a	n/a
GA	n/a	n/a	n/a	n/a
IL	95%	5%	0%	98
IN	n/a	n/a	n/a	n/a
KS	91%	6%	3%	207
KY	100%	0%	0%	66
MD	85%	9%	6%	33
MA	n/a	n/a	n/a	n/a
MI	71%	24%	5%	84
MN	n/a	n/a	n/a	n/a
MO	98%	2%	0%	49
NE	n/a	n/a	n/a	n/a
NV	n/a	n/a	n/a	n/a
NJ	82%	18%	0%	34
NY	82%	9%	8%	330
NC	n/a	n/a	n/a	n/a
ND	n/a	n/a	n/a	n/a
OH	n/a	n/a	n/a	n/a
OK	n/a	n/a	n/a	n/a
OR	82%	12%	6%	231
PA	90%	7%	2%	42
SC	n/a	n/a	n/a	n/a
UT	85%	15%	0%	52
VA	81%	12%	7%	203
WI	86%	8%	6%	352
Unweighted NCI-IDD Average	84%	10%	5%	2022

Table note: Data display is suppressed (i.e. shown as n/a) for the following states with low counts of responses ($n < 20$): AL, CO, GA, MA, MN, NE, NC, ND, OH, OK, SC. These responses are retained in NCI-IDD Average calculation. AR, DC, IN, and NV do not offer self-direction.

Table C8-6. The services and supports they want to self-direct are always available. This includes things like having the services that they want available when they want them and having enough staff to hire.

Proxy respondents were allowed for this question

State	Yes	Sometimes	No	N
AL	n/a	n/a	n/a	n/a
AR	n/a	n/a	n/a	n/a
CO	n/a	n/a	n/a	n/a
CT	62%	15%	23%	95
DE	39%	42%	18%	33
DC	n/a	n/a	n/a	n/a
GA	n/a	n/a	n/a	n/a
IL	88%	11%	1%	99
IN	n/a	n/a	n/a	n/a
KS	67%	14%	18%	208
KY	92%	6%	2%	66
MD	63%	25%	13%	32
MA	n/a	n/a	n/a	n/a
MI	49%	29%	23%	84
MN	n/a	n/a	n/a	n/a
MO	64%	14%	22%	50
NE	n/a	n/a	n/a	n/a
NV	n/a	n/a	n/a	n/a
NJ	70%	12%	18%	33
NY	63%	17%	19%	332
NC	n/a	n/a	n/a	n/a
ND	n/a	n/a	n/a	n/a
OH	n/a	n/a	n/a	n/a
OK	n/a	n/a	n/a	n/a
OR	63%	22%	15%	227
PA	68%	25%	8%	40
SC	n/a	n/a	n/a	n/a
UT	52%	44%	4%	52
VA	49%	20%	31%	203
WI	69%	12%	19%	350
Unweighted NCI-IDD Average	63%	18%	18%	2016

Table note: Data display is suppressed (i.e. shown as n/a) for the following states with low counts of responses (n<20): AL, CO, GA, MA, MN, NE, NC, ND, OH, OK, SC. These responses are retained in NCI-IDD Average calculation. AR, DC, IN, and NV do not offer self-direction.

Table C8-7. Gets information about budget and services from financial management service (FMS)

Proxy respondents were allowed for this question

State	Yes	Sometimes	No	N
AL	n/a	n/a	n/a	n/a
AR	n/a	n/a	n/a	n/a
CO	n/a	n/a	n/a	n/a
CT	87%	3%	10%	97
DE	38%	28%	34%	29
DC	n/a	n/a	n/a	n/a
GA	n/a	n/a	n/a	n/a
IL	87%	7%	5%	94
IN	n/a	n/a	n/a	n/a
KS	55%	5%	40%	197
KY	100%	0%	0%	52
MD	85%	0%	15%	33
MA	n/a	n/a	n/a	n/a
MI	78%	10%	12%	82
MN	n/a	n/a	n/a	n/a
MO	88%	6%	6%	49
NE	n/a	n/a	n/a	n/a
NV	n/a	n/a	n/a	n/a
NJ	64%	6%	30%	33
NY	93%	2%	6%	328
NC	n/a	n/a	n/a	n/a
ND	n/a	n/a	n/a	n/a
OH	n/a	n/a	n/a	n/a
OK	n/a	n/a	n/a	n/a
OR	87%	8%	5%	228
PA	81%	14%	5%	42
SC	n/a	n/a	n/a	n/a
UT	57%	36%	7%	44
VA	59%	5%	35%	202
WI	81%	4%	15%	347
Unweighted NCI-IDD Average	78%	7%	16%	1965

Table note: Data display is suppressed (i.e. shown as n/a) for the following states with low counts of responses (n<20): AL, CO, GA, MA, MN, NE, NC, ND, OH, OK, SC. These responses are retained in NCI-IDD Average calculation. States with more than 25% missing or don't know responses are marked with an asterisk (). AR, DC, IN, and NV do not offer self-direction.*

Table C8-8. Information from FMS is easy to understand

Proxy respondents were allowed for this question

State	Yes, easy to understand on own	Some information is easy to understand or understands with help from others	No, not easy to understand and does not get help to understand	N
AL	n/a	n/a	n/a	n/a
AR	n/a	n/a	n/a	n/a
CO	n/a	n/a	n/a	n/a
CT	78%	15%	7%	81
DE	n/a	n/a	n/a	n/a
DC	n/a	n/a	n/a	n/a
GA	n/a	n/a	n/a	n/a
IL	74%	24%	3%	80
IN	n/a	n/a	n/a	n/a
KS	81%	17%	3%	103
KY	80%	20%	0%	51
MD	52%	30%	19%	27
MA	n/a	n/a	n/a	n/a
MI	52%	37%	11%	62
MN	n/a	n/a	n/a	n/a
MO	45%	43%	12%	42
NE	n/a	n/a	n/a	n/a
NV	n/a	n/a	n/a	n/a
NJ	80%	20%	0%	20
NY	71%	25%	4%	302
NC	n/a	n/a	n/a	n/a
ND	n/a	n/a	n/a	n/a
OH	n/a	n/a	n/a	n/a
OK	n/a	n/a	n/a	n/a
OR	74%	22%	3%	196
PA	77%	23%	0%	31
SC	n/a	n/a	n/a	n/a
UT	44%	52%	4%	25
VA	70%	28%	2%	118
WI	61%	28%	11%	278
Unweighted NCI-IDD Average	68%	26%	6%	1500

Table note: Data display is suppressed (i.e. shown as n/a) for the following states with low counts of responses (n<20): AL, CO, DE, GA, MA, MN, NE, NC, ND, OH, OK, SC. These responses are retained in NCI-IDD Average calculation. AR, DC, IN, and NV do not offer self-direction.

Table C8-9. Frequency with which the person gets information from FMS

Proxy respondents were allowed for this question

State	At least every three months	About twice a year	Once a year or less	N
AL	n/a	n/a	n/a	n/a
AR	n/a	n/a	n/a	n/a
CO	n/a	n/a	n/a	n/a
CT	86%	4%	9%	74
DE	n/a	n/a	n/a	n/a
DC	n/a	n/a	n/a	n/a
GA	n/a	n/a	n/a	n/a
IL	35%	32%	32%	71
IN	n/a	n/a	n/a	n/a
KS	67%	13%	20%	93
KY	83%	2%	15%	52
MD	73%	18%	9%	22
MA	n/a	n/a	n/a	n/a
MI	73%	9%	18%	56
MN	n/a	n/a	n/a	n/a
MO	98%	0%	3%	40
NE	n/a	n/a	n/a	n/a
NV	n/a	n/a	n/a	n/a
NJ	n/a	n/a	n/a	n/a
NY	80%	15%	5%	284
NC	n/a	n/a	n/a	n/a
ND	n/a	n/a	n/a	n/a
OH	n/a	n/a	n/a	n/a
OK	n/a	n/a	n/a	n/a
OR	36%	26%	38%	194
PA	54%	36%	11%	28
SC	n/a	n/a	n/a	n/a
UT	55%	36%	9%	22
VA	49%	13%	38%	113
WI	87%	6%	6%	267
Unweighted NCI-IDD Average	68%	15%	17%	1411

Table note: Data display is suppressed (i.e. shown as n/a) for the following states with low counts of responses ($n < 20$): AL, CO, DE, GA, MA, MN, NE, NC, ND, OH, OK, SC. These responses are retained in NCI-IDD Average calculation. AR, DC, IN, and NV do not offer self-direction.

Chapter C9: Service Coordination

Table C9-1. Has met or spoken with case manager/service coordinator

State	Yes	Maybe, not sure	No	N
AL	88%	7%	6%	282
AR	95%	2%	3%	266
CO	90%	3%	7%	567
CT	92%	4%	4%	340
DE	82%	9%	9%	199
DC	87%	5%	8%	225
GA	95%	3%	3%	200
IL	92%	3%	5%	226
IN	94%	2%	4%	630
KS	97%	1%	2%	537
KY	98%	2%	1%	171
MD	88%	3%	9%	251
MA	83%	9%	7%	269
MI	98%	1%	2%	334
MN	83%	5%	12%	164
MO	96%	2%	2%	250
NE	95%	4%	1%	310
NV	86%	6%	8%	338
NJ	86%	8%	6%	228
NY	93%	3%	4%	875
NC	90%	5%	5%	208
ND	92%	6%	2%	123
OH	95%	2%	2%	361
OK	92%	1%	6%	203
OR	94%	2%	5%	266
PA	95%	4%	1%	388
SC	88%	4%	8%	240
UT	96%	2%	2%	170
VA	95%	1%	4%	365
WI	95%	1%	4%	419
Unweighted NCI-IDD Average	92%	3%	4%	9405

Table C9-2. Case manager/service coordinator knows what is important to person

State	Yes	Maybe, knows some things that are important	No	N
AL	91%	5%	3%	239
AR	96%	2%	2%	252
CO	89%	8%	2%	495
CT *	87%	7%	6%	285
DE *	86%	10%	4%	161
DC	92%	5%	3%	191
GA	95%	4%	1%	188
IL	95%	3%	2%	201
IN	94%	5%	2%	577
KS	93%	5%	2%	499
KY	86%	14%	0%	166
MD	90%	2%	8%	210
MA	83%	15%	2%	216
MI	81%	17%	2%	318
MN	92%	4%	4%	134
MO	92%	8%	0%	236
NE	96%	4%	0%	281
NV	86%	13%	1%	287
NJ *	85%	9%	6%	188
NY	91%	5%	4%	778
NC *	95%	4%	1%	182
ND	96%	2%	2%	110
OH	91%	7%	2%	327
OK	93%	6%	1%	183
OR	87%	9%	4%	230
PA	94%	5%	2%	355
SC *	85%	11%	4%	186
UT	88%	11%	1%	162
VA	88%	9%	3%	327
WI	92%	5%	3%	388
Unweighted NCI-IDD Average	90%	7%	3%	8352

Table note: States with more than 25% missing or don't know responses are marked with an asterisk (*).

Table C9-3. Able to contact case manager/service coordinator when wants

State	Yes	Sometimes	No	N
AL	88%	8%	5%	240
AR	94%	3%	2%	251
CO	82%	10%	8%	506
CT *	71%	8%	22%	292
DE *	79%	14%	7%	160
DC	83%	9%	8%	193
GA	86%	6%	8%	189
IL	87%	7%	6%	199
IN	88%	8%	4%	572
KS	85%	8%	8%	504
KY	89%	11%	0%	167
MD	81%	6%	12%	218
MA	73%	18%	9%	211
MI	76%	21%	3%	321
MN *	89%	4%	7%	133
MO	87%	7%	6%	229
NE	88%	6%	5%	278
NV	83%	10%	7%	287
NJ *	74%	17%	9%	185
NY	85%	7%	8%	780
NC *	88%	6%	6%	178
ND	92%	3%	5%	112
OH	89%	6%	5%	330
OK	85%	8%	7%	182
OR	83%	9%	8%	234
PA	89%	6%	5%	346
SC *	74%	8%	18%	195
UT	83%	14%	4%	161
VA *	77%	10%	13%	314
WI	85%	9%	5%	392
Unweighted NCI-IDD Average	84%	9%	7%	8359

Table note: States with more than 25% missing or don't know responses are marked with an asterisk (*).

Table C9-4. Case manager/service coordinator has talked to them about technology that may help them in their everyday life

Proxy respondents were allowed for this question

State	Yes	No	N
AL	51%	49%	468
AR	35%	65%	381
CO	21%	79%	951
CT	40%	60%	508
DE	28%	72%	346
DC *	55%	45%	262
GA	28%	72%	367
IL *	31%	69%	291
IN	50%	50%	723
KS	28%	72%	1114
KY	44%	56%	344
MD	39%	61%	381
MA	35%	65%	322
MI	19%	81%	617
MN	46%	54%	337
MO	48%	52%	322
NE	22%	78%	356
NV	33%	67%	372
NJ	21%	79%	427
NY	25%	75%	1451
NC	36%	64%	436
ND	39%	61%	370
OH	48%	52%	441
OK	27%	73%	361
OR	25%	75%	380
PA	37%	63%	555
SC *	30%	70%	245
UT	23%	77%	276
VA	54%	46%	756
WI	24%	76%	909
Unweighted NCI-IDD Average	33%	67%	15069

Table note: States with more than 25% missing or don't know responses are marked with an asterisk (*).

Table C9-5. Was at last service planning meeting, or had the opportunity to be but chose not to

State	Yes	Had the option but chose not to	No	N
AL	98%	0%	2%	266
AR	94%	1%	5%	233
CO	95%	1%	5%	541
CT	98%	0%	2%	306
DE	90%	2%	8%	184
DC	99%	0%	1%	216
GA	98%	0%	2%	198
IL	97%	0%	2%	216
IN	98%	0%	1%	623
KS	97%	0%	3%	510
KY	92%	8%	0%	168
MD	95%	0%	5%	235
MA	96%	2%	2%	260
MI	96%	1%	4%	322
MN	92%	1%	8%	153
MO	97%	2%	1%	242
NE	99%	0%	1%	292
NV	98%	1%	2%	325
NJ	93%	0%	7%	205
NY	98%	0%	2%	842
NC	95%	3%	3%	193
ND	89%	7%	4%	109
OH	97%	1%	2%	343
OK	97%	1%	3%	200
OR	95%	1%	4%	246
PA	96%	1%	3%	364
SC	90%	0%	10%	189
UT	98%	0%	2%	155
VA	98%	0%	2%	299
WI	94%	1%	5%	386
Unweighted NCI-IDD Average	96%	1%	3%	8821

Table C9-6. Knew what was being talked about at last service planning meeting

State	Yes	In-between	No	N
AL	80%	15%	5%	249
AR	91%	7%	2%	215
CO	82%	15%	3%	502
CT *	80%	11%	9%	283
DE *	78%	11%	11%	156
DC	87%	3%	11%	195
GA	93%	5%	2%	187
IL	94%	5%	1%	205
IN	83%	14%	3%	599
KS	83%	11%	5%	480
KY	83%	16%	1%	151
MD	83%	9%	8%	214
MA	86%	10%	4%	241
MI	78%	19%	3%	296
MN	76%	20%	4%	137
MO	84%	13%	3%	223
NE	76%	18%	7%	276
NV	81%	11%	9%	302
NJ *	73%	21%	7%	184
NY	83%	10%	7%	803
NC *	67%	22%	11%	178
ND *	85%	11%	4%	93
OH	87%	9%	4%	307
OK	85%	10%	5%	178
OR	78%	16%	7%	212
PA	85%	10%	5%	330
SC *	77%	10%	13%	149
UT	93%	5%	2%	147
VA *	62%	29%	9%	269
WI	87%	9%	5%	356
Unweighted NCI-IDD Average	82%	12%	5%	8117

Table note: States with more than 25% missing or don't know responses are marked with an asterisk (*).

Table C9-7. Last service planning meeting included people person wanted to be there

State	Yes	Some people	No	N
AL	85%	10%	5%	258
AR	93%	2%	5%	231
CO	95%	4%	1%	514
CT *	89%	8%	3%	293
DE	88%	6%	6%	172
DC	94%	3%	2%	204
GA	96%	2%	2%	196
IL	96%	2%	2%	212
IN	97%	2%	1%	603
KS	93%	5%	3%	499
KY	86%	14%	0%	162
MD	92%	3%	5%	229
MA	88%	8%	4%	251
MI	86%	12%	3%	313
MN	91%	4%	5%	144
MO	92%	7%	1%	235
NE	94%	5%	1%	278
NV	89%	8%	3%	316
NJ *	89%	7%	4%	187
NY	92%	4%	4%	795
NC *	96%	3%	1%	181
ND *	98%	1%	1%	100
OH	96%	3%	1%	315
OK	94%	4%	3%	193
OR	97%	1%	2%	226
PA	97%	3%	0%	337
SC *	87%	4%	9%	158
UT	98%	1%	1%	155
VA *	96%	3%	1%	278
WI	91%	5%	5%	369
Unweighted NCI-IDD Average	93%	5%	3%	8404

Table note: States with more than 25% missing or don't know responses are marked with an asterisk (*).

Table C9-8. Person helped make service plan

Proxy respondents were allowed for this question

State	Yes	Maybe, not sure	No	N
AL	77%	11%	12%	567
AR	75%	5%	20%	369
CO	71%	8%	20%	1011
CT	60%	3%	37%	562
DE	64%	8%	27%	377
DC	62%	11%	27%	346
GA	92%	4%	4%	402
IL	85%	7%	7%	365
IN	81%	5%	14%	811
KS	77%	6%	17%	1165
KY	84%	14%	1%	414
MD	79%	5%	16%	440
MA	71%	13%	16%	387
MI	86%	6%	8%	638
MN	77%	6%	17%	372
MO	79%	7%	14%	393
NE	81%	8%	11%	359
NV	75%	13%	12%	373
NJ	69%	6%	26%	458
NY	67%	7%	26%	1612
NC	63%	7%	30%	465
ND	71%	4%	25%	388
OH	81%	6%	12%	523
OK	66%	5%	29%	381
OR	67%	9%	24%	402
PA	71%	9%	20%	582
SC *	62%	13%	25%	301
UT	89%	4%	8%	305
VA	68%	5%	27%	796
WI	72%	5%	23%	891
Unweighted NCI-IDD Average	74%	7%	19%	16455

Table note: States with more than 25% missing or don't know responses are marked with an asterisk (*).

Table C9-9. Case manager/service coordinator reviews their service plan with them throughout the year, when needed

Proxy respondents were allowed for this question

State	Yes	Maybe, not sure	No	N
AL	81%	9%	9%	572
AR	95%	2%	2%	377
CO	82%	6%	13%	1016
CT	69%	2%	29%	569
DE	80%	9%	11%	385
DC	88%	9%	3%	352
GA	92%	4%	4%	398
IL	94%	4%	2%	367
IN	95%	2%	2%	814
KS	91%	3%	5%	1160
KY	88%	12%	0%	416
MD	89%	3%	8%	438
MA	65%	16%	19%	387
MI	88%	7%	5%	645
MN	83%	6%	11%	370
MO	89%	5%	6%	389
NE	91%	4%	4%	378
NV	78%	14%	8%	378
NJ	85%	8%	6%	468
NY	91%	4%	5%	1609
NC	86%	6%	8%	464
ND	91%	3%	6%	384
OH	85%	7%	8%	527
OK	88%	4%	8%	384
OR	83%	7%	10%	395
PA	91%	5%	3%	587
SC	83%	9%	8%	328
UT	77%	4%	19%	308
VA	94%	2%	4%	800
WI	93%	3%	4%	896
Unweighted NCI-IDD Average	87%	5%	7%	16561

Table C9-10. Service plan includes things that are important to person

State	Yes	In-between	No	N
AL	93%	5%	2%	222
AR	97%	2%	1%	239
CO	94%	6%	1%	470
CT	94%	2%	4%	159
DE	92%	5%	3%	136
DC	98%	1%	1%	101
GA	96%	3%	1%	189
IL	97%	2%	1%	199
IN	96%	4%	1%	575
KS	96%	3%	1%	447
KY	89%	11%	0%	155
MD	97%	2%	2%	192
MA	92%	7%	0%	226
MI	80%	20%	1%	275
MN	96%	3%	1%	115
MO	95%	5%	0%	208
NE	95%	3%	1%	216
NV	95%	4%	0%	245
NJ	93%	5%	2%	165
NY	95%	3%	2%	770
NC	95%	3%	2%	185
ND	96%	4%	0%	97
OH	96%	4%	0%	300
OK	94%	4%	2%	192
OR	94%	4%	2%	217
PA	96%	4%	0%	290
SC	86%	12%	2%	138
UT	97%	1%	1%	134
VA	95%	5%	0%	254
WI	94%	4%	2%	322
Unweighted NCI-IDD Average	94%	5%	1%	7433

Table C9-11. Knows who to ask if wants to change something about services

Proxy respondents were allowed for this question

State	Yes	Maybe, not sure	No	N
AL	77%	9%	14%	571
AR	96%	2%	2%	383
CO	77%	8%	15%	1029
CT	58%	4%	38%	577
DE	70%	11%	19%	396
DC	79%	8%	13%	358
GA	90%	5%	5%	398
IL	84%	10%	5%	374
IN	83%	6%	11%	816
KS	90%	4%	6%	1172
KY	85%	14%	1%	413
MD	76%	3%	21%	440
MA	76%	13%	11%	385
MI	70%	14%	16%	645
MN	81%	8%	11%	389
MO	80%	8%	12%	391
NE	84%	8%	9%	363
NV	77%	10%	13%	416
NJ	76%	5%	19%	473
NY	78%	5%	17%	1636
NC	90%	6%	4%	477
ND	89%	5%	6%	403
OH	88%	5%	7%	535
OK	84%	4%	12%	388
OR	85%	5%	10%	405
PA	83%	6%	11%	615
SC	73%	8%	19%	360
UT	93%	3%	4%	316
VA	58%	5%	36%	796
WI	85%	5%	10%	948
Unweighted NCI-IDD Average	80%	7%	14%	16868

Table C9-12. Of those who say they want to learn to perform ADLs more independently, the percentage who have a related goal in the service plan

State	Yes	No	N
AL	100%	0%	60
AR	90%	10%	20
CO *	55%	45%	66
CT	80%	20%	80
DE	15%	85%	39
DC	n/a	n/a	n/a
GA	86%	14%	21
IL	85%	15%	39
IN	98%	2%	104
KS	62%	38%	149
KY	80%	20%	50
MD	38%	63%	40
MA	60%	40%	35
MI	80%	20%	51
MN	n/a	n/a	n/a
MO	84%	16%	32
NE	61%	39%	44
NV	69%	31%	32
NJ	83%	17%	53
NY	75%	25%	175
NC	94%	6%	51
ND	n/a	n/a	n/a
OH *	48%	52%	29
OK	94%	6%	32
OR	80%	20%	59
PA	76%	24%	25
SC	73%	27%	30
UT	n/a	n/a	n/a
VA	93%	7%	165
WI *	59%	41%	49
Unweighted NCI-IDD Average	76%	24%	1577

Table note: Data display is suppressed (i.e. shown as n/a) for the following states with low counts of responses (n<20): DC, MN, ND, UT. These responses are retained in NCI-IDD Average calculation. States with more than 25% missing or don't know responses are marked with an asterisk ().*

Table C9-13. Of those who say they want a paid job in the community (and do not currently have one), the percentage who have community employment as a goal in the service plan

State	Yes	No	N
AL	55%	45%	88
AR	29%	71%	80
CO	39%	61%	64
CT	33%	67%	89
DE	n/a	n/a	n/a
DC	77%	23%	70
GA	16%	84%	49
IL	27%	73%	45
IN	40%	60%	210
KS	n/a	n/a	n/a
KY	41%	59%	22
MD	51%	49%	91
MA	29%	71%	45
MI	31%	69%	68
MN	n/a	n/a	n/a
MO	38%	62%	45
NE	18%	82%	73
NV	39%	61%	109
NJ	57%	43%	76
NY	20%	80%	311
NC	30%	70%	69
ND	n/a	n/a	n/a
OH	33%	67%	61
OK	44%	56%	50
OR	65%	35%	69
PA	34%	66%	79
SC	26%	74%	89
UT	41%	59%	34
VA	44%	56%	126
WI	n/a	n/a	n/a
Unweighted NCI-IDD Average	37%	63%	2118

Table note: Data display is suppressed (i.e. shown as n/a) for the following states with low counts of responses (n<20): DE, KS, MN, ND, WI. These responses are retained in NCI-IDD Average calculation. States with more than 25% missing or don't know responses are marked with an asterisk ().*

Chapter C10: Workforce

Table C10-1. Staff are respectful of person's culture

State	Yes, all staff, always	Sometimes or some staff	No	N
AL	95%	4%	1%	140
AR	96%	4%	0%	241
CO	94%	4%	2%	305
CT	93%	5%	2%	279
DE	89%	11%	0%	61
DC	93%	5%	2%	190
GA	93%	7%	0%	82
IL	98%	1%	1%	92
IN	96%	3%	0%	537
KS	93%	6%	2%	301
KY	91%	9%	0%	33
MD	98%	2%	0%	118
MA	89%	9%	1%	141
MI	86%	13%	1%	167
MN	95%	3%	2%	59
MO	96%	4%	0%	144
NE	96%	3%	1%	274
NV	93%	5%	2%	260
NJ	89%	9%	1%	141
NY	94%	6%	0%	373
NC	96%	3%	1%	147
ND	95%	4%	1%	80
OH	94%	4%	1%	207
OK	93%	5%	2%	56
OR	97%	2%	1%	157
PA	98%	2%	0%	154
SC	88%	9%	4%	185
UT	91%	8%	1%	95
VA	94%	5%	1%	258
WI	94%	6%	0%	237
Unweighted NCI-IDD Average	94%	5%	1%	5514

Table C10-2. Staff treat person with respect

State	Yes, all staff, always	Sometimes or some staff	No	N
AL	93%	7%	0%	143
AR	95%	5%	0%	242
CO	91%	9%	0%	313
CT	90%	8%	2%	295
DE	89%	10%	2%	63
DC	89%	9%	2%	193
GA	95%	5%	0%	83
IL	94%	5%	1%	96
IN	93%	6%	1%	548
KS	88%	11%	2%	303
KY	91%	9%	0%	33
MD	95%	4%	1%	117
MA	86%	12%	1%	146
MI	89%	11%	1%	168
MN	92%	7%	2%	60
MO	95%	5%	0%	149
NE	91%	8%	1%	289
NV	93%	6%	1%	264
NJ	85%	12%	3%	143
NY	92%	7%	1%	380
NC	92%	7%	1%	149
ND	93%	5%	2%	81
OH	91%	9%	0%	214
OK	84%	12%	4%	57
OR	95%	5%	0%	160
PA	97%	3%	0%	159
SC	83%	12%	5%	195
UT	88%	12%	0%	98
VA	91%	8%	1%	278
WI	93%	7%	0%	241
Unweighted NCI-IDD Average	91%	8%	1%	5660

Table C10-3. Person can talk or communicate with staff in their preferred language

State	Yes, all staff, always	Sometimes or some staff	No	N
AL	96%	4%	0%	141
AR	98%	2%	0%	241
CO	96%	3%	1%	313
CT	97%	2%	1%	288
DE	98%	2%	0%	62
DC	95%	4%	1%	187
GA	100%	0%	0%	83
IL	99%	1%	0%	94
IN	97%	3%	1%	551
KS	98%	1%	1%	298
KY	94%	6%	0%	33
MD	97%	2%	2%	118
MA	95%	5%	0%	145
MI	96%	4%	1%	170
MN	93%	5%	2%	60
MO	99%	1%	0%	146
NE	97%	2%	1%	290
NV	96%	3%	1%	261
NJ	98%	2%	0%	142
NY	97%	3%	0%	377
NC	99%	1%	0%	146
ND	95%	4%	1%	79
OH	95%	4%	0%	208
OK	98%	2%	0%	57
OR	100%	0%	0%	159
PA	97%	3%	0%	156
SC	92%	6%	2%	186
UT	98%	2%	0%	97
VA	97%	3%	1%	265
WI	96%	3%	1%	238
Unweighted NCI-IDD Average	97%	3%	1%	5591

Table C10-4. Staff do things the way person wants them done

State	Yes, all staff, always	Sometimes or some staff	No	N
AL	88%	12%	1%	130
AR	98%	2%	0%	242
CO	83%	15%	2%	307
CT	86%	11%	3%	284
DE	69%	23%	8%	62
DC	87%	10%	3%	193
GA	85%	9%	6%	82
IL	88%	11%	1%	93
IN	92%	7%	1%	553
KS	79%	16%	5%	295
KY	61%	39%	0%	33
MD	86%	10%	3%	118
MA	79%	15%	6%	145
MI	84%	16%	1%	166
MN	80%	17%	3%	60
MO	85%	14%	1%	143
NE	87%	11%	2%	269
NV	87%	11%	2%	260
NJ	81%	15%	4%	140
NY	88%	10%	2%	374
NC	86%	13%	1%	147
ND	80%	16%	4%	80
OH	83%	15%	1%	208
OK	89%	9%	2%	56
OR	82%	14%	5%	154
PA	93%	6%	1%	155
SC	76%	17%	7%	183
UT	80%	13%	6%	97
VA	87%	12%	1%	256
WI	84%	15%	1%	234
Unweighted NCI-IDD Average	86%	12%	2%	5519

Table C10-5. When in the community, staff support person in the way they want

State	Yes, all staff, always	Sometimes or some staff	No	N
AL	93%	6%	1%	137
AR	99%	1%	0%	242
CO	88%	9%	3%	304
CT	93%	4%	3%	285
DE	82%	15%	3%	60
DC	89%	9%	2%	190
GA	93%	6%	1%	80
IL	95%	4%	1%	94
IN	94%	4%	1%	542
KS	89%	8%	3%	292
KY	66%	34%	0%	32
MD	89%	7%	4%	116
MA	85%	12%	3%	142
MI	88%	11%	1%	166
MN	88%	10%	2%	58
MO	89%	8%	3%	141
NE	89%	9%	2%	279
NV	91%	7%	2%	253
NJ	89%	8%	3%	141
NY	88%	9%	4%	369
NC	89%	9%	2%	148
ND	90%	10%	0%	80
OH	89%	10%	1%	209
OK	95%	2%	4%	56
OR	89%	8%	3%	157
PA	95%	3%	1%	147
SC	83%	12%	5%	185
UT	95%	4%	1%	95
VA	89%	9%	2%	265
WI	86%	10%	4%	224
Unweighted NCI-IDD Average	90%	8%	2%	5489

Table C10-6. Staff come and leave when they are supposed to

State	Yes, all staff, always	Sometimes or some staff	No	N
AL	91%	9%	0%	118
AR	97%	3%	0%	233
CO	87%	10%	2%	268
CT	87%	11%	1%	275
DE	91%	7%	2%	57
DC	92%	8%	0%	177
GA	85%	13%	3%	78
IL	90%	9%	1%	89
IN	96%	4%	0%	541
KS	90%	7%	2%	282
KY	75%	22%	3%	32
MD	95%	3%	2%	116
MA	85%	12%	2%	137
MI	82%	17%	1%	162
MN	86%	13%	2%	56
MO	95%	5%	0%	140
NE	90%	9%	1%	267
NV	91%	7%	2%	245
NJ	88%	11%	1%	123
NY	92%	7%	2%	356
NC	95%	4%	1%	137
ND	87%	10%	3%	77
OH	95%	4%	2%	192
OK	94%	4%	2%	54
OR	89%	9%	2%	153
PA	94%	5%	1%	145
SC *	79%	15%	6%	131
UT	86%	14%	0%	94
VA	90%	8%	2%	215
WI	92%	7%	1%	219
Unweighted NCI-IDD Average	91%	8%	1%	5169

Table note: States with more than 25% missing or don't know responses are marked with an asterisk (*).

Table C10-7. Person's staff change too often

"Average Within State" reflects "Yes, staff do change too often" and "Sometimes or Some Staff" options.

State	Yes, staff do change too often	Sometimes or some staff	No, staff do not change too often	N
AL	20%	27%	53%	117
AR	10%	14%	76%	242
CO	33%	25%	42%	306
CT	22%	14%	65%	266
DE	20%	25%	54%	59
DC	11%	17%	72%	183
GA	16%	33%	51%	80
IL	22%	25%	53%	87
IN	20%	27%	53%	546
KS	23%	19%	58%	287
KY	16%	41%	44%	32
MD	20%	23%	57%	116
MA	21%	42%	37%	139
MI	10%	38%	52%	165
MN	36%	17%	47%	59
MO	13%	29%	58%	143
NE	22%	26%	53%	279
NV	30%	22%	48%	257
NJ	16%	35%	49%	140
NY	22%	17%	61%	369
NC	8%	20%	72%	139
ND	19%	18%	63%	78
OH	16%	25%	60%	205
OK	18%	21%	61%	56
OR	17%	12%	71%	155
PA	15%	21%	64%	146
SC	27%	25%	48%	175
UT	16%	15%	69%	95
VA	11%	17%	72%	231
WI	17%	12%	72%	240
Unweighted NCI-IDD Average	19%	22%	58%	5392

Table C10-8. Staff have the right training to meet person's needs

Proxy respondents (who were not staff) were allowed for this question

State	Yes	Maybe, not sure, or only some staff have the right training	No	N
AL	94%	3%	3%	297
AR	97%	3%	0%	319
CO	81%	15%	4%	693
CT	86%	9%	5%	418
DE	86%	12%	2%	216
DC	85%	10%	5%	229
GA	96%	2%	2%	247
IL	94%	4%	2%	250
IN	93%	6%	2%	628
KS	84%	11%	4%	905
KY	96%	4%	0%	161
MD	91%	4%	4%	313
MA	86%	12%	3%	260
MI	82%	16%	3%	390
MN	83%	13%	4%	280
MO	92%	7%	1%	258
NE	86%	11%	3%	306
NV	86%	10%	4%	350
NJ	83%	14%	3%	211
NY	85%	9%	5%	949
NC	89%	8%	3%	336
ND	78%	17%	5%	280
OH	86%	10%	3%	348
OK	91%	5%	4%	278
OR	88%	9%	3%	269
PA	95%	4%	1%	354
SC	85%	6%	9%	268
UT	88%	9%	3%	216
VA	88%	8%	4%	558
WI	87%	7%	6%	660
Unweighted NCI-IDD Average	87%	9%	4%	11247

Chapter C11: Access

Table C11-1. Able to get places when wants to do something outside of home like going out to see friends, for entertainment, or to do something fun.

State	Yes	Sometimes	No, almost never	N
AL	84%	13%	2%	282
AR	92%	6%	1%	268
CO	77%	20%	3%	582
CT	86%	13%	1%	359
DE	77%	21%	2%	214
DC	90%	9%	1%	230
GA	86%	13%	0%	202
IL	78%	19%	3%	234
IN	89%	10%	1%	634
KS	72%	24%	4%	541
KY	47%	52%	1%	171
MD	81%	14%	5%	249
MA	81%	17%	2%	271
MI	76%	20%	4%	330
MN	84%	12%	4%	168
MO	85%	15%	0%	252
NE	61%	37%	2%	299
NV	78%	17%	5%	343
NJ	81%	17%	3%	236
NY	80%	16%	4%	895
NC	78%	20%	2%	228
ND	81%	15%	5%	129
OH	74%	23%	2%	359
OK	93%	5%	2%	205
OR	84%	15%	1%	261
PA	91%	7%	2%	392
SC	81%	15%	4%	269
UT	79%	18%	3%	169
VA	85%	14%	1%	380
WI	75%	16%	9%	429
Unweighted NCI-IDD Average	80%	17%	3%	9581

Table C11-2. Has a way to get places needs to go (like work, appointments, etc.)

State	Yes	Sometimes	No, almost never	N
AL	94%	5%	1%	281
AR	100%	0%	0%	263
CO	96%	3%	1%	584
CT	98%	2%	0%	357
DE	94%	6%	0%	217
DC	93%	6%	1%	231
GA	95%	5%	0%	203
IL	98%	1%	0%	233
IN	95%	5%	0%	630
KS	94%	5%	1%	547
KY	60%	38%	2%	172
MD	94%	5%	2%	252
MA	97%	1%	1%	274
MI	94%	6%	0%	331
MN	93%	5%	2%	168
MO	95%	4%	1%	253
NE	98%	2%	0%	305
NV	94%	6%	1%	343
NJ	95%	4%	1%	237
NY	94%	5%	1%	906
NC	94%	4%	1%	226
ND	96%	3%	1%	131
OH	95%	5%	0%	359
OK	98%	1%	1%	206
OR	92%	7%	1%	267
PA	97%	3%	0%	395
SC	95%	5%	0%	273
UT	89%	10%	1%	171
VA	97%	3%	1%	382
WI	87%	10%	3%	430
Unweighted NCI-IDD Average	94%	5%	1%	9627

Table C11-3. Has access to the internet

Proxy respondents were allowed for this question

State	Yes	Sometimes	No	N
AL	85%	2%	13%	569
AR	80%	0%	20%	386
CO	83%	3%	14%	1028
CT	90%	1%	10%	591
DE	81%	1%	18%	404
DC	88%	1%	12%	379
GA	91%	3%	6%	399
IL	80%	2%	17%	367
IN	90%	1%	10%	817
KS	75%	2%	23%	1176
KY	83%	4%	13%	416
MD	89%	0%	11%	442
MA	86%	2%	13%	396
MI	85%	4%	11%	661
MN	77%	1%	21%	382
MO	81%	2%	18%	398
NE	75%	2%	23%	381
NV	78%	3%	20%	420
NJ	82%	2%	15%	483
NY	89%	1%	11%	1625
NC	92%	1%	6%	480
ND	80%	4%	17%	397
OH	86%	2%	11%	540
OK	70%	0%	29%	385
OR	83%	1%	16%	414
PA	83%	2%	15%	683
SC	82%	1%	17%	382
UT	90%	2%	8%	306
VA	96%	0%	3%	812
WI	78%	2%	20%	949
Unweighted NCI-IDD Average	84%	2%	14%	17068

Please note: This may be in the home, using a smartphone, in a local coffee shop, or somewhere the person spends time during the day.

Table C11-4. Internet always works at home

Proxy respondents were allowed for this question

State	Always works	Sometimes works	Rarely or never works	N
AL	89%	11%	0%	327
AR	95%	4%	0%	263
CO	89%	11%	1%	728
CT	82%	18%	0%	400
DE	91%	8%	1%	233
DC	95%	5%	0%	244
GA	93%	7%	0%	254
IL	92%	8%	0%	250
IN	90%	10%	0%	506
KS	90%	10%	1%	771
KY	67%	33%	0%	236
MD	89%	10%	1%	350
MA	86%	13%	1%	266
MI	87%	13%	0%	467
MN	87%	13%	0%	202
MO	91%	8%	1%	259
NE	77%	22%	0%	252
NV	79%	20%	1%	296
NJ	89%	10%	2%	300
NY	83%	16%	0%	1172
NC	92%	7%	1%	340
ND	96%	4%	0%	280
OH	86%	14%	0%	365
OK	82%	17%	0%	219
OR	78%	21%	2%	307
PA	89%	11%	1%	465
SC	91%	8%	0%	244
UT	95%	5%	0%	237
VA	91%	8%	0%	642
WI	84%	16%	0%	647
Unweighted NCI-IDD Average	87%	12%	0%	11522

Table C11-5. Frequency uses internet

Proxy respondents were allowed for this question

State	Everyday	Several times a week	Several times a month	Several times a year	Not at all	N
AL	51%	14%	3%	3%	30%	487
AR	74%	11%	2%	1%	12%	305
CO	63%	12%	6%	3%	16%	883
CT	58%	11%	6%	2%	23%	527
DE	47%	19%	5%	1%	28%	329
DC	51%	14%	7%	3%	26%	331
GA	56%	16%	4%	1%	24%	365
IL	61%	18%	8%	2%	12%	292
IN	54%	13%	4%	1%	28%	728
KS	71%	12%	4%	1%	12%	902
KY	42%	18%	6%	2%	33%	360
MD	75%	10%	4%	3%	9%	387
MA	55%	14%	7%	4%	20%	338
MI	63%	11%	5%	3%	17%	578
MN *	53%	11%	3%	3%	30%	294
MO	62%	13%	5%	3%	17%	321
NE *	65%	16%	7%	2%	10%	290
NV	74%	14%	5%	1%	6%	329
NJ	55%	15%	4%	2%	24%	406
NY	64%	10%	6%	2%	17%	1434
NC	58%	10%	7%	2%	23%	435
ND	72%	12%	3%	0%	12%	327
OH	61%	12%	7%	3%	18%	466
OK *	69%	9%	3%	1%	18%	272
OR	78%	7%	4%	0%	10%	344
PA	62%	15%	4%	2%	17%	565
SC	71%	11%	2%	1%	16%	311
UT	62%	18%	4%	2%	13%	277
VA	61%	13%	7%	1%	18%	784
WI	71%	10%	4%	2%	13%	756
Unweighted NCI-IDD Average	62%	13%	5%	2%	18%	14423

Table note: States with more than 25% missing or don't know responses are marked with an asterisk (*).

Table C11-6. Uses technology in everyday life to help them do more things on their own

Proxy respondents were allowed for this question. “Using technology in everyday life” refers to things like using a smartphone app to help get places, setting automatic alerts or reminders to do things like take medication, and using apps to show how to do things like preparing meals.

State	Yes	No	N
AL	25%	75%	553
AR	26%	74%	385
CO	33%	67%	1018
CT	40%	60%	587
DE	26%	74%	398
DC	35%	65%	374
GA	26%	74%	397
IL	25%	75%	354
IN	26%	74%	811
KS	32%	68%	1160
KY	23%	77%	350
MD	40%	60%	443
MA	36%	64%	392
MI	26%	74%	638
MN	26%	74%	377
MO	26%	74%	393
NE	30%	70%	370
NV	46%	54%	412
NJ	21%	79%	475
NY	28%	72%	1607
NC	23%	77%	471
ND	34%	66%	393
OH	34%	66%	529
OK	32%	68%	385
OR	31%	69%	407
PA	35%	65%	668
SC	23%	77%	366
UT	21%	79%	297
VA	27%	73%	806
WI	36%	64%	946
Unweighted NCI-IDD Average	30%	70%	16762

Table C11-7. Has enough help to use the technology and devices that help them in their everyday life (if uses technology that helps them do more things on their own)

Proxy respondents were allowed for this question

State	Yes	Sometimes or some technology	No	N
AL	90%	2%	8%	137
AR	99%	0%	1%	98
CO	88%	8%	4%	335
CT	97%	1%	1%	227
DE	92%	6%	2%	102
DC	94%	2%	3%	127
GA	95%	5%	0%	101
IL	91%	8%	1%	85
IN	99%	0%	0%	209
KS	93%	4%	3%	355
KY	92%	3%	5%	77
MD	92%	3%	4%	178
MA	85%	8%	7%	135
MI	93%	6%	1%	160
MN	86%	8%	5%	96
MO	95%	4%	1%	100
NE	97%	2%	1%	106
NV	87%	7%	5%	187
NJ	92%	7%	1%	101
NY	91%	5%	4%	424
NC	92%	4%	5%	106
ND	95%	3%	2%	131
OH	95%	4%	1%	175
OK	98%	2%	0%	122
OR	91%	5%	4%	123
PA	92%	5%	2%	225
SC	93%	4%	3%	74
UT	97%	0%	3%	60
VA	90%	7%	4%	214
WI	93%	2%	4%	337
Unweighted NCI-IDD Average	93%	4%	3%	4907

Table C11-8. Knows who to talk to if there are issues with the technology and devices that help them in their everyday life (if uses technology that helps them do more things on their own)

Proxy respondents were allowed for this question

State	Yes	Maybe, not sure	No	N
AL	91%	3%	7%	137
AR	99%	1%	0%	99
CO	89%	7%	4%	335
CT	92%	0%	7%	230
DE	92%	3%	5%	103
DC	95%	0%	5%	128
GA	96%	2%	2%	102
IL	94%	4%	2%	84
IN	97%	1%	2%	209
KS	94%	2%	3%	361
KY	90%	1%	9%	77
MD	92%	2%	6%	177
MA	90%	8%	2%	138
MI	88%	6%	6%	162
MN	87%	8%	5%	97
MO	90%	8%	2%	102
NE	96%	1%	3%	107
NV	90%	6%	4%	186
NJ	93%	2%	5%	102
NY	91%	3%	6%	429
NC	97%	2%	1%	104
ND	95%	2%	3%	133
OH	96%	2%	2%	175
OK	99%	0%	1%	123
OR	95%	2%	3%	124
PA	94%	3%	3%	220
SC	96%	3%	1%	75
UT	95%	2%	3%	60
VA	90%	4%	6%	214
WI	95%	2%	4%	337
Unweighted NCI-IDD Average	93%	3%	4%	4930

Table C11-9. Has used telehealth to talk with a health professional.

Proxy respondents were allowed for this question

State	Yes	No	N
AL	34%	66%	548
AR	40%	60%	376
CO	57%	43%	1000
CT	60%	40%	578
DE	61%	39%	401
DC	58%	42%	365
GA	35%	65%	379
IL	41%	59%	354
IN	33%	67%	792
KS	46%	54%	1160
KY	58%	42%	352
MD	66%	34%	419
MA	63%	37%	390
MI	56%	44%	650
MN	47%	53%	365
MO	46%	54%	377
NE	33%	67%	370
NV	44%	56%	405
NJ	61%	39%	463
NY	64%	36%	1587
NC	57%	43%	480
ND	28%	72%	392
OH	54%	46%	525
OK	45%	55%	387
OR	60%	40%	406
PA	49%	51%	670
SC	42%	58%	331
UT	41%	59%	299
VA	65%	35%	801
WI	42%	58%	942
Unweighted NCI-IDD Average	51%	49%	16564

Table C11-10. Accessed services or supports using videoconference technology

Proxy respondents were allowed for this question

State	Yes	No	N
AL	10%	90%	547
AR	11%	89%	386
CO	31%	69%	1016
CT	30%	70%	565
DE	31%	69%	391
DC	29%	71%	356
GA	20%	80%	379
IL	18%	82%	351
IN	11%	89%	802
KS	21%	79%	1154
KY	12%	88%	344
MD	40%	60%	432
MA	32%	68%	377
MI	14%	86%	647
MN	16%	84%	363
MO	13%	87%	378
NE	19%	81%	374
NV	20%	80%	402
NJ	34%	66%	474
NY	31%	69%	1563
NC	18%	82%	471
ND	15%	85%	388
OH	22%	78%	517
OK	8%	92%	385
OR	19%	81%	406
PA	29%	71%	656
SC	6%	94%	314
UT	11%	89%	294
VA	18%	82%	800
WI	20%	80%	944
Unweighted NCI-IDD Average	22%	78%	16476

Table C11-11. Has talked with their case manager/service coordinator using videoconference technology

Proxy respondents were allowed for this question

State	Yes	No	N
AL	19%	81%	550
AR	19%	81%	383
CO	59%	41%	1015
CT	48%	52%	560
DE	40%	60%	388
DC	65%	35%	359
GA	30%	70%	379
IL	35%	65%	348
IN	33%	67%	800
KS	38%	62%	1160
KY	62%	38%	367
MD	60%	40%	430
MA	61%	39%	373
MI	42%	58%	644
MN	41%	59%	355
MO	49%	51%	379
NE	18%	82%	367
NV	30%	70%	397
NJ	41%	59%	453
NY	59%	41%	1548
NC	48%	52%	465
ND	16%	84%	390
OH	34%	66%	516
OK	53%	47%	384
OR	54%	46%	401
PA	44%	56%	659
SC	13%	87%	318
UT	44%	56%	300
VA	37%	63%	801
WI	13%	87%	933
Unweighted NCI-IDD Average	41%	59%	16422

Table C11-12. Has a cell phone or smartphone

State	Yes	No	N
AL	55%	45%	281
AR	72%	28%	269
CO	75%	25%	586
CT	59%	41%	357
DE	68%	32%	216
DC	72%	28%	233
GA	73%	27%	202
IL	57%	43%	237
IN	61%	39%	638
KS	72%	28%	548
KY	80%	20%	170
MD	85%	15%	253
MA	61%	39%	276
MI	62%	38%	337
MN	49%	51%	166
MO	62%	38%	254
NE	68%	32%	319
NV	75%	25%	351
NJ	53%	47%	237
NY	73%	27%	905
NC	62%	38%	225
ND	67%	33%	128
OH	65%	35%	368
OK	74%	26%	206
OR	78%	22%	269
PA	71%	29%	398
SC	67%	33%	278
UT	78%	22%	174
VA	61%	39%	381
WI	78%	22%	432
Unweighted NCI-IDD Average	68%	32%	9694

Table C11-13. Wants a cell phone or smartphone (if does not have one)

State	Yes	No	N
AL	52%	48%	112
AR	38%	62%	73
CO	52%	48%	140
CT	56%	44%	132
DE	45%	55%	64
DC	69%	31%	62
GA	51%	49%	53
IL	36%	64%	94
IN	38%	62%	238
KS	51%	49%	121
KY	19%	81%	27
MD	47%	53%	38
MA	40%	60%	98
MI	49%	51%	116
MN	37%	63%	82
MO	34%	66%	86
NE	47%	53%	91
NV	58%	42%	84
NJ	50%	50%	103
NY	53%	47%	235
NC	53%	47%	77
ND	15%	85%	40
OH	40%	60%	109
OK	48%	52%	52
OR	37%	63%	49
PA	44%	56%	107
SC	68%	33%	80
UT	31%	69%	35
VA	31%	69%	140
WI	47%	53%	88
Unweighted NCI-IDD Average	46%	54%	2826

Chapter C12: Safety

Table C12-1. Are there any places that you feel afraid or scared? - Home

State	Yes	No	N
AL	5%	95%	264
AR	2%	98%	268
CO	5%	95%	579
CT	12%	88%	364
DE	6%	94%	214
DC	4%	96%	230
GA	3%	97%	199
IL	3%	97%	229
IN	3%	97%	631
KS	9%	91%	544
KY	0%	100%	157
MD	3%	97%	252
MA	6%	94%	260
MI	2%	98%	310
MN	7%	93%	175
MO	5%	95%	246
NE	2%	98%	309
NV	8%	92%	337
NJ	3%	97%	228
NY	5%	95%	917
NC	2%	98%	216
ND	2%	98%	132
OH	5%	95%	346
OK	2%	98%	203
OR	5%	95%	255
PA	4%	96%	386
SC	5%	95%	262
UT	3%	97%	163
VA	2%	98%	382
WI	7%	93%	423
Unweighted NCI-IDD Average	5%	95%	9481

Table C12-2. Are there any places that you feel afraid or scared? - Day program

State	Yes	No	N
AL	1%	99%	264
AR	1%	99%	268
CO	3%	97%	579
CT	10%	90%	364
DE	4%	96%	214
DC	1%	99%	230
GA	1%	99%	199
IL	1%	99%	229
IN	1%	99%	631
KS	6%	94%	544
KY	0%	100%	157
MD	0%	100%	252
MA	3%	97%	260
MI	1%	99%	310
MN	1%	99%	175
MO	1%	99%	246
NE	1%	99%	309
NV	2%	98%	337
NJ	0%	100%	228
NY	2%	98%	917
NC	2%	98%	216
ND	1%	99%	132
OH	2%	98%	346
OK	0%	100%	203
OR	0%	100%	255
PA	0%	100%	386
SC	3%	97%	262
UT	3%	97%	163
VA	2%	98%	382
WI	1%	99%	423
Unweighted NCI-IDD Average	2%	98%	9481

Table C12-3. Are there any places that you feel afraid or scared? - Work

State	Yes	No	N
AL	1%	99%	264
AR	0%	100%	268
CO	1%	99%	579
CT	2%	98%	364
DE	1%	99%	214
DC	1%	99%	230
GA	0%	100%	199
IL	0%	100%	229
IN	0%	100%	631
KS	2%	98%	544
KY	0%	100%	157
MD	2%	98%	252
MA	0%	100%	260
MI	1%	99%	310
MN	1%	99%	175
MO	0%	100%	246
NE	0%	100%	309
NV	1%	99%	337
NJ	1%	99%	228
NY	1%	99%	917
NC	1%	99%	216
ND	1%	99%	132
OH	1%	99%	346
OK	1%	99%	203
OR	2%	98%	255
PA	1%	99%	386
SC	1%	99%	262
UT	1%	99%	163
VA	1%	99%	382
WI	1%	99%	423
Unweighted NCI-IDD Average	1%	99%	9481

Table C12-4. Are there any places that you feel afraid or scared? - Walking in neighborhood

State	Yes	No	N
AL	2%	98%	264
AR	1%	99%	268
CO	9%	91%	579
CT	10%	90%	364
DE	7%	93%	214
DC	8%	92%	230
GA	2%	98%	199
IL	2%	98%	229
IN	2%	98%	631
KS	7%	93%	544
KY	0%	100%	157
MD	8%	92%	252
MA	5%	95%	260
MI	4%	96%	310
MN	2%	98%	175
MO	3%	97%	246
NE	2%	98%	309
NV	7%	93%	337
NJ	1%	99%	228
NY	8%	92%	917
NC	5%	95%	216
ND	3%	97%	132
OH	5%	95%	346
OK	2%	98%	203
OR	9%	91%	255
PA	2%	98%	386
SC	3%	97%	262
UT	7%	93%	163
VA	3%	97%	382
WI	9%	91%	423
Unweighted NCI-IDD Average	5%	95%	9481

Table C12-5. Are there any places that you feel afraid or scared? - In transport

State	Yes	No	N
AL	2%	98%	264
AR	0%	100%	268
CO	7%	93%	579
CT	10%	90%	364
DE	7%	93%	214
DC	4%	96%	230
GA	0%	100%	199
IL	0%	100%	229
IN	1%	99%	631
KS	7%	93%	544
KY	0%	100%	157
MD	4%	96%	252
MA	2%	98%	260
MI	3%	97%	310
MN	2%	98%	175
MO	0%	100%	246
NE	1%	99%	309
NV	5%	95%	337
NJ	1%	99%	228
NY	8%	92%	917
NC	2%	98%	216
ND	5%	95%	132
OH	3%	97%	346
OK	0%	100%	203
OR	10%	90%	255
PA	2%	98%	386
SC	0%	100%	262
UT	6%	94%	163
VA	3%	97%	382
WI	5%	95%	423
Unweighted NCI-IDD Average	4%	96%	9481

Table C12-6. Are there any places that you feel afraid or scared? - Other

State	Yes	No	N
AL	7%	93%	264
AR	25%	75%	268
CO	13%	87%	579
CT	11%	89%	364
DE	4%	96%	214
DC	5%	95%	230
GA	1%	99%	199
IL	12%	88%	229
IN	16%	84%	631
KS	14%	86%	544
KY	1%	99%	157
MD	12%	88%	252
MA	11%	89%	260
MI	9%	91%	310
MN	6%	94%	175
MO	9%	91%	246
NE	12%	88%	309
NV	11%	89%	337
NJ	17%	83%	228
NY	10%	90%	917
NC	13%	87%	216
ND	12%	88%	132
OH	5%	95%	346
OK	10%	90%	203
OR	12%	88%	255
PA	3%	97%	386
SC	8%	92%	262
UT	8%	92%	163
VA	6%	94%	382
WI	8%	92%	423
Unweighted NCI-IDD Average	10%	90%	9481

Table C12-7. Has someone to go to for help when they feel afraid

State	Yes	Maybe, not sure	No	N
AL	91%	5%	4%	282
AR	98%	1%	1%	268
CO	94%	3%	2%	581
CT	92%	3%	5%	359
DE	90%	4%	6%	213
DC	92%	1%	6%	226
GA	94%	2%	4%	206
IL	95%	1%	4%	236
IN	97%	2%	1%	634
KS	96%	2%	2%	558
KY	96%	3%	1%	158
MD	90%	2%	8%	250
MA	94%	4%	2%	265
MI	90%	7%	3%	330
MN	94%	3%	3%	174
MO	95%	2%	3%	245
NE	92%	3%	5%	309
NV	87%	6%	7%	341
NJ	92%	3%	5%	234
NY	93%	2%	5%	912
NC	92%	4%	4%	222
ND	98%	1%	2%	129
OH	95%	2%	3%	358
OK	96%	1%	3%	204
OR	96%	2%	2%	257
PA	93%	4%	3%	384
SC	90%	2%	7%	270
UT	94%	1%	5%	172
VA	93%	4%	3%	391
WI	90%	3%	7%	432
Unweighted NCI-IDD Average	93%	3%	4%	9600

Chapter C13: Health

Table C13-1. Has a primary care doctor or practitioner

Information may have been obtained through state records

State	Yes	No	N
AL	98%	2%	598
AR	97%	3%	390
CO	97%	3%	1025
CT	99%	1%	605
DE	100%	0%	404
DC	95%	5%	370
GA	99%	1%	399
IL	97%	3%	371
IN	100%	0%	837
KS	98%	2%	1119
KY	97%	3%	417
MD	97%	3%	450
MA	95%	5%	401
MI	98%	2%	641
MN	98%	2%	373
MO	97%	3%	401
NE	97%	3%	400
NV	96%	4%	408
NJ	97%	3%	495
NY	99%	1%	1680
NC	99%	1%	478
ND	98%	2%	320
OH	96%	4%	492
OK	100%	0%	400
OR	92%	8%	407
PA	98%	2%	654
SC	98%	2%	392
UT	99%	1%	334
VA	97%	3%	759
WI	97%	3%	854
Unweighted NCI-IDD Average	98%	2%	16874

Table C13-2. In poor health

Proxy respondents were allowed for this question

State	Excellent	Very good	Good	Fair	Poor	N
AL	12%	28%	46%	13%	1%	586
AR	18%	30%	40%	9%	3%	388
CO	19%	28%	38%	13%	3%	1029
CT	19%	28%	41%	11%	2%	590
DE	21%	23%	43%	12%	2%	404
DC	25%	27%	37%	10%	0%	383
GA	10%	38%	42%	8%	1%	402
IL	16%	28%	48%	7%	1%	380
IN	20%	26%	42%	11%	1%	825
KS	13%	27%	44%	15%	2%	1178
KY	2%	23%	42%	27%	5%	416
MD	23%	24%	42%	10%	1%	450
MA	18%	26%	44%	10%	2%	403
MI	13%	32%	43%	11%	1%	654
MN	11%	25%	49%	12%	4%	379
MO	14%	33%	42%	9%	1%	397
NE	14%	30%	45%	10%	1%	385
NV	20%	22%	45%	11%	1%	424
NJ	15%	31%	42%	10%	2%	485
NY	19%	31%	36%	12%	2%	1624
NC	16%	26%	45%	11%	1%	480
ND	11%	26%	41%	14%	7%	402
OH	18%	25%	43%	13%	1%	541
OK	21%	28%	40%	10%	1%	389
OR	14%	29%	38%	16%	3%	409
PA	16%	34%	39%	10%	2%	684
SC	23%	29%	37%	10%	1%	398
UT	6%	27%	56%	11%	1%	308
VA	17%	36%	33%	12%	1%	812
WI	13%	26%	37%	18%	6%	952
Unweighted NCI-IDD Average	16%	29%	41%	12%	2%	17157

Table C13-3. Last physical exam

Information may have been obtained through state records

State	In the past year	More than 1 year	N
AL	92%	8%	581
AR	97%	3%	372
CO	96%	4%	1002
CT	95%	5%	602
DE *	50%	50%	261
DC	76%	24%	380
GA	95%	5%	395
IL	90%	10%	343
IN	78%	22%	814
KS	94%	6%	1094
KY	96%	4%	382
MD	92%	8%	415
MA	88%	12%	385
MI	89%	11%	539
MN	96%	4%	362
MO	94%	6%	385
NE	92%	8%	400
NV	79%	21%	377
NJ	98%	2%	482
NY	71%	29%	1476
NC	83%	17%	457
ND	89%	11%	321
OH *	94%	6%	399
OK	97%	3%	399
OR	83%	17%	385
PA	92%	8%	627
SC	95%	5%	352
UT	95%	5%	300
VA	83%	17%	772
WI	84%	16%	781
Unweighted NCI-IDD Average	88%	12%	15840

Table note: States with more than 25% missing or don't know responses are marked with an asterisk (*).

Table C13-4. Last dental exam

Information may have been obtained through state records

State	Within the last 6 months	Within the past year	One year ago or more	N
AL	53%	30%	17%	530
AR	37%	35%	28%	313
CO	56%	28%	16%	797
CT	50%	37%	13%	594
DE *	52%	20%	28%	241
DC	40%	37%	23%	376
GA	24%	56%	20%	386
IL	50%	31%	19%	315
IN	42%	41%	18%	780
KS	57%	25%	18%	1067
KY	30%	56%	14%	346
MD	61%	23%	16%	405
MA	51%	35%	14%	359
MI *	41%	32%	28%	412
MN	58%	29%	12%	356
MO	45%	35%	20%	376
NE	55%	37%	8%	394
NV *	33%	38%	29%	269
NJ	75%	19%	6%	460
NY *	40%	27%	33%	1222
NC	43%	31%	26%	414
ND	52%	34%	14%	311
OH *	23%	54%	22%	294
OK	60%	18%	22%	398
OR	53%	16%	31%	399
PA	56%	28%	16%	579
SC	60%	29%	11%	326
UT	48%	38%	14%	277
VA	38%	30%	33%	760
WI	38%	24%	38%	733
Unweighted NCI-IDD Average	47%	31%	21%	14489

Table note: States with more than 25% missing or don't know responses are marked with an asterisk (*).

Table C13-5. Had an eye exam/vision screening in the past year

Information may have been obtained through state records

State	Within past year	Within past 2 years	Within past 3 years	Within past 5 years	5 or more years ago	Has never had a vision screening	N
AL	63%	21%	5%	4%	4%	3%	512
AR	57%	22%	6%	3%	10%	2%	302
CO *	46%	28%	11%	14%	1%	0%	649
CT	60%	22%	5%	4%	7%	2%	581
DE *	63%	13%	7%	11%	6%	0%	96
DC	48%	32%	10%	4%	5%	1%	374
GA	70%	15%	3%	2%	5%	5%	377
IL *	72%	18%	2%	4%	3%	1%	265
IN	59%	26%	6%	3%	4%	2%	765
KS	73%	13%	3%	3%	5%	4%	1062
KY *	71%	17%	3%	3%	4%	1%	284
MD	66%	17%	5%	3%	7%	2%	369
MA	48%	31%	10%	4%	4%	1%	337
MI *	51%	25%	9%	5%	6%	5%	324
MN	74%	14%	4%	2%	4%	2%	341
MO	62%	22%	5%	2%	8%	1%	366
NE	53%	38%	5%	1%	2%	0%	391
NV *	59%	29%	5%	3%	2%	2%	199
NJ	84%	8%	2%	1%	3%	1%	414
NY *	47%	25%	7%	4%	3%	14%	1181
NC *	52%	23%	6%	5%	10%	3%	329
ND *	52%	31%	5%	3%	6%	2%	303
OH *	55%	29%	8%	4%	2%	2%	208
OK	63%	15%	6%	2%	12%	2%	397
OR	49%	16%	3%	5%	15%	11%	370
PA *	67%	23%	4%	1%	4%	1%	518
SC	78%	14%	3%	1%	3%	3%	316
UT *	64%	22%	3%	6%	4%	0%	156
VA *	60%	19%	5%	5%	7%	4%	421
WI *	51%	20%	7%	5%	11%	5%	698
Unweighted NCI- IDD Average	60%	22%	6%	4%	5%	4%	12905

Table note: States with more than 25% missing or don't know responses are marked with an asterisk (*).

Table C13-6. Had a hearing test in the past five years

Information may have been obtained through state records

State	Within the past 5 years (anytime less than 5 years ago)	5 years ago or more	Has never had a hearing test	N
AL *	59%	25%	16%	374
AR *	43%	41%	16%	225
CO *	n/a	n/a	n/a	n/a
CT	60%	28%	12%	525
DE *	n/a	n/a	n/a	n/a
DC	58%	40%	2%	367
GA	67%	19%	14%	338
IL *	63%	28%	10%	178
IN	44%	34%	22%	727
KS *	43%	36%	21%	864
KY *	61%	27%	12%	137
MD *	50%	32%	17%	308
MA *	66%	21%	13%	280
MI *	41%	31%	28%	200
MN *	57%	25%	18%	293
MO *	42%	35%	23%	262
NE *	29%	54%	17%	286
NV *	61%	28%	11%	72
NJ *	65%	18%	17%	338
NY *	36%	6%	57%	682
NC *	52%	35%	12%	202
ND *	52%	28%	19%	223
OH *	54%	25%	21%	95
OK	30%	38%	33%	378
OR	27%	38%	35%	327
PA *	84%	11%	5%	312
SC *	49%	27%	24%	189
UT *	73%	24%	4%	84
VA *	47%	29%	24%	282
WI *	31%	30%	39%	480
Unweighted NCI-IDD Average	49%	29%	22%	9043

Table note: Data display is suppressed (i.e. shown as n/a) for the following states with low counts of responses (n<20): CO, DE. These responses are retained in NCI-IDD Average calculation. States with more than 25% missing or don't know responses are marked with an asterisk (*).

Table C13-7. Had a Pap test in the past three years (among women 21 and older)

Information may have been obtained through state records

State	Within past year	Within past 2 years	Within past 3 years	Within past 5 years	5 or more years ago	Has never had a Pap test	N
AL *	46%	13%	4%	9%	5%	22%	156
AR *	24%	10%	11%	3%	16%	35%	88
CO *	13%	18%	8%	20%	40%	0%	60
CT	33%	15%	11%	3%	8%	31%	224
DE *	28%	23%	23%	23%	4%	0%	53
DC	30%	11%	3%	7%	40%	10%	103
GA	52%	9%	3%	1%	6%	28%	145
IL *	37%	19%	9%	6%	9%	21%	70
IN	26%	15%	6%	3%	9%	40%	280
KS	31%	15%	7%	6%	9%	31%	356
KY *	47%	19%	4%	5%	9%	16%	57
MD *	29%	24%	4%	5%	6%	33%	126
MA *	21%	17%	9%	9%	33%	12%	116
MI *	22%	14%	6%	11%	13%	34%	109
MN *	25%	16%	7%	10%	16%	26%	123
MO	28%	19%	2%	9%	12%	30%	128
NE	33%	14%	10%	9%	14%	19%	139
NV *	41%	21%	8%	0%	18%	13%	39
NJ *	48%	14%	5%	2%	9%	23%	140
NY *	25%	12%	4%	6%	4%	49%	327
NC *	29%	18%	7%	3%	10%	33%	89
ND *	22%	13%	6%	9%	21%	29%	68
OH *	39%	16%	7%	0%	14%	23%	56
OK	31%	10%	8%	2%	17%	32%	157
OR	28%	13%	7%	3%	13%	35%	127
PA *	35%	18%	17%	7%	10%	13%	117
SC *	49%	14%	4%	6%	4%	23%	79
UT *	28%	13%	3%	8%	21%	28%	39
VA *	27%	14%	4%	2%	11%	42%	153
WI *	23%	7%	7%	7%	15%	40%	226
Unweighted NCI-IDD Average	31%	14%	7%	6%	12%	30%	3950

Table note: States with more than 25% missing or don't know responses are marked with an asterisk (*).

Table C13-8. Had a mammogram test in the past two years (among women age 40 and over)

State	Within past year	Within past 2 years	Within past 3 years	Within past 5 years	5 or more years ago	Has never had a mammogram	N
AL	53%	19%	3%	12%	4%	9%	68
AR	47%	19%	6%	6%	16%	6%	32
CO *	25%	10%	0%	12%	53%	0%	51
CT	66%	19%	3%	3%	4%	6%	109
DE *	31%	11%	17%	42%	0%	0%	36
DC	35%	10%	7%	8%	38%	1%	71
GA	76%	9%	4%	4%	2%	6%	54
IL	71%	14%	7%	0%	7%	0%	28
IN	60%	15%	4%	7%	4%	10%	113
KS	51%	16%	3%	7%	9%	13%	98
KY *	n/a	n/a	n/a	n/a	n/a	n/a	n/a
MD	73%	10%	5%	5%	3%	5%	40
MA	38%	18%	10%	7%	25%	3%	72
MI *	57%	17%	4%	4%	2%	15%	46
MN	56%	16%	6%	6%	9%	9%	70
MO	49%	24%	4%	8%	6%	8%	49
NE	50%	20%	9%	2%	11%	9%	56
NV *	n/a	n/a	n/a	n/a	n/a	n/a	n/a
NJ	75%	4%	4%	4%	6%	8%	85
NY *	45%	21%	8%	3%	4%	19%	160
NC	57%	27%	13%	0%	3%	0%	30
ND	39%	15%	12%	12%	12%	9%	33
OH *	48%	22%	9%	0%	13%	9%	23
OK	66%	9%	0%	2%	11%	13%	47
OR	74%	0%	6%	0%	10%	10%	31
PA	64%	24%	6%	0%	4%	2%	50
SC	63%	18%	3%	3%	3%	11%	38
UT	54%	19%	4%	4%	15%	4%	26
VA *	57%	13%	8%	3%	8%	13%	40
WI *	46%	13%	4%	12%	11%	13%	82
Unweighted NCI-IDD Average	54%	16%	5%	6%	10%	9%	1667

Table note: The U.S. Preventive Services Task Force (USPSTF) recommends that all women get screened every other year starting at age 40 to reduce their risk of dying from breast cancer. For more information, please visit [USPSTF's page on breast cancer screening](#).

Table C13-9a. Person received colorectal cancer screening: Colonoscopy within the past 10 years (among people ages 45 to 75)

Information may have been obtained through state records; don't know included in denominator

State	Yes	No	N
AL	33%	67%	232
AR	28%	72%	121
CO	43%	57%	381
CT *	63%	37%	252
DE *	30%	70%	171
DC	50%	50%	210
GA	35%	65%	167
IL	34%	66%	132
IN	37%	63%	327
KS	30%	70%	278
KY	22%	78%	148
MD	27%	73%	141
MA *	42%	58%	195
MI	21%	79%	211
MN	32%	68%	205
MO	37%	63%	145
NE	46%	54%	178
NV *	9%	91%	137
NJ	42%	58%	280
NY	25%	75%	624
NC	41%	59%	127
ND	48%	52%	103
OH *	11%	89%	195
OK	39%	61%	142
OR *	30%	70%	94
PA	30%	70%	193
SC	37%	63%	123
UT *	11%	89%	96
VA	21%	79%	235
WI	26%	74%	280
Unweighted NCI-IDD Average	33%	67%	6123

Table note: States with more than 25% missing or don't know responses are marked with an asterisk (*).

Table C13-9b. Person received colorectal cancer screening: Flexible sigmoidoscopy within the past 5 years (among people ages 45 to 75)

Information may have been obtained through state records; don't know included in denominator

State	Yes	No	N
AL	0%	100%	232
AR	2%	98%	121
CO	1%	99%	381
CT *	0%	100%	252
DE *	3%	97%	171
DC	0%	100%	210
GA	2%	98%	167
IL	1%	99%	132
IN	1%	99%	327
KS	3%	97%	278
KY	2%	98%	148
MD	1%	99%	141
MA *	2%	98%	195
MI	0%	100%	211
MN	0%	100%	205
MO	3%	97%	145
NE	0%	100%	178
NV *	0%	100%	137
NJ	0%	100%	280
NY	3%	97%	624
NC	0%	100%	127
ND	1%	99%	103
OH *	0%	100%	195
OK	0%	100%	142
OR *	0%	100%	94
PA	0%	100%	193
SC	2%	98%	123
UT *	2%	98%	96
VA	2%	98%	235
WI	1%	99%	280
Unweighted NCI-IDD Average	1%	99%	6123

Table note: States with more than 25% missing or don't know responses are marked with an asterisk (*).

Table C13-9c. Person received colorectal cancer screening: Testing for colorectal cancer with stool sample, using a Fecal Occult Blood Test (FOBT) or Fecal Immunochemical Test (FIT) in the past year (among people ages 45 to 75)

Information may have been obtained through state records; don't know included in denominator

State	Yes	No	N
AL	2%	98%	232
AR	6%	94%	121
CO	14%	86%	381
CT *	10%	90%	252
DE *	8%	92%	171
DC	1%	99%	210
GA	4%	96%	167
IL	5%	95%	132
IN	4%	96%	327
KS	5%	95%	278
KY	3%	97%	148
MD	6%	94%	141
MA *	9%	91%	195
MI	2%	98%	211
MN	13%	87%	205
MO	13%	87%	145
NE	24%	76%	178
NV *	0%	100%	137
NJ	8%	92%	280
NY	4%	96%	624
NC	9%	91%	127
ND	10%	90%	103
OH *	2%	98%	195
OK	13%	87%	142
OR *	15%	85%	94
PA	5%	95%	193
SC	6%	94%	123
UT *	6%	94%	96
VA	5%	95%	235
WI	6%	94%	280
Unweighted NCI-IDD Average	7%	93%	6123

Table note: States with more than 25% missing or don't know responses are marked with an asterisk (*).

Table C13-9d. Person has never had screening for colorectal cancer or screening was outside of the recommended timeframes reflected in the previous response options

Information may have been obtained through state records; don't know included in denominator

State	Yes	No	N
AL	19%	81%	232
AR	20%	80%	121
CO	26%	74%	381
CT *	15%	85%	252
DE *	9%	91%	171
DC	36%	64%	210
GA	41%	59%	167
IL	18%	82%	132
IN	38%	62%	327
KS	16%	84%	278
KY	10%	90%	148
MD	21%	79%	141
MA *	19%	81%	195
MI	14%	86%	211
MN	30%	70%	205
MO	23%	77%	145
NE	10%	90%	178
NV *	8%	92%	137
NJ	12%	88%	280
NY	28%	72%	624
NC	15%	85%	127
ND	17%	83%	103
OH *	7%	93%	195
OK	47%	53%	142
OR *	33%	67%	94
PA	10%	90%	193
SC	15%	85%	123
UT *	8%	92%	96
VA	15%	85%	235
WI	21%	79%	280
Unweighted NCI-IDD Average	21%	79%	6123

Table note: States with more than 25% missing or don't know responses are marked with an asterisk (*).

Table C13-9e. Person received colorectal cancer screening: Don't know

Information may have been obtained through state records; don't know included in denominator

State	Yes	No	N
AL	45%	55%	232
AR	45%	55%	121
CO	21%	79%	381
CT *	12%	88%	252
DE *	58%	42%	171
DC	14%	86%	210
GA	19%	81%	167
IL	44%	56%	132
IN	22%	78%	327
KS	46%	54%	278
KY	65%	35%	148
MD	46%	54%	141
MA *	30%	70%	195
MI	62%	38%	211
MN	24%	76%	205
MO	24%	76%	145
NE	22%	78%	178
NV *	82%	18%	137
NJ	38%	62%	280
NY	45%	55%	624
NC	38%	62%	127
ND	29%	71%	103
OH *	80%	20%	195
OK	4%	96%	142
OR *	23%	77%	94
PA	56%	44%	193
SC	42%	58%	123
UT *	72%	28%	96
VA	59%	41%	235
WI	46%	54%	280
Unweighted NCI-IDD Average	39%	61%	6123

Table note: States with more than 25% missing or don't know responses are marked with an asterisk (*).

Table C13-9f. Person received colorectal cancer screening: Not applicable – individual is under ages 45 or over age 75

Information may have been obtained through state records; don't know included in denominator

State	Yes	No	N
AL	0%	100%	233
AR	1%	99%	122
CO	0%	100%	381
CT *	1%	99%	255
DE *	1%	99%	173
DC	0%	100%	210
GA	0%	100%	167
IL	0%	100%	132
IN	0%	100%	328
KS	2%	98%	284
KY	3%	97%	153
MD	1%	99%	142
MA *	1%	99%	196
MI	0%	100%	212
MN	3%	97%	212
MO	1%	99%	147
NE	1%	99%	179
NV *	1%	99%	138
NJ	0%	100%	280
NY	0%	100%	624
NC	2%	98%	130
ND	0%	100%	103
OH *	1%	99%	196
OK	1%	99%	144
OR *	0%	100%	94
PA	1%	99%	194
SC	2%	98%	126
UT *	15%	85%	113
VA	1%	99%	237
WI	1%	99%	283
Unweighted NCI-IDD Average	1%	99%	6188

Table note: States with more than 25% missing or don't know responses are marked with an asterisk (*).

Table C13-10. Had a flu vaccine in the past 12 months

Information may have been obtained through state records

State	Yes	No	N
AL	74%	26%	529
AR	72%	28%	324
CO *	100%	0%	178
CT	84%	16%	586
DE *	64%	36%	230
DC	50%	50%	359
GA	81%	19%	378
IL *	80%	20%	261
IN	58%	42%	799
KS	75%	25%	1100
KY *	75%	25%	237
MD	82%	18%	409
MA	77%	23%	331
MI *	71%	29%	366
MN	87%	13%	351
MO	79%	21%	377
NE	84%	16%	355
NV *	58%	42%	156
NJ	77%	23%	448
NY *	74%	26%	1068
NC *	70%	30%	300
ND *	73%	27%	202
OH *	75%	25%	161
OK	68%	32%	392
OR	58%	42%	387
PA *	73%	27%	376
SC *	72%	28%	283
UT *	95%	5%	155
VA *	77%	23%	480
WI	65%	35%	822
Unweighted NCI-IDD Average	73%	27%	12400

Table note: States with more than 25% missing or don't know responses are marked with an asterisk (*).

Table C13-11. Went to the emergency room for any reason to get care for themselves in the past 12 months

Proxy respondents were allowed for this question

State	Yes	No	N
AL	21%	79%	571
AR	25%	75%	385
CO	32%	68%	1021
CT	39%	61%	587
DE	34%	66%	402
DC	24%	76%	378
GA	18%	82%	399
IL	24%	76%	363
IN	26%	74%	811
KS	30%	70%	1176
KY	30%	70%	406
MD	23%	77%	429
MA	40%	60%	387
MI	26%	74%	653
MN	30%	70%	374
MO	29%	71%	397
NE	24%	76%	373
NV	30%	70%	419
NJ	32%	68%	469
NY	28%	72%	1609
NC	21%	79%	479
ND	25%	75%	397
OH	35%	65%	533
OK	28%	72%	387
OR	29%	71%	409
PA	28%	72%	671
SC	37%	63%	377
UT	20%	80%	305
VA	35%	65%	808
WI	34%	66%	947
Unweighted NCI-IDD Average	29%	71%	16922

Table C13-12a. Of those with an unexpected hospital admission in last year, those that were admitted for dehydration

Information may have been obtained through state records

State	Yes	No	N
AL	5%	95%	60
AR	24%	76%	38
CO	17%	83%	47
CT	8%	92%	37
DE	24%	76%	105
DC	n/a	n/a	n/a
GA	10%	90%	29
IL	n/a	n/a	n/a
IN	n/a	n/a	n/a
KS	n/a	n/a	n/a
KY	30%	70%	23
MD	n/a	n/a	n/a
MA	14%	86%	22
MI	7%	93%	43
MN	n/a	n/a	n/a
MO	9%	91%	22
NE	n/a	n/a	n/a
NV	5%	95%	20
NJ	n/a	n/a	n/a
NY	11%	89%	72
NC	7%	93%	29
ND *	33%	67%	21
OH	13%	88%	24
OK	14%	86%	21
OR	n/a	n/a	n/a
PA	13%	87%	47
SC	7%	93%	54
UT *	1%	99%	346
VA	27%	73%	44
WI	19%	81%	26
Unweighted NCI-IDD Average	11%	89%	1219

Table note: Data display is suppressed (i.e. shown as n/a) for the following states with low counts of responses (n<20): DC, IL, IN, KS, MD, MN, NE, NJ, ND, OR. These responses are retained in NCI-IDD Average calculation. States with more than 25% missing or don't know responses are marked with an asterisk (). Percentage shows "Of those with an unexpected hospital admission due to dehydration, bowel obstruction, seizure, aspiration, or GERD in the past year, the percent that were hospitalized for each condition."*

Table C13-12b. Of those with an unexpected hospital admission in last year, those that were admitted for bowel obstruction

Information may have been obtained through state records

State	Yes	No	N
AL	8%	92%	60
AR	13%	87%	38
CO	38%	62%	47
CT	11%	89%	37
DE	19%	81%	105
DC	n/a	n/a	n/a
GA	38%	62%	29
IL	n/a	n/a	n/a
IN	n/a	n/a	n/a
KS	n/a	n/a	n/a
KY	17%	83%	23
MD	n/a	n/a	n/a
MA	32%	68%	22
MI	21%	79%	43
MN	n/a	n/a	n/a
MO	18%	82%	22
NE	n/a	n/a	n/a
NV	5%	95%	20
NJ	n/a	n/a	n/a
NY	18%	82%	72
NC	24%	76%	29
ND *	33%	67%	21
OH	17%	83%	24
OK	5%	95%	21
OR	n/a	n/a	n/a
PA	13%	87%	47
SC	9%	91%	54
UT *	2%	98%	346
VA	16%	84%	44
WI	12%	88%	26
Unweighted NCI-IDD Average	13%	87%	1219

Table note: Data display is suppressed (i.e. shown as n/a) for the following states with low counts of responses (n<20): DC, IL, IN, KS, MD, MN, NE, NJ, ND, OR. These responses are retained in NCI-IDD Average calculation. States with more than 25% missing or don't know responses are marked with an asterisk (*). Percentage shows "Of those with an unexpected hospital admission due to dehydration, bowel obstruction, seizure, aspiration, or GERD in the past year, the percent that were hospitalized for each condition."

Table C13-12c. Of those with an unexpected hospital admission in last year, those that were admitted for seizure

Information may have been obtained through state records

State	Yes	No	N
AL	47%	53%	60
AR	37%	63%	38
CO	36%	64%	47
CT	49%	51%	37
DE	14%	86%	105
DC	n/a	n/a	n/a
GA	31%	69%	29
IL	n/a	n/a	n/a
IN	n/a	n/a	n/a
KS	n/a	n/a	n/a
KY	61%	39%	23
MD	n/a	n/a	n/a
MA	32%	68%	22
MI	37%	63%	43
MN	n/a	n/a	n/a
MO	41%	59%	22
NE	n/a	n/a	n/a
NV	75%	25%	20
NJ	n/a	n/a	n/a
NY	47%	53%	72
NC	31%	69%	29
ND *	24%	76%	21
OH	58%	42%	24
OK	57%	43%	21
OR	n/a	n/a	n/a
PA	49%	51%	47
SC	56%	44%	54
UT *	4%	96%	346
VA	43%	57%	44
WI	50%	50%	26
Unweighted NCI-IDD Average	31%	69%	1219

Table note: Data display is suppressed (i.e. shown as n/a) for the following states with low counts of responses (n<20): DC, IL, IN, KS, MD, MN, NE, NJ, ND, OR. These responses are retained in NCI-IDD Average calculation. States with more than 25% missing or don't know responses are marked with an asterisk (*). Percentage shows "Of those with an unexpected hospital admission due to dehydration, bowel obstruction, seizure, aspiration, or GERD in the past year, the percent that were hospitalized for each condition."

Table C13-12d. Of those with an unexpected hospital admission in last year, those that were admitted for aspiration (food, liquids, saliva, or vomit breathed into the airways)

Information may have been obtained through state records

State	Yes	No	N
AL	8%	92%	60
AR	8%	92%	38
CO	9%	91%	47
CT	14%	86%	37
DE	19%	81%	105
DC	n/a	n/a	n/a
GA	10%	90%	29
IL	n/a	n/a	n/a
IN	n/a	n/a	n/a
KS	n/a	n/a	n/a
KY	13%	87%	23
MD	n/a	n/a	n/a
MA	32%	68%	22
MI	21%	79%	43
MN	n/a	n/a	n/a
MO	0%	100%	22
NE	n/a	n/a	n/a
NV	5%	95%	20
NJ	n/a	n/a	n/a
NY	17%	83%	72
NC	21%	79%	29
ND *	14%	86%	21
OH	8%	92%	24
OK	19%	81%	21
OR	n/a	n/a	n/a
PA	13%	87%	47
SC	2%	98%	54
UT *	2%	98%	346
VA	30%	70%	44
WI	15%	85%	26
Unweighted NCI-IDD Average	11%	89%	1219

Table note: Data display is suppressed (i.e. shown as n/a) for the following states with low counts of responses (n<20): DC, IL, IN, KS, MD, MN, NE, NJ, ND, OR. These responses are retained in NCI-IDD Average calculation. States with more than 25% missing or don't know responses are marked with an asterisk (). Percentage shows "Of those with an unexpected hospital admission due to dehydration, bowel obstruction, seizure, aspiration, or GERD in the past year, the percent that were hospitalized for each condition."*

Table C13-12e. Of those with an unexpected hospital admission in last year, those that were admitted for gastroesophageal reflux disease (GERD)

Information may have been obtained through state records

State	Yes	No	N
AL	43%	57%	60
AR	39%	61%	38
CO	11%	89%	47
CT	27%	73%	37
DE	65%	35%	105
DC	n/a	n/a	n/a
GA	17%	83%	29
IL	n/a	n/a	n/a
IN	n/a	n/a	n/a
KS	n/a	n/a	n/a
KY	26%	74%	23
MD	n/a	n/a	n/a
MA	14%	86%	22
MI	23%	77%	43
MN	n/a	n/a	n/a
MO	36%	64%	22
NE	n/a	n/a	n/a
NV	10%	90%	20
NJ	n/a	n/a	n/a
NY	19%	81%	72
NC	28%	72%	29
ND *	5%	95%	21
OH	13%	88%	24
OK	19%	81%	21
OR	n/a	n/a	n/a
PA	26%	74%	47
SC	35%	65%	54
UT *	2%	98%	346
VA	18%	82%	44
WI	12%	88%	26
Unweighted NCI-IDD Average	21%	79%	1219

Table note: Data display is suppressed (i.e. shown as n/a) for the following states with low counts of responses (n<20): DC, IL, IN, KS, MD, MN, NE, NJ, ND, OR. These responses are retained in NCI-IDD Average calculation. States with more than 25% missing or don't know responses are marked with an asterisk (*). Percentage shows "Of those with an unexpected hospital admission due to dehydration, bowel obstruction, seizure, aspiration, or GERD in the past year, the percent that were hospitalized for each condition."

Table C13-13. Fell and hurt themselves in the past six months

Proxy respondents were allowed for this question

State	Yes	No	N
AL	12%	88%	572
AR	12%	88%	387
CO	17%	83%	1032
CT	17%	83%	593
DE	14%	86%	401
DC	10%	90%	379
GA	11%	89%	401
IL	8%	92%	369
IN	18%	82%	818
KS	20%	80%	1162
KY	15%	85%	405
MD	11%	89%	441
MA	17%	83%	394
MI	11%	89%	653
MN	17%	83%	374
MO	17%	83%	396
NE	17%	83%	375
NV	16%	84%	418
NJ	13%	87%	477
NY	12%	88%	1617
NC	12%	88%	479
ND	16%	84%	392
OH	17%	83%	540
OK	13%	87%	387
OR	21%	79%	411
PA	13%	87%	664
SC	15%	85%	386
UT	12%	88%	299
VA	12%	88%	808
WI	19%	81%	947
Unweighted NCI-IDD Average	15%	85%	16977

Chapter C14: Medications

Table C14-1. Takes at least one medication for mood, anxiety, psychotic disorder, and/or behavioral challenges

Information may have been obtained through state records

State	At least one kind	No meds	N
AL	66%	34%	580
AR	54%	46%	374
CO	54%	46%	950
CT	59%	41%	557
DE *	92%	8%	239
DC	52%	48%	365
GA	56%	44%	402
IL	56%	44%	358
IN	59%	41%	836
KS	87%	13%	1113
KY	69%	31%	384
MD	48%	52%	422
MA	61%	39%	382
MI	63%	37%	618
MN *	n/a	n/a	n/a
MO	62%	38%	394
NE	63%	37%	391
NV	50%	50%	399
NJ	61%	39%	473
NY	47%	53%	1627
NC	63%	37%	452
ND *	60%	40%	117
OH	57%	43%	438
OK	57%	43%	399
OR	43%	57%	392
PA	58%	42%	641
SC	62%	38%	378
UT	64%	36%	337
VA	65%	35%	766
WI *	65%	35%	566
Unweighted NCI-IDD Average	60%	40%	15350

Table note: Data display is suppressed (i.e. shown as n/a) for the following states with low counts of responses ($n < 20$): MN. These responses are retained in NCI-IDD Average calculation. States with more than 25% missing or don't know responses are marked with an asterisk (*).

Table C14-2. Takes medication for mood, anxiety, and/or psychotic disorders

Information may have been obtained through state records

State	Takes meds for mood, anxiety, psychotic disorders	No meds for mood, anxiety, psychotic disorders	N
AL	64%	36%	579
AR	51%	49%	375
CO	52%	48%	955
CT	54%	46%	564
DE *	76%	24%	290
DC	49%	51%	371
GA	54%	46%	398
IL	53%	47%	358
IN	56%	44%	837
KS	72%	28%	1129
KY	66%	34%	385
MD	46%	54%	422
MA	57%	43%	388
MI	61%	39%	618
MN *	n/a	n/a	n/a
MO	59%	41%	396
NE	58%	42%	390
NV	46%	54%	403
NJ	59%	41%	470
NY	42%	58%	1667
NC	57%	43%	456
ND *	60%	40%	117
OH	54%	46%	445
OK	55%	45%	399
OR	42%	58%	394
PA	56%	44%	644
SC	57%	43%	380
UT	63%	37%	333
VA	61%	39%	766
WI *	58%	42%	563
Unweighted NCI-IDD Average	56%	44%	15492

Table note: Data display is suppressed (i.e. shown as n/a) for the following states with low counts of responses ($n < 20$): MN. These responses are retained in NCI-IDD Average calculation. States with more than 25% missing or don't know responses are marked with an asterisk (*).

Table C14-3. Number of medications taken for at least one of the following: mood disorders, anxiety, or psychotic disorders

Information may have been obtained through state records

State	One or two medications	Three or four medications	Five to ten medications	Eleven or more medications	N
AL	60%	28%	11%	1%	363
AR	65%	29%	5%	0%	184
CO	78%	21%	1%	0%	460
CT	73%	24%	3%	0%	281
DE *	60%	28%	11%	2%	47
DC	86%	12%	2%	0%	181
GA	62%	27%	10%	0%	215
IL	67%	27%	5%	1%	184
IN	61%	27%	10%	3%	460
KS	56%	33%	10%	0%	673
KY	69%	23%	8%	0%	221
MD	64%	24%	12%	0%	190
MA	66%	26%	8%	0%	221
MI	54%	35%	11%	1%	359
MN *	n/a	n/a	n/a	n/a	n/a
MO	64%	27%	9%	0%	225
NE	57%	32%	11%	0%	225
NV	75%	21%	4%	0%	184
NJ	59%	30%	10%	0%	273
NY	78%	18%	4%	0%	531
NC	70%	26%	4%	0%	250
ND *	74%	21%	4%	0%	70
OH *	72%	23%	6%	0%	179
OK	59%	31%	10%	0%	218
OR	75%	21%	4%	0%	160
PA	55%	32%	12%	0%	349
SC	59%	34%	6%	0%	209
UT	64%	30%	6%	0%	197
VA	61%	29%	10%	0%	451
WI *	68%	21%	10%	0%	319
Unweighted NCI-IDD Average	65%	27%	8%	0%	7879

Table note: States with more than 25% missing or don't know responses are marked with an asterisk (*).

Table C14-4. Takes medication for behavioral challenges

Information may have been obtained through state records

State	Takes meds for behavioral challenges	No meds for behavioral challenges	N
AL	39%	61%	591
AR	30%	70%	368
CO	18%	82%	807
CT	38%	62%	546
DE *	33%	67%	42
DC	26%	74%	364
GA	27%	73%	404
IL	29%	71%	360
IN	31%	69%	835
KS	77%	23%	1105
KY	26%	74%	377
MD	19%	81%	420
MA	22%	78%	382
MI	29%	71%	589
MN *	n/a	n/a	n/a
MO	22%	78%	391
NE	27%	73%	391
NV	21%	79%	409
NJ	31%	69%	484
NY	24%	76%	1600
NC	41%	59%	451
ND *	56%	44%	116
OH	16%	84%	433
OK	18%	82%	400
OR	18%	82%	394
PA	25%	75%	636
SC	37%	63%	385
UT	32%	68%	329
VA	36%	64%	758
WI *	30%	70%	561
Unweighted NCI-IDD Average	31%	69%	14928

Table note: Data display is suppressed (i.e. shown as n/a) for the following states with low counts of responses ($n < 20$): MN. These responses are retained in NCI-IDD Average calculation. States with more than 25% missing or don't know responses are marked with an asterisk (*).

Table C14-5. Number of medications taken for behavioral challenges if taking at least one for this purpose

State	One or two medications	Three or four medications	Five to ten medications	Eleven or more medications	N
AL	67%	23%	8%	1%	222
AR	80%	15%	5%	0%	104
CO	96%	4%	0%	0%	134
CT	80%	18%	2%	0%	193
DE	n/a	n/a	n/a	n/a	n/a
DC	96%	4%	0%	0%	92
GA	77%	19%	4%	0%	110
IL	75%	21%	4%	0%	100
IN	75%	15%	8%	2%	259
KS *	67%	27%	6%	0%	494
KY	83%	15%	2%	0%	81
MD	70%	18%	12%	0%	77
MA	82%	16%	2%	0%	83
MI	81%	16%	3%	0%	159
MN *	n/a	n/a	n/a	n/a	n/a
MO	79%	15%	6%	0%	85
NE	71%	23%	6%	0%	104
NV	86%	14%	0%	0%	84
NJ	71%	22%	7%	0%	148
NY	84%	14%	2%	0%	279
NC	81%	17%	2%	0%	179
ND *	72%	23%	5%	0%	64
OH	86%	10%	4%	0%	50
OK	88%	8%	4%	0%	72
OR	80%	18%	2%	0%	65
PA	75%	18%	6%	1%	154
SC	63%	30%	7%	0%	138
UT	80%	19%	1%	0%	97
VA	71%	21%	7%	0%	256
WI *	69%	24%	7%	0%	166
Unweighted NCI-IDD Average	76%	19%	5%	0%	4063

Table note: Data display is suppressed (i.e. shown as n/a) for the following states with low counts of responses (n<20): DE, MN. These responses are retained in NCI-IDD Average calculation. States with more than 25% missing or don't know responses are marked with an asterisk (*).

Table C14-6. Has behavior plan

Information may have been obtained through state records

State	Yes	No	N
AL	33%	67%	595
AR	28%	72%	358
CO	36%	64%	890
CT	46%	54%	592
DE	53%	47%	414
DC	55%	45%	381
GA	17%	83%	403
IL	38%	62%	369
IN	55%	45%	837
KS	59%	41%	1186
KY	30%	70%	416
MD	16%	84%	449
MA	21%	79%	399
MI	21%	79%	641
MN *	n/a	n/a	n/a
MO	7%	93%	402
NE	36%	64%	389
NV	25%	75%	414
NJ	19%	81%	478
NY	26%	74%	1588
NC	43%	57%	464
ND	31%	69%	409
OH	7%	93%	522
OK	28%	72%	400
OR	20%	80%	397
PA	35%	65%	653
SC	29%	71%	400
UT	44%	56%	346
VA	24%	76%	807
WI *	21%	79%	565
Unweighted NCI-IDD Average	32%	68%	16164

Table note: Data display is suppressed (i.e. shown as n/a) for the following states with low counts of responses (n<20): MN. These responses are retained in NCI-IDD Average calculation. States with more than 25% missing or don't know responses are marked with an asterisk (*).

Table C14-7. Has behavior plan (among those who take medication for a behavior challenge)

Information may have been obtained through state records

State	Yes	No	N
AL	67%	33%	226
AR	65%	35%	98
CO	66%	34%	131
CT	76%	24%	204
DE	n/a	n/a	n/a
DC	99%	1%	94
GA	49%	51%	110
IL	75%	25%	100
IN	86%	14%	262
KS	64%	36%	848
KY	56%	44%	99
MD	54%	46%	80
MA	56%	44%	81
MI	46%	54%	170
MN *	n/a	n/a	n/a
MO	20%	80%	87
NE	74%	26%	102
NV	63%	37%	83
NJ	39%	61%	144
NY	70%	30%	363
NC	69%	31%	177
ND	32%	68%	65
OH	19%	81%	69
OK	50%	50%	72
OR	52%	48%	69
PA	68%	32%	158
SC	58%	42%	142
UT	73%	27%	104
VA	49%	51%	266
WI *	42%	58%	166
Unweighted NCI-IDD Average	62%	38%	4584

Table note: Data display is suppressed (i.e. shown as n/a) for the following states with low counts of responses (n<20): DE, MN. These responses are retained in NCI-IDD Average calculation.

Chapter C15: Wellness

Table C15-1. Uses nicotine or tobacco products

Information may have been obtained through state records

State	Yes	No	N
AL	5%	95%	590
AR	6%	94%	385
CO	7%	93%	1029
CT	4%	96%	606
DE *	8%	92%	230
DC	6%	94%	349
GA	5%	95%	403
IL	4%	96%	359
IN	5%	95%	822
KS	8%	92%	1109
KY	16%	84%	401
MD	2%	98%	444
MA	5%	95%	380
MI	6%	94%	635
MN	6%	94%	373
MO	6%	94%	402
NE	9%	91%	399
NV	4%	96%	396
NJ	5%	95%	492
NY	4%	96%	1622
NC	3%	97%	397
ND *	10%	90%	186
OH	8%	92%	464
OK	10%	90%	398
OR	7%	93%	409
PA	5%	95%	634
SC	10%	90%	389
UT	6%	94%	337
VA	4%	96%	722
WI	9%	91%	835
Unweighted NCI-IDD Average	6%	94%	16197

Table note: States with more than 25% missing or don't know responses are marked with an asterisk (*). A higher percentage for this item does not indicate a more positive result.

Table C15-2. Body Mass Index (BMI) category (BMI calculated using data on weight and height)

Information may have been obtained through state records

State	Underweight	Normal	Overweight	Obese	N
AL	4%	25%	28%	43%	571
AR	5%	26%	27%	42%	384
CO	7%	33%	28%	32%	932
CT	4%	30%	30%	36%	563
DE	5%	28%	30%	36%	329
DC	3%	35%	33%	29%	333
GA	4%	32%	31%	33%	405
IL	7%	28%	24%	41%	316
IN	4%	26%	24%	46%	707
KS	6%	26%	27%	41%	984
KY	6%	25%	23%	45%	390
MD	3%	32%	26%	38%	423
MA	4%	29%	29%	38%	339
MI *	5%	27%	27%	41%	478
MN	3%	38%	25%	34%	337
MO	4%	28%	33%	35%	396
NE	3%	29%	28%	40%	359
NV	4%	28%	27%	41%	413
NJ	4%	32%	33%	31%	423
NY	4%	32%	29%	35%	1398
NC	5%	33%	28%	34%	416
ND *	1%	15%	24%	61%	233
OH *	4%	30%	28%	38%	210
OK	6%	26%	28%	40%	397
OR	6%	25%	28%	41%	376
PA *	5%	28%	27%	41%	357
SC	7%	26%	24%	43%	336
UT	8%	29%	28%	35%	279
VA *	5%	31%	27%	37%	549
WI	4%	28%	26%	42%	740
Unweighted NCI-IDD Average	5%	29%	28%	39%	14373

Table note: States with more than 25% missing or don't know responses are marked with an asterisk (*).

Table C15-3. Exercises or does physical activity at least once per week for 10 minutes or more at a time

Proxy respondents were allowed for this question

State	None	One or two times	Three or four times	Five or more times	N
AL	23%	26%	21%	30%	581
AR	25%	18%	11%	46%	386
CO	17%	23%	21%	38%	1024
CT	23%	20%	18%	39%	593
DE	24%	25%	23%	28%	396
DC	7%	32%	23%	39%	377
GA	8%	19%	29%	44%	401
IL	20%	25%	18%	36%	373
IN	19%	23%	33%	25%	820
KS	14%	17%	21%	48%	1168
KY	26%	41%	21%	12%	413
MD	11%	20%	22%	46%	444
MA	20%	26%	23%	32%	398
MI	16%	24%	26%	34%	648
MN	27%	19%	18%	36%	374
MO	18%	22%	23%	37%	400
NE	17%	24%	22%	36%	381
NV	16%	32%	17%	35%	424
NJ	21%	21%	19%	39%	488
NY	20%	20%	18%	42%	1586
NC	15%	13%	20%	53%	482
ND	24%	28%	25%	23%	391
OH	20%	23%	27%	30%	531
OK	29%	18%	15%	38%	386
OR	18%	17%	19%	45%	402
PA	20%	21%	22%	36%	675
SC	20%	11%	14%	54%	390
UT	11%	13%	47%	29%	302
VA	13%	18%	25%	45%	805
WI	19%	18%	20%	43%	945
Unweighted NCI-IDD Average	18%	21%	22%	38%	16984

Table C15-4. Exercises or does physical activity at least once per week that makes the muscles in arms, legs, back, and/or chest work hard

Proxy respondents were allowed for this question

State	None	One or two times	Three or four times	Five or more times	N
AL	75%	14%	5%	7%	579
AR	72%	17%	5%	6%	388
CO	60%	19%	11%	10%	1019
CT	61%	16%	9%	13%	592
DE	75%	14%	5%	7%	400
DC	56%	24%	7%	13%	377
GA	75%	15%	7%	3%	397
IL	70%	15%	10%	5%	362
IN	70%	19%	7%	3%	818
KS	67%	14%	8%	11%	1159
KY	74%	15%	6%	4%	406
MD	65%	16%	9%	11%	444
MA	69%	15%	6%	9%	390
MI	59%	25%	7%	9%	649
MN	75%	13%	3%	9%	376
MO	72%	15%	5%	8%	394
NE	64%	25%	6%	6%	374
NV	61%	21%	8%	11%	416
NJ	69%	15%	7%	8%	479
NY	64%	20%	8%	8%	1590
NC	57%	16%	11%	16%	480
ND	66%	20%	10%	5%	389
OH	69%	15%	11%	6%	535
OK	69%	13%	5%	13%	384
OR	65%	15%	7%	13%	405
PA	60%	17%	11%	13%	668
SC	77%	11%	4%	8%	377
UT	56%	21%	11%	12%	300
VA	66%	16%	9%	9%	806
WI	66%	16%	9%	9%	932
Unweighted NCI-IDD Average	66%	17%	8%	9%	16885

Chapter C16: Rights and Respect

Table C16-1. Has attended a self-advocacy group, meeting, conference or event or had the opportunity and chose not to

Proxy respondents were allowed for this question

State	Yes	Yes, had the opportunity but chose not to participate	No and did not have the opportunity to participate	N
AL	16%	16%	69%	507
AR	13%	2%	85%	385
CO	27%	8%	65%	956
CT	30%	15%	55%	553
DE	18%	16%	67%	374
DC	30%	11%	59%	328
GA	11%	5%	84%	368
IL	18%	36%	46%	308
IN	24%	22%	55%	801
KS	31%	12%	56%	1131
KY	14%	11%	75%	387
MD	22%	10%	68%	425
MA	26%	17%	57%	349
MI	17%	5%	78%	616
MN	20%	10%	70%	354
MO	14%	19%	67%	376
NE	15%	3%	82%	358
NV	16%	20%	64%	380
NJ	27%	7%	66%	449
NY	25%	13%	62%	1535
NC	26%	24%	50%	452
ND	33%	25%	42%	373
OH	32%	20%	48%	468
OK	20%	1%	79%	376
OR	15%	10%	75%	378
PA	17%	11%	72%	554
SC *	32%	12%	56%	289
UT	20%	22%	58%	298
VA	23%	5%	73%	768
WI	15%	17%	68%	923
Unweighted NCI-IDD Average	22%	13%	65%	15819

Table note: States with more than 25% missing or don't know responses are marked with an asterisk (*).

Table C16-2. Has ever voted in local, state, or federal election, or had the opportunity and chose not to

Proxy respondents were allowed for this question

State	Yes	Yes, had the opportunity to register or vote but chose not to	No and did not have the opportunity to register or vote	N
AL	28%	16%	56%	517
AR	32%	5%	63%	386
CO	46%	18%	37%	1015
CT	36%	17%	47%	563
DE	30%	11%	60%	389
DC	59%	8%	33%	344
GA	37%	5%	57%	382
IL	37%	32%	31%	345
IN	33%	17%	50%	802
KS	32%	16%	52%	1160
KY	10%	10%	80%	386
MD	45%	8%	47%	413
MA	47%	16%	36%	358
MI	38%	7%	55%	625
MN	37%	11%	52%	364
MO	20%	13%	67%	388
NE	33%	7%	61%	376
NV	47%	33%	20%	413
NJ	32%	8%	60%	464
NY	36%	12%	53%	1580
NC	42%	23%	36%	462
ND	37%	24%	40%	382
OH	41%	20%	39%	519
OK	23%	4%	73%	385
OR	47%	12%	41%	395
PA	37%	34%	29%	651
SC	40%	16%	43%	334
UT	25%	20%	55%	305
VA	34%	9%	58%	783
WI	38%	13%	48%	927
Unweighted NCI-IDD Average	36%	15%	49%	16413

Table C16-3. Has a place to be alone in the home

State	Yes	No	N
AL	96%	4%	285
AR	100%	0%	266
CO	98%	2%	586
CT	98%	2%	378
DE	98%	2%	216
DC	100%	0%	225
GA	97%	3%	209
IL	97%	3%	237
IN	97%	3%	638
KS	98%	2%	497
KY	99%	1%	173
MD	94%	6%	260
MA	98%	2%	273
MI	96%	4%	339
MN	97%	3%	178
MO	99%	1%	253
NE	98%	2%	316
NV	94%	6%	345
NJ	95%	5%	240
NY	93%	7%	924
NC	97%	3%	242
ND	98%	2%	131
OH	98%	2%	360
OK	97%	3%	210
OR	97%	3%	269
PA	97%	3%	399
SC	97%	3%	267
UT	96%	4%	170
VA	97%	3%	399
WI	97%	3%	422
Unweighted NCI-IDD Average	97%	3%	9707

Table C16-4. Has a key to the home

Proxy respondents were allowed for this question

State	Yes	Maybe, not sure	No	N
AL	76%	1%	23%	567
AR	74%	0%	26%	386
CO	71%	2%	28%	1032
CT	65%	0%	35%	595
DE	41%	1%	58%	407
DC	78%	1%	21%	382
GA	70%	1%	29%	394
IL	46%	1%	52%	370
IN	58%	0%	42%	816
KS	53%	0%	46%	1158
KY	24%	4%	72%	406
MD	58%	1%	41%	443
MA	44%	1%	54%	401
MI	58%	0%	41%	650
MN	27%	1%	72%	385
MO	43%	2%	55%	398
NE	61%	0%	39%	387
NV	62%	2%	36%	423
NJ	59%	0%	41%	476
NY	56%	0%	44%	1635
NC	50%	1%	50%	482
ND	63%	2%	35%	393
OH	57%	1%	42%	541
OK	91%	0%	9%	388
OR	53%	1%	46%	408
PA	55%	1%	45%	686
SC	53%	1%	46%	400
UT	46%	0%	54%	309
VA	79%	0%	21%	810
WI	52%	0%	48%	952
Unweighted NCI-IDD Average	58%	1%	41%	17080

Table C16-5. Wants a key to the home (if does not have one)

Proxy respondents were allowed for this question

State	Yes	Maybe, not sure	No	N
AL	24%	13%	63%	120
AR	11%	1%	88%	99
CO	14%	8%	78%	272
CT	15%	8%	77%	189
DE	17%	7%	76%	230
DC	42%	11%	48%	65
GA	26%	17%	57%	105
IL	13%	6%	80%	179
IN	21%	3%	76%	314
KS	10%	5%	85%	480
KY	1%	6%	94%	264
MD	23%	6%	71%	168
MA	22%	19%	59%	198
MI	11%	18%	70%	239
MN	12%	6%	82%	263
MO	16%	14%	70%	200
NE	17%	9%	74%	139
NV	30%	11%	60%	159
NJ	22%	8%	70%	159
NY	16%	7%	77%	670
NC	14%	12%	75%	229
ND	2%	9%	89%	131
OH	10%	5%	85%	212
OK	27%	12%	61%	33
OR	15%	12%	73%	165
PA	13%	3%	84%	267
SC	42%	10%	49%	173
UT *	16%	7%	78%	116
VA	11%	6%	83%	159
WI	8%	4%	88%	418
Unweighted NCI-IDD Average	15%	8%	77%	6415

Table note: States with more than 25% missing or don't know responses are marked with an asterisk (*).

Table C16-6. Can lock bedroom if wants

Proxy respondents were allowed for this question

State	Yes	Maybe, not sure	No	N
AL	81%	4%	15%	546
AR	58%	2%	39%	350
CO	68%	5%	27%	938
CT	44%	2%	54%	544
DE	55%	2%	43%	398
DC	76%	1%	23%	373
GA	78%	4%	18%	369
IL	64%	6%	30%	352
IN	52%	6%	43%	763
KS	53%	3%	44%	1083
KY	79%	9%	11%	384
MD	68%	3%	30%	417
MA	74%	5%	21%	374
MI	52%	4%	45%	593
MN	61%	1%	37%	360
MO	54%	7%	40%	364
NE	55%	4%	40%	343
NV	70%	7%	23%	388
NJ	78%	3%	19%	447
NY	60%	2%	38%	1519
NC	59%	5%	36%	457
ND	58%	9%	33%	304
OH	46%	6%	48%	458
OK	47%	1%	52%	357
OR	58%	2%	40%	370
PA	57%	3%	40%	624
SC	74%	1%	25%	376
UT	60%	3%	37%	303
VA	84%	1%	15%	782
WI	52%	3%	45%	848
Unweighted NCI-IDD Average	62%	4%	35%	15784

Table C16-7. Others (who do not live in the home) let person know before entering home

State	Yes	Sometimes	No	N
AL	89%	4%	6%	282
AR	93%	6%	1%	269
CO	89%	6%	5%	574
CT	93%	2%	5%	359
DE	85%	6%	9%	212
DC	82%	7%	11%	229
GA	93%	3%	4%	207
IL	93%	5%	2%	227
IN	92%	4%	4%	629
KS	86%	8%	6%	487
KY	78%	22%	0%	169
MD	79%	5%	15%	247
MA	81%	12%	7%	264
MI	70%	21%	9%	330
MN	79%	6%	15%	175
MO	83%	11%	6%	246
NE	87%	8%	5%	299
NV	85%	6%	9%	341
NJ	83%	5%	11%	229
NY	87%	4%	9%	893
NC	87%	5%	8%	238
ND	90%	6%	5%	125
OH	85%	8%	7%	353
OK	87%	6%	7%	206
OR	89%	5%	6%	254
PA	90%	7%	3%	394
SC	88%	7%	5%	272
UT	70%	22%	8%	165
VA	95%	3%	2%	354
WI	88%	7%	5%	416
Unweighted NCI-IDD Average	87%	7%	6%	9445

Table C16-8. Others let person know before coming into person's bedroom

State	Yes	Sometimes	No	N
AL	79%	7%	14%	281
AR	89%	6%	5%	267
CO	81%	8%	10%	578
CT	84%	7%	10%	368
DE	86%	3%	11%	215
DC	79%	9%	12%	231
GA	90%	3%	7%	205
IL	88%	6%	6%	226
IN	84%	7%	8%	640
KS	81%	8%	11%	486
KY	78%	22%	0%	171
MD	68%	8%	24%	253
MA	79%	13%	8%	277
MI	70%	22%	8%	335
MN	81%	9%	10%	174
MO	83%	8%	9%	250
NE	79%	11%	11%	309
NV	76%	9%	15%	338
NJ	82%	9%	9%	233
NY	78%	8%	14%	906
NC	76%	11%	13%	234
ND	84%	9%	7%	126
OH	81%	9%	10%	353
OK	74%	12%	14%	207
OR	73%	15%	13%	267
PA	84%	9%	7%	388
SC	80%	9%	11%	276
UT	60%	28%	12%	167
VA	87%	6%	7%	386
WI	83%	8%	9%	415
Unweighted NCI-IDD Average	80%	9%	10%	9562

Table C16-9. Others read person's mail or email without asking

State	Yes, mail/email is read without permission	No, person reads own mail/email or others read with permission	N
AL	21%	79%	239
AR	5%	95%	259
CO	8%	92%	554
CT	9%	91%	332
DE	10%	90%	201
DC	9%	91%	194
GA	8%	92%	191
IL	14%	86%	203
IN	21%	79%	604
KS	9%	91%	511
KY	3%	97%	158
MD	14%	86%	232
MA	11%	89%	251
MI	8%	92%	296
MN	15%	85%	162
MO	13%	87%	222
NE	14%	86%	287
NV	13%	87%	319
NJ	8%	92%	191
NY	9%	91%	844
NC	11%	89%	186
ND	4%	96%	113
OH	7%	93%	340
OK	14%	86%	197
OR	9%	91%	247
PA	5%	95%	361
SC	22%	78%	238
UT	11%	89%	142
VA	3%	97%	328
WI	7%	93%	404
Unweighted NCI-IDD Average	11%	89%	8806

Table C16-10. There are no rules for using phone or internet

State	No rules about using phone/internet	Rules about internet only	Rules about phone only	Rules about using phone/internet	N
AL	83%	3%	4%	9%	254
AR	88%	5%	2%	5%	261
CO	80%	5%	3%	11%	543
CT	72%	6%	6%	16%	335
DE	84%	1%	2%	13%	196
DC	96%	0%	1%	2%	225
GA	87%	3%	4%	7%	195
IL	83%	5%	4%	8%	206
IN	83%	2%	3%	12%	597
KS	74%	5%	5%	16%	499
KY	86%	5%	1%	8%	160
MD	84%	2%	2%	12%	235
MA	86%	4%	5%	5%	252
MI	83%	2%	3%	12%	325
MN	88%	7%	0%	5%	158
MO	83%	4%	5%	7%	231
NE	79%	5%	6%	10%	285
NV	85%	6%	3%	6%	335
NJ	89%	2%	2%	6%	204
NY	84%	3%	3%	9%	865
NC	74%	8%	4%	13%	216
ND	86%	3%	1%	10%	115
OH	88%	4%	1%	7%	336
OK	74%	5%	2%	19%	188
OR	86%	4%	4%	7%	247
PA	84%	6%	2%	9%	361
SC	77%	3%	10%	10%	209
UT	69%	7%	4%	20%	163
VA	87%	5%	3%	5%	338
WI	80%	5%	4%	11%	401
Unweighted NCI-IDD Average	83%	4%	3%	10%	8935

Table C16-11. There are rules about having friends or visitors in the home

State	No rules about having friends or visitors in the home	There are rules about having friends or visitors in the home	N
AL	72%	28%	255
AR	83%	17%	263
CO	73%	27%	547
CT	62%	38%	317
DE	68%	32%	194
DC	84%	16%	224
GA	82%	18%	195
IL	77%	23%	203
IN	77%	23%	604
KS	57%	43%	509
KY	70%	30%	168
MD	63%	37%	228
MA	78%	22%	251
MI	65%	35%	310
MN	83%	17%	152
MO	78%	22%	227
NE	72%	28%	283
NV	75%	25%	326
NJ	81%	19%	206
NY	73%	27%	837
NC	62%	38%	207
ND	77%	23%	123
OH	74%	26%	329
OK	52%	48%	201
OR	69%	31%	244
PA	80%	20%	362
SC *	43%	57%	207
UT	66%	34%	160
VA	80%	20%	327
WI	73%	27%	413
Unweighted NCI-IDD Average	72%	28%	8872

Table note: States with more than 25% missing or don't know responses are marked with an asterisk (*).

Table C16-12. Can stay at home if others in the house go somewhere

Proxy respondents were allowed for this question

State	Yes, can stay at home	Sometimes can stay at home, sometimes has to go	No, always has to go	N
AL	43%	17%	40%	558
AR	35%	10%	55%	344
CO	44%	14%	41%	952
CT	57%	22%	22%	551
DE	47%	10%	42%	403
DC	59%	7%	34%	345
GA	35%	14%	51%	379
IL	38%	24%	38%	361
IN	40%	18%	42%	785
KS	33%	21%	46%	1082
KY	10%	18%	72%	390
MD	61%	11%	28%	428
MA	60%	22%	18%	359
MI	39%	44%	17%	587
MN	37%	13%	50%	375
MO	48%	17%	35%	366
NE	44%	16%	39%	351
NV	54%	15%	31%	389
NJ	53%	27%	20%	443
NY	54%	10%	36%	1533
NC	25%	19%	56%	455
ND	55%	17%	28%	313
OH	51%	18%	31%	446
OK	31%	9%	60%	363
OR	56%	20%	24%	374
PA	48%	17%	35%	632
SC	20%	18%	62%	376
UT	50%	34%	15%	299
VA	72%	22%	6%	774
WI	41%	24%	35%	839
Unweighted NCI-IDD Average	45%	18%	36%	15852



Human Services Research Institute

Human Services Research Institute (HSRI)
2336 Massachusetts Avenue
Cambridge, MA 02140



NASDDDS

National Association of State Directors
of
Developmental Disabilities Services

National Association of State Directors of Developmental Disabilities Services (NASDDDS)
301 N Fairfax Street, Suite 101
Alexandria, VA 22314

July 2025

Questions/Comments: nci@nationalcoreindicators.org