

National Core Indicators[®] - Intellectual and Developmental Disabilities (NCI[®]-IDD)



National Report 2024-25

Health



Table of Contents: Health

Where do these data come from?	3
What are “collapsed” data?	3
What is weighting and why do we do it?.....	3
Presentation of state and weighted NCI-IDD averages	4
Averages.....	4
Important Note on Changes to the Survey Tool	4
Charts and Tables	6
Table 1. Has a primary care doctor or practitioner	8
Table 1b. Percent who have a primary care doctor or practitioner (includes missing and “don’t know” responses).....	9
Table 2. In poor health.....	11
Table 3. Had a complete physical exam in the past year (This refers to a routine exam, not a visit for a specific problem or illness)	13
Table 3b. Last physical exam (includes missing and “don’t know” responses).....	14
Table 4. Had a routine dental exam in the past year.....	16
Table 4b. Last dental exam (includes missing and “don’t know” responses)	17
Table 5. Had an eye exam/vision screening in the past year.....	19
Table 5b. Last eye exam or vision screening (includes missing and “don’t know” responses)	20
Table 6. Had a hearing test in the past five years.....	22
Table 6b. Had a hearing test in the past five years (includes missing and “don’t know” responses).....	23
Table 7. Had a Pap test in the past three years (among women 21 and older)	25
Table 7b. Last Pap test (among women 21 and older, includes “not applicable,” missing, and “don’t know” responses)	26
Table 8. Had a mammogram test in the past two years (among women age 40 and over).....	28
Table 8b. Last mammogram test (among women age 40 and over, includes “not applicable,” missing, and “don’t know”)	29
Table 9. Last colorectal cancer screening (among people age 45 to 75).....	31
Table 9b. Last colorectal cancer screening (among people age 45 to 75, includes “not applicable,” missing, and “don’t know” responses)	32
Table 10. Had a flu vaccine in the past 12 months.....	34
Table 10b. Had a flu vaccine in the past year (includes missing and “don’t know” responses).....	35
Table 11. Went to the emergency room for any reason to get care for themselves in the past 12 months	37
Table 12. Had an unexpected hospital admission due to dehydration, bowel obstruction, seizure, aspiration, or GERD, in the past year.....	39
Table 13. Fell and hurt themselves in the past six months	41

Where do these data come from?

Most items in this section are drawn from administrative sources. Select items may have been collected during the face-to-face survey from the person receiving services, or for some select questions, from a “proxy” respondent. A proxy respondent is someone who knows the person well (e.g., a family member), proxy respondents may not be a case manager/service coordinator. Items that may come from administrative records or allow for proxy respondents are noted in the table title. Read more about why we allow proxy respondents for select questions in the IPS in the Overview chapter of this report.

Items in this chapter are a part of the NCI-IDD Individuals Outcomes domain (or topic area) and comprise the “Health” subdomain (a specific area of concern within the domain). The Health subdomain includes items that help determine whether “People have access to and get recommended health services at the recommended frequencies.”

Read more about NCI-IDD domains and sub-domains in the Overview chapter of this report.

What are “collapsed” data?

Many questions in the IPS allow respondents to answer a question with “middle” response like “maybe,” “sometimes,” or “in-between.” The tables in this section present collapsed data. That means that two or more response options are grouped together if they are considered to reflect a positive outcome.

To see the breakout of responses for each option, please see Appendix C.

What is weighting and why do we do it?

The NCI-IDD averages are “weighted” to reflect the states’ relative population and sample sizes. We created the weights using the state’s number of valid surveys and its total survey-eligible population. This way, a state that provides services to a larger number of people but uses a sample similar in size to other states has a greater influence on the overall NCI-IDD average (that is, its contribution is *proportional to its service population*). You can read more about this in the Methodology section of the Overview chapter.

The number of respondents (N) for each question *is not* weighted.

Presentation of state and weighted NCI-IDD averages

Averages

For the most part, the state outcomes are shown in descending order of percentage and are categorized as statistically significantly above the NCI-IDD Average, within the range of the NCI-IDD Average, or significantly below the NCI-IDD Average. Statistical significance is taken to be at or below the .01 level. For those states that fall within the NCI-IDD Average range, their 'always' or 'yes' response was not statistically different from the NCI-IDD Average. Other tables show the states listed in alphabetical order and are not tested for significance.

Tables that show significance also break out average results for each state by the type of residence: ICF/IID or other institutional settings, group residence, own home, parent/relative's home, foster or host home. Figure A on the following page shows, by state, the percentage of people surveyed in each residence type. Please note though that:

- Significance testing was not performed on the breakouts by residence
- The number of people in each residential setting is often too small to allow for valid state-to-state comparisons
- And in many cases, statistically valid conclusions cannot be drawn about differences in results between residence types

Still, we provide this information for states' internal purposes. It should not be used to compare one state with another.

To protect people's privacy, we do not show the data when 20 or fewer people from a state or residence type responded to a question (though their responses are included in the NCI-IDD average).

Important Note on Changes to the Survey Tool

NCI-IDD operates on a six-year revisions cycle to regularly ensure the current set of indicators meet the needs of state systems and reflect current needs in the field. Survey changes are guided by state managers, people with disabilities, and other experts in the field. Please note, any changes to the survey tool may affect comparison to previous years' data, therefore any cross-year comparison should be made with caution.

Figure A. Percentage of people surveyed in each residence type by state

State	Institutional Settings	Group Settings	Own Home or Apartment	Parent's or Relative's Home	Host Home, Shared Living or Foster Care	N
AL	0%	60%	7%	33%	1%	600
AZ	0%	19%	5%	73%	3%	385
AR	0%	15%	42%	41%	2%	408
CA	6%	20%	12%	62%	0%	8393
CO	1%	23%	16%	44%	16%	997
CT	1%	45%	11%	38%	6%	603
DE	0%	69%	1%	28%	2%	398
DC	7%	49%	14%	25%	5%	374
GA	0%	33%	8%	47%	12%	410
HI	0%	14%	5%	59%	23%	355
IL	2%	49%	9%	39%	1%	405
IN	11%	23%	20%	45%	0%	844
KS	8%	32%	15%	44%	1%	1171
KY	0%	24%	10%	43%	23%	412
LA	16%	0%	34%	49%	1%	455
MD	1%	35%	15%	48%	1%	408
MI	0%	38%	20%	38%	3%	652
MN	1%	39%	14%	44%	2%	385
MO	1%	24%	39%	31%	5%	403
MT	0%	45%	28%	25%	2%	464
NE	7%	25%	13%	26%	28%	401
NV	0%	47%	11%	37%	5%	492
NH	1%	15%	8%	36%	40%	357
NJ	0%	70%	9%	20%	0%	501
NY	0%	48%	11%	41%	0%	1735
NC	19%	15%	9%	48%	9%	440
ND	18%	14%	45%	23%	0%	417
OH	0%	11%	38%	49%	2%	560
OK	0%	39%	14%	45%	2%	395
OR	0%	19%	13%	59%	9%	414
PA	2%	38%	11%	48%	1%	795
SC	1%	62%	16%	20%	2%	806
SD	0%	52%	34%	14%	1%	345
TX	0%	8%	2%	65%	25%	1209
UT	5%	37%	11%	34%	13%	364
VA	0%	36%	9%	39%	16%	811
WA	0%	16%	30%	54%	0%	406
WI	3%	4%	27%	67%	0%	833
WY	0%	0%	60%	40%	1%	401
NCI-IDD	3%	29%	16%	49%	4%	30204

Table note: Institutional settings include ICF/IID, Nursing Facilities, and other institutional settings

Charts and Tables

Person has primary care doctor/practitioner




Table 1. Has a primary care doctor or practitioner

Information may have been obtained through state records

State		Average	N	Institutional Settings	Group Settings	Own Home or Apartment	Parent's or Relative's Home	Host Home, Shared Living or Foster Care
GA	↑	100%	411	n/a	99%	100%	99%	100%
NY	↑	99%	1719	n/a	100%	99%	99%	n/a
IN	↑	99%	844	100%	98%	100%	99%	n/a
DC	↑	99%	372	96%	100%	100%	98%	100%
DE	↑	99%	361	n/a	99%	n/a	99%	n/a
SC	↑	99%	761	n/a	99%	99%	97%	n/a
NJ	↑	99%	500	n/a	99%	100%	97%	n/a
CT	↑	99%	610	n/a	100%	95%	99%	100%
AR	↑	99%	409	n/a	100%	98%	99%	n/a
AL	↑	99%	597	n/a	99%	98%	99%	n/a
MO		99%	402	n/a	100%	97%	99%	100%
OK		98%	395	n/a	99%	100%	98%	n/a
NE		98%	419	100%	100%	98%	97%	97%
UT		98%	342	100%	98%	100%	98%	98%
AZ		98%	394	n/a	99%	n/a	99%	n/a
WI		98%	862	n/a	100%	100%	97%	n/a
ND		98%	416	100%	100%	98%	96%	n/a
MI		98%	640	n/a	98%	97%	98%	n/a
HI		98%	356	n/a	96%	n/a	98%	98%
MD		98%	400	n/a	99%	97%	97%	n/a
NV		98%	470	n/a	98%	98%	97%	96%
VA		98%	803	n/a	97%	99%	98%	98%
KY		98%	413	n/a	100%	100%	96%	97%
NC		98%	440	100%	98%	97%	96%	97%
NH		97%	341	n/a	94%	96%	97%	99%
PA		97%	820	n/a	98%	98%	96%	n/a
CO		97%	1009	n/a	100%	94%	97%	98%
LA		97%	457	90%	n/a	98%	99%	n/a
NCI-IDD		97%	30141	98%	99%	96%	96%	98%
TX		97%	1218	n/a	99%	100%	96%	97%
KS		97%	1090	96%	97%	98%	97%	n/a
IL		97%	402	n/a	97%	100%	95%	n/a
SD		96%	337	n/a	96%	97%	98%	n/a
CA		96%	8545	99%	98%	95%	96%	n/a
MN		96%	369	n/a	96%	98%	96%	n/a
MT		96%	462	n/a	97%	95%	95%	n/a
OH	↓	94%	541	n/a	98%	91%	95%	n/a
WA	↓	93%	406	n/a	97%	97%	90%	n/a
OR	↓	92%	406	n/a	96%	94%	89%	100%
WY	↓	66%	402	n/a	n/a	67%	64%	n/a

Table 1b. Percent who have a primary care doctor or practitioner (includes missing and “don’t know” responses)

State	Has a primary care doctor or practitioner	Does not have primary care doctor or practitioner	Missing	Don't Know	N
AL	98%	1%	1%	0%	601
AZ	96%	2%	2%	1%	404
AR	99%	1%	0%	0%	409
CA	96%	4%	0%	0%	8614
CO	96%	3%	1%	1%	1025
CT	99%	1%	0%	0%	611
DE	88%	1%	2%	9%	405
DC	99%	1%	0%	0%	374
GA	100%	0%	0%	0%	411
HI	98%	2%	0%	0%	356
IL	93%	3%	2%	1%	417
IN	99%	1%	0%	0%	844
KS	88%	3%	4%	5%	1196
KY	95%	2%	2%	0%	423
LA	97%	3%	0%	0%	458
MD	96%	2%	1%	1%	408
MI	96%	2%	1%	1%	653
MN	92%	4%	3%	2%	385
MO	98%	1%	0%	0%	403
MT	95%	4%	1%	0%	468
NE	98%	2%	0%	0%	420
NV	93%	2%	2%	3%	496
NH	92%	3%	1%	4%	360
NJ	98%	1%	0%	1%	505
NY	98%	1%	2%	0%	1750
NC	95%	2%	2%	1%	451
ND	96%	2%	2%	0%	426
OH	89%	6%	1%	5%	571
OK	98%	2%	0%	0%	396
OR	90%	7%	2%	0%	415
PA	90%	2%	6%	1%	882
SC	92%	1%	2%	5%	821
SD	93%	3%	3%	0%	349
TX	95%	3%	2%	0%	1246
UT	92%	2%	0%	7%	366
VA	96%	2%	0%	1%	813
WA	92%	7%	0%	1%	410
WI	90%	2%	5%	4%	944
WY	66%	34%	0%	0%	402
NCI-IDD	95%	3%	1%	1%	30888

Overall, how would you describe your health?




Table 2. In poor health

Proxy respondents were allowed for this question

State	Average	N	Institutional Settings	Group Settings	Own Home or Apartment	Parent's or Relative's Home	Host Home, Shared Living or Foster Care	
WI	↑	5%	931	5%	13%	7%	4%	n/a
ND	↑	5%	412	8%	5%	4%	5%	n/a
UT		4%	337	n/a	5%	8%	3%	2%
HI		4%	345	n/a	4%	n/a	4%	4%
WY		4%	378	n/a	n/a	4%	5%	n/a
MN		3%	374	n/a	4%	4%	3%	n/a
OR		3%	411	n/a	8%	4%	2%	0%
CO		3%	1006	n/a	4%	3%	2%	3%
KS		3%	1170	4%	2%	2%	3%	n/a
AZ		3%	395	n/a	0%	n/a	3%	n/a
NV		2%	483	n/a	1%	4%	3%	4%
TX		2%	1222	n/a	1%	0%	3%	2%
KY		2%	418	n/a	2%	5%	2%	2%
MI		2%	644	n/a	3%	2%	2%	n/a
DE		2%	394	n/a	2%	n/a	3%	n/a
AR		2%	407	n/a	0%	4%	2%	n/a
MT		2%	455	n/a	2%	2%	3%	n/a
NCI-IDD	2%	30337	2%	2%	2%	2%	2%	2%
CA		2%	8548	2%	1%	3%	2%	n/a
SC		2%	800	n/a	2%	1%	3%	n/a
NH		2%	360	n/a	4%	3%	1%	2%
NY		2%	1700	n/a	2%	3%	2%	n/a
CT		2%	596	n/a	3%	3%	1%	0%
NJ		2%	489	n/a	1%	2%	4%	n/a
NC		2%	450	1%	3%	0%	0%	8%
SD		2%	340	n/a	2%	2%	2%	n/a
VA		2%	805	n/a	1%	7%	2%	1%
GA		2%	407	n/a	0%	3%	3%	2%
OK		2%	388	n/a	1%	2%	2%	n/a
IL		2%	394	n/a	2%	0%	2%	n/a
IN		1%	834	2%	1%	1%	1%	n/a
LA		1%	456	0%	n/a	1%	2%	n/a
OH		1%	557	n/a	2%	1%	1%	n/a
MO		1%	398	n/a	2%	1%	0%	n/a
MD		1%	403	n/a	1%	0%	1%	n/a
WA		1%	408	n/a	0%	2%	1%	n/a
PA	↓	1%	862	n/a	1%	1%	2%	n/a
AL	↓	1%	586	n/a	1%	0%	1%	n/a
DC	↓	1%	365	0%	1%	2%	0%	0%
NE	↓	0%	409	0%	0%	0%	0%	1%

Last complete annual physical exam




Table 3. Had a complete physical exam in the past year (This refers to a routine exam, not a visit for a specific problem or illness)

Information may have been obtained through state records

State		Average	N	Institutional Settings	Group Settings	Own Home or Apartment	Parent's or Relative's Home	Host Home, Shared Living or Foster Care
OK	↑	98%	393	n/a	97%	100%	99%	n/a
NJ	↑	98%	490	n/a	99%	98%	96%	n/a
LA	↑	98%	449	99%	n/a	98%	97%	n/a
SD	↑	98%	326	n/a	99%	96%	97%	n/a
MO	↑	96%	396	n/a	100%	96%	93%	n/a
SC	↑	96%	700	n/a	98%	95%	91%	n/a
AR	↑	96%	402	n/a	95%	97%	96%	n/a
KY	↑	96%	391	n/a	96%	97%	94%	100%
GA	↑	96%	403	n/a	98%	94%	95%	98%
CT	↑	96%	606	n/a	99%	97%	92%	97%
NC	↑	95%	418	96%	98%	95%	93%	100%
HI	↑	94%	354	n/a	98%	n/a	96%	89%
KS	↑	94%	1076	90%	97%	96%	92%	n/a
UT	↑	94%	317	100%	93%	94%	93%	95%
OH *	↑	94%	404	n/a	94%	95%	92%	n/a
MI	↑	94%	570	n/a	96%	94%	91%	n/a
MN	↑	93%	362	n/a	97%	88%	91%	n/a
TX	↑	93%	1200	n/a	96%	100%	91%	95%
AL	↑	92%	597	n/a	95%	90%	89%	n/a
PA	↑	92%	805	n/a	96%	82%	90%	n/a
ND		92%	416	91%	100%	95%	83%	n/a
NH		92%	329	n/a	96%	85%	88%	96%
IN		92%	819	98%	97%	90%	88%	n/a
MT		91%	443	n/a	96%	90%	86%	n/a
MD		91%	379	n/a	95%	88%	89%	n/a
IL		91%	373	n/a	97%	94%	82%	n/a
AZ		91%	375	n/a	97%	n/a	90%	n/a
WI		91%	824	n/a	96%	92%	90%	n/a
WA		90%	399	n/a	90%	92%	90%	n/a
NE		90%	414	100%	91%	98%	86%	83%
NCI-IDD		89%	28280	97%	92%	89%	87%	93%
CA		89%	8396	97%	96%	83%	87%	n/a
DC		87%	372	92%	89%	92%	80%	80%
VA		86%	789	n/a	90%	79%	84%	89%
DE		86%	385	n/a	91%	n/a	75%	n/a
NV	↓	82%	450	n/a	87%	74%	78%	87%
OR	↓	82%	387	n/a	95%	76%	77%	94%
WY *	↓	81%	264	n/a	n/a	81%	80%	n/a
NY	↓	72%	1504	n/a	74%	73%	69%	n/a
CO *	↓	59%	303	n/a	66%	70%	56%	54%

Table note: States with more than 25% missing or don't know responses are marked with an asterisk (*).

Table 3b. Last physical exam (includes missing and “don’t know” responses)

State	In the past year	More than 1 year	Missing	Don't Know	N
AL	92%	8%	0%	0%	601
AZ	84%	8%	3%	4%	404
AR	95%	4%	0%	2%	409
CA	87%	11%	0%	2%	8614
CO *	17%	12%	0%	70%	1025
CT	95%	4%	0%	1%	611
DE	81%	14%	2%	3%	405
DC	86%	13%	0%	1%	374
GA	94%	4%	0%	2%	411
HI	94%	6%	0%	1%	356
IL	82%	8%	2%	8%	417
IN	89%	8%	0%	3%	844
KS	85%	5%	3%	7%	1196
KY	89%	4%	1%	6%	423
LA	96%	2%	1%	1%	458
MD	85%	8%	1%	6%	408
MI	82%	6%	1%	12%	653
MN	88%	6%	3%	3%	385
MO	95%	3%	0%	2%	403
MT	87%	8%	1%	5%	468
NE	88%	10%	0%	1%	420
NV	75%	16%	1%	8%	496
NH	84%	7%	3%	6%	360
NJ	95%	2%	0%	3%	505
NY	62%	24%	0%	14%	1750
NC	88%	4%	0%	7%	451
ND	90%	8%	1%	1%	426
OH *	66%	5%	2%	27%	571
OK	97%	2%	1%	0%	396
OR	77%	17%	1%	5%	415
PA	84%	7%	6%	3%	882
SC	82%	3%	3%	11%	821
SD	91%	2%	3%	4%	349
TX	89%	7%	2%	2%	1246
UT	81%	5%	1%	13%	366
VA	84%	13%	0%	3%	813
WA	88%	9%	0%	3%	410
WI	79%	8%	3%	10%	944
WY *	53%	12%	0%	34%	402
NCI-IDD	81%	10%	1%	8%	30888

Table note: States with more than 25% missing or don't know responses are marked with an asterisk (*).

Last dentist exam




Table 4. Had a routine dental exam in the past year*Information may have been obtained through state records*

State	Average	N	Institutional Settings	Group Settings	Own Home or Apartment	Parent's or Relative's Home	Host Home, Shared Living or Foster Care
SD ↑	94%	322	n/a	95%	95%	83%	n/a
NJ ↑	93%	451	n/a	98%	95%	77%	n/a
KY ↑	90%	358	n/a	96%	94%	83%	92%
SC ↑	90%	688	n/a	93%	93%	62%	n/a
MD ↑	89%	376	n/a	95%	86%	85%	n/a
DE ↑	88%	384	n/a	94%	n/a	75%	n/a
NE ↑	88%	397	97%	88%	84%	88%	86%
ND ↑	88%	404	91%	91%	91%	78%	n/a
NC ↑	87%	376	98%	91%	88%	82%	84%
UT ↑	86%	291	95%	87%	91%	77%	97%
DC ↑	86%	366	92%	88%	96%	72%	n/a
MN ↑	85%	349	n/a	90%	80%	81%	n/a
MT ↑	85%	437	n/a	87%	84%	83%	n/a
IL	85%	339	n/a	92%	77%	74%	n/a
OH *	85%	334	n/a	86%	82%	88%	n/a
MO	83%	386	n/a	90%	84%	76%	90%
KS	83%	1071	81%	90%	87%	78%	n/a
PA	83%	741	n/a	90%	64%	80%	n/a
HI	83%	342	n/a	87%	n/a	82%	88%
TX	82%	1196	n/a	96%	81%	78%	87%
IN	82%	812	94%	81%	88%	76%	n/a
AL	82%	577	n/a	88%	76%	69%	n/a
CT	82%	607	n/a	86%	81%	76%	79%
CA	81%	8362	94%	89%	75%	79%	n/a
GA	80%	394	n/a	86%	81%	76%	82%
NCI-IDD	80%	27492	94%	86%	78%	76%	84%
WA	77%	404	n/a	67%	82%	78%	n/a
OK	77%	393	n/a	86%	71%	71%	n/a
NH	75%	285	n/a	75%	70%	77%	74%
AZ	74%	349	n/a	78%	n/a	72%	n/a
NV *	74%	349	n/a	77%	65%	72%	n/a
CO ↓	75%	783	n/a	70%	77%	78%	71%
MI *	74%	418	n/a	69%	84%	74%	n/a
LA ↓	72%	430	96%	n/a	67%	67%	n/a
WI ↓	71%	755	n/a	n/a	71%	73%	n/a
NY * ↓	71%	1155	n/a	77%	66%	65%	n/a
AR ↓	71%	337	n/a	69%	72%	70%	n/a
OR ↓	70%	392	n/a	77%	69%	68%	76%
VA ↓	67%	777	n/a	72%	71%	61%	68%
WY ↓	62%	305	n/a	n/a	60%	63%	n/a

Table note: States with more than 25% missing or don't know responses are marked with an asterisk ().*

Table 4b. Last dental exam (includes missing and “don’t know” responses)

State	More than 1 year	In the past year	Missing	Don't Know	N
AL	18%	78%	0%	4%	601
AZ	22%	64%	2%	12%	404
AR	24%	58%	0%	17%	409
CA	18%	79%	0%	2%	8614
CO	19%	57%	0%	24%	1025
CT	18%	81%	0%	1%	611
DE	11%	83%	2%	3%	405
DC	14%	84%	0%	2%	374
GA	19%	77%	0%	4%	411
HI	17%	79%	0%	4%	356
IL	12%	69%	3%	16%	417
IN	18%	79%	0%	4%	844
KS	15%	74%	3%	7%	1196
KY	8%	76%	0%	15%	423
LA	27%	67%	1%	5%	458
MD	11%	82%	1%	7%	408
MI *	16%	48%	1%	35%	653
MN	14%	77%	3%	7%	385
MO	16%	80%	0%	4%	403
MT	14%	79%	2%	5%	468
NE	11%	83%	2%	4%	420
NV *	18%	52%	2%	27%	496
NH	20%	59%	2%	19%	360
NJ	6%	83%	0%	10%	505
NY *	19%	47%	0%	34%	1750
NC	11%	73%	0%	16%	451
ND	12%	83%	2%	3%	426
OH *	9%	50%	1%	41%	571
OK	23%	76%	0%	1%	396
OR	28%	66%	2%	4%	415
PA	14%	70%	6%	10%	882
SC	9%	75%	3%	13%	821
SD	6%	87%	3%	5%	349
TX	17%	79%	2%	2%	1246
UT	11%	69%	0%	20%	366
VA	31%	64%	0%	4%	813
WA	23%	76%	0%	1%	410
WI	23%	57%	3%	17%	944
WY	29%	47%	0%	24%	402
NCI-IDD	17%	68%	1%	13%	30888

Table note: States with more than 25% missing or don't know responses are marked with an asterisk (*).

Last eye exam/vision screening




Table 5. Had an eye exam/vision screening in the past year

Information may have been obtained through state records

State	Average	N	Institutional Settings	Group Settings	Own Home or Apartment	Parent's or Relative's Home	Host Home, Shared Living or Foster Care	
NJ	↑	84%	405	n/a	90%	83%	67%	n/a
SC	↑	84%	674	n/a	89%	86%	55%	n/a
SD	↑	80%	318	n/a	79%	86%	65%	n/a
KY *	↑	76%	259	n/a	89%	74%	61%	85%
KS	↑	76%	1053	84%	85%	85%	65%	n/a
MN	↑	75%	339	n/a	83%	69%	70%	n/a
GA	↑	73%	383	n/a	76%	55%	69%	88%
DE	↑	70%	376	n/a	77%	n/a	52%	n/a
PA	↑	69%	666	n/a	83%	52%	55%	n/a
DC	↑	68%	350	72%	72%	71%	54%	65%
IL *	↑	67%	311	n/a	73%	67%	56%	n/a
LA	↑	67%	424	96%	n/a	71%	54%	n/a
MD	↑	66%	363	n/a	77%	64%	58%	n/a
OK	↑	66%	394	n/a	75%	66%	58%	n/a
IN		64%	805	71%	65%	70%	58%	n/a
NE		63%	386	77%	63%	65%	57%	63%
HI		63%	322	n/a	68%	n/a	63%	59%
AL		62%	563	n/a	69%	63%	49%	n/a
NC *		62%	316	59%	72%	59%	61%	48%
UT *		61%	154	75%	60%	77%	41%	n/a
MO		60%	373	n/a	74%	62%	47%	n/a
NV *		60%	278	n/a	65%	57%	49%	n/a
NCI-IDD		59%	25677	77%	68%	61%	51%	63%
WI *		58%	697	n/a	n/a	70%	54%	n/a
CT		57%	590	n/a	65%	62%	47%	58%
VA *		57%	457	n/a	57%	69%	50%	63%
AZ *		56%	287	n/a	71%	n/a	53%	n/a
OH *		55%	238	n/a	71%	59%	48%	n/a
CA		55%	8200	80%	62%	54%	51%	n/a
AR		55%	349	n/a	61%	61%	46%	n/a
NH *		53%	253	n/a	62%	55%	47%	55%
TX	↓	53%	1183	n/a	64%	56%	49%	61%
ND	↓	51%	402	60%	64%	51%	34%	n/a
WY	↓	50%	302	n/a	n/a	48%	51%	n/a
OR	↓	48%	365	n/a	67%	51%	39%	63%
NY *	↓	47%	1097	n/a	53%	48%	40%	n/a
MI *	↓	46%	311	n/a	46%	57%	40%	n/a
WA	↓	46%	392	n/a	28%	58%	44%	n/a
CO *	↓	44%	626	n/a	52%	44%	37%	44%
MT	↓	43%	416	n/a	41%	47%	38%	n/a

Table note: States with more than 25% missing or don't know responses are marked with an asterisk ().*

Table 5b. Last eye exam or vision screening (includes missing and “don’t know” responses)

State	More than 1 year	In the past year	Missing	Don't know	N
AL	35%	58%	1%	5%	601
AZ *	31%	40%	1%	27%	404
AR	38%	47%	0%	15%	409
CA	42%	53%	0%	4%	8614
CO *	34%	27%	0%	39%	1025
CT	41%	55%	0%	3%	611
DE	28%	65%	2%	5%	405
DC	30%	64%	0%	6%	374
GA	25%	68%	0%	7%	411
HI	33%	57%	0%	10%	356
IL *	24%	50%	3%	22%	417
IN	35%	61%	0%	5%	844
KS	21%	67%	3%	9%	1196
KY *	14%	47%	1%	38%	423
LA	31%	62%	1%	7%	458
MD	30%	59%	1%	10%	408
MI *	26%	22%	1%	51%	653
MN	22%	66%	3%	9%	385
MO	37%	56%	0%	7%	403
MT	51%	38%	2%	9%	468
NE	34%	58%	2%	6%	420
NV *	23%	33%	1%	43%	496
NH *	33%	37%	2%	28%	360
NJ	12%	68%	0%	20%	505
NY *	33%	30%	0%	37%	1750
NC *	27%	43%	1%	29%	451
ND	46%	48%	2%	4%	426
OH *	19%	23%	1%	57%	571
OK	34%	65%	0%	0%	396
OR	46%	42%	1%	11%	415
PA	24%	52%	6%	18%	882
SC	13%	69%	3%	15%	821
SD	18%	73%	2%	7%	349
TX	45%	50%	2%	3%	1246
UT *	16%	26%	0%	58%	366
VA *	24%	32%	0%	44%	813
WA	52%	44%	0%	4%	410
WI *	31%	42%	3%	24%	944
WY	38%	37%	0%	25%	402
NCI-IDD	32%	47%	1%	20%	30888

Table note: States with more than 25% missing or don't know responses are marked with an asterisk (*).

Last hearing test




Table 6. Had a hearing test in the past five years

Information may have been obtained through state records

State	Average	N	Institutional Settings	Group Settings	Own Home or Apartment	Parent's or Relative's Home	Host Home, Shared Living or Foster Care	
PA *	↑	85%	401	n/a	92%	73%	76%	n/a
DC	↑	82%	348	72%	84%	85%	79%	80%
GA	↑	75%	368	n/a	82%	67%	70%	82%
UT *	↑	75%	93	n/a	70%	n/a	46%	n/a
NJ *	↑	72%	348	n/a	75%	72%	67%	n/a
SC *	↑	66%	382	n/a	73%	68%	31%	n/a
AZ *	↑	64%	171	n/a	57%	n/a	66%	n/a
AL *	↑	62%	433	n/a	70%	59%	51%	n/a
NC *	↑	60%	222	81%	64%	45%	46%	n/a
CT	↑	57%	534	n/a	74%	46%	39%	73%
MD	↑	57%	309	n/a	72%	53%	48%	n/a
KY *		60%	115	n/a	79%	n/a	50%	74%
NV *		58%	141	n/a	60%	n/a	52%	n/a
IL *		55%	192	n/a	61%	n/a	41%	n/a
OH *		55%	132	n/a	n/a	61%	42%	n/a
MN		52%	296	n/a	61%	31%	51%	n/a
ND *		52%	300	79%	64%	47%	30%	n/a
VA *		52%	279	n/a	47%	60%	49%	63%
CA		51%	7774	86%	57%	41%	48%	n/a
SD *		48%	157	n/a	52%	47%	n/a	n/a
NCI-IDD		48%	20811	85%	60%	42%	42%	41%
NH *		47%	148	n/a	71%	n/a	35%	50%
LA		46%	386	90%	n/a	34%	39%	n/a
KS		46%	919	46%	48%	47%	45%	n/a
WY		45%	314	n/a	n/a	46%	43%	n/a
MI *		42%	194	n/a	39%	46%	43%	n/a
DE		41%	307	n/a	49%	n/a	28%	n/a
AR *		41%	246	n/a	63%	38%	36%	n/a
WI *	↓	41%	477	n/a	n/a	46%	39%	n/a
HI	↓	40%	312	n/a	42%	n/a	40%	35%
NY *	↓	38%	565	n/a	57%	21%	23%	n/a
OK	↓	36%	377	n/a	38%	37%	35%	n/a
IN	↓	35%	770	95%	31%	26%	25%	n/a
WA	↓	33%	353	n/a	33%	33%	33%	n/a
MT *	↓	33%	290	n/a	38%	32%	27%	n/a
MO *	↓	32%	268	n/a	37%	32%	26%	n/a
TX	↓	31%	1144	n/a	46%	33%	30%	30%
NE	↓	26%	411	47%	23%	35%	15%	27%
OR	↓	21%	324	n/a	37%	23%	17%	18%
CO *		n/a	n/a	n/a	n/a	n/a	n/a	n/a

Table note: Data display is suppressed (i.e. shown as n/a) for the following states with low counts of responses (n<20): CO. These responses are retained in NCI-IDD Average calculation. States with more than 25% missing or don't know responses are marked with an asterisk (*).

Table 6b. Had a hearing test in the past five years (includes missing and “don’t know” responses)

State	Not in past 5 years or Has never had a hearing test	Within past 5 years	Missing	Don't know	N
AL *	27%	45%	1%	27%	601
AZ *	15%	27%	1%	57%	404
AR *	36%	24%	0%	40%	409
CA	44%	46%	0%	9%	8614
CO *	1%	0%	0%	99%	1025
CT	37%	50%	0%	12%	611
DE	45%	31%	2%	22%	405
DC	17%	76%	0%	7%	374
GA	22%	67%	0%	10%	411
HI	53%	35%	0%	12%	356
IL *	21%	25%	3%	51%	417
IN	59%	32%	0%	9%	844
KS	42%	35%	4%	19%	1196
KY *	11%	16%	1%	72%	423
LA	45%	39%	0%	16%	458
MD	33%	43%	1%	23%	408
MI *	17%	12%	1%	69%	653
MN	37%	40%	3%	21%	385
MO *	45%	21%	0%	33%	403
MT *	42%	20%	1%	37%	468
NE	73%	25%	2%	0%	420
NV *	12%	17%	1%	71%	496
NH *	22%	19%	2%	57%	360
NJ *	19%	50%	1%	30%	505
NY *	20%	12%	0%	68%	1750
NC *	20%	30%	1%	50%	451
ND *	34%	37%	3%	27%	426
OH *	11%	13%	2%	75%	571
OK	61%	34%	0%	5%	396
OR	62%	16%	1%	20%	415
PA *	7%	39%	6%	48%	882
SC *	16%	31%	5%	48%	821
SD *	23%	22%	3%	52%	349
TX	63%	29%	2%	6%	1246
UT *	6%	19%	0%	74%	366
VA *	17%	18%	0%	66%	813
WA	58%	28%	0%	14%	410
WI *	30%	21%	3%	46%	944
WY	43%	35%	5%	17%	402
NCI-IDD	32%	30%	1%	37%	30888

Table note: States with more than 25% missing or don't know responses are marked with an asterisk (*).

Last Pap test (women 21 and older)




Table 7. Had a Pap test in the past three years (among women 21 and older)

Information may have been obtained through state records

State	Average	N	Institutional Settings	Group Settings	Own Home or Apartment	Parent's or Relative's Home	Host Home, Shared Living or Foster Care
KY ↑	82%	71	n/a	n/a	n/a	64%	n/a
SC ↑	75%	204	n/a	73%	96%	n/a	n/a
PA ↑	66%	174	n/a	73%	n/a	51%	n/a
NJ ↑	65%	128	n/a	74%	n/a	33%	n/a
DC ↑	64%	128	n/a	68%	55%	55%	n/a
MD ↑	63%	133	n/a	68%	n/a	61%	n/a
OH * ↑	63%	72	n/a	n/a	74%	42%	n/a
GA ↑	59%	128	n/a	64%	n/a	42%	75%
CT ↑	55%	231	n/a	64%	85%	34%	n/a
UT *	64%	33	n/a	n/a	n/a	n/a	n/a
DE	56%	50	n/a	58%	n/a	n/a	n/a
MI	53%	108	n/a	50%	68%	49%	n/a
AL	52%	180	n/a	61%	n/a	39%	n/a
NE	51%	104	n/a	52%	n/a	36%	64%
NV *	51%	59	n/a	46%	n/a	n/a	n/a
LA	50%	166	75%	n/a	58%	39%	n/a
KS	49%	352	65%	50%	61%	42%	n/a
VA	49%	150	n/a	51%	n/a	49%	37%
NC	48%	96	69%	n/a	n/a	27%	n/a
IN	48%	284	46%	54%	51%	43%	n/a
MT	47%	121	n/a	47%	56%	30%	n/a
MO	46%	141	n/a	48%	46%	43%	n/a
AR	46%	96	n/a	n/a	55%	34%	n/a
CO *	45%	78	n/a	n/a	n/a	59%	n/a
NCI-IDD	44%	8209	53%	52%	58%	34%	46%
MN	43%	103	n/a	54%	n/a	35%	n/a
WY	42%	119	n/a	n/a	51%	30%	n/a
IL	41%	76	n/a	41%	n/a	40%	n/a
HI	41%	118	n/a	n/a	n/a	38%	41%
ND	39%	102	n/a	n/a	60%	18%	n/a
OR	38%	119	n/a	n/a	n/a	34%	n/a
CA	38%	2770	49%	42%	66%	27%	n/a
NY	37%	339	n/a	38%	59%	26%	n/a
NH	37%	79	n/a	n/a	n/a	15%	43%
WI	36%	200	n/a	n/a	48%	36%	n/a
SD	35%	92	n/a	26%	52%	n/a	n/a
AZ	29%	56	n/a	n/a	n/a	24%	n/a
TX ↓	34%	462	n/a	41%	n/a	34%	32%
OK ↓	29%	154	n/a	35%	26%	26%	n/a
WA ↓	27%	133	n/a	36%	38%	18%	n/a

Table note: States with more than 25% missing or don't know responses are marked with an asterisk ().*

Table 7b. Last Pap test (among women 21 and older, includes “not applicable,” missing, and “don’t know” responses)

State	More than 3 years ago	In past 3 years	Missing	Not applicable	Don't know	N
AL	14%	16%	1%	63%	6%	601
AZ	10%	4%	0%	64%	22%	404
AR	13%	11%	1%	62%	13%	409
CA	20%	12%	0%	64%	3%	8614
CO *	4%	3%	0%	60%	32%	1025
CT	17%	21%	0%	58%	4%	611
DE	5%	7%	1%	66%	20%	405
DC	12%	22%	1%	62%	3%	374
GA	13%	18%	0%	61%	7%	411
HI	20%	13%	0%	62%	5%	356
IL	11%	7%	3%	62%	17%	417
IN	18%	16%	1%	59%	6%	844
KS	15%	14%	4%	61%	6%	1196
KY	3%	14%	2%	59%	22%	422
LA	18%	18%	1%	58%	5%	458
MD	12%	21%	1%	54%	13%	408
MI	8%	9%	1%	60%	22%	653
MN	15%	11%	1%	65%	7%	385
MO	19%	16%	0%	57%	8%	403
MT	14%	12%	3%	57%	14%	468
NE	12%	13%	2%	60%	13%	420
NV *	6%	6%	1%	62%	25%	496
NH	14%	8%	1%	58%	18%	360
NJ	9%	16%	1%	57%	17%	505
NY	12%	7%	0%	65%	16%	1750
NC	11%	10%	2%	61%	16%	451
ND	15%	9%	2%	60%	14%	426
OH *	5%	8%	2%	58%	27%	570
OK	28%	11%	0%	60%	1%	396
OR	18%	11%	1%	66%	4%	415
PA	7%	13%	5%	58%	17%	881
SC	6%	19%	5%	58%	13%	821
SD	17%	9%	3%	57%	14%	349
TX	24%	13%	1%	59%	3%	1246
UT *	3%	6%	1%	64%	27%	366
VA	9%	9%	0%	63%	18%	813
WA	24%	9%	2%	60%	5%	410
WI	14%	8%	6%	62%	11%	944
WY	17%	12%	3%	60%	7%	402
NCI-IDD	14%	11%	1%	61%	12%	30885

Table note: States with more than 25% missing or don't know responses are marked with an asterisk (*).

Last mammogram (women 50 and older)




Table 8. Had a mammogram test in the past two years (among women age 40 and over)

Information may have been obtained through state records. The U.S. Preventive Services Task Force (USPSTF) recommends that all women get screened every other year starting at age 40 to reduce their risk of dying from breast cancer. For more information, please visit [USPSTF's page on breast cancer screening](#).

State	Average	N	Institutional Settings	Group Settings	Own Home or Apartment	Parent's or Relative's Home	Host Home, Shared Living or Foster Care
NE	↑	93%	44	n/a	n/a	n/a	n/a
NJ	↑	91%	78	n/a	94%	n/a	n/a
PA	↑	89%	82	n/a	89%	n/a	n/a
SC	↑	86%	135	n/a	84%	93%	n/a
NC		86%	44	86%	n/a	n/a	n/a
CT		82%	85	n/a	81%	n/a	n/a
GA		81%	64	n/a	81%	n/a	n/a
MN		81%	31	n/a	91%	n/a	n/a
KY		79%	24	n/a	n/a	n/a	n/a
SD		79%	48	n/a	77%	n/a	n/a
LA		79%	71	n/a	n/a	74%	73%
MO		79%	52	n/a	n/a	79%	n/a
OR		79%	28	n/a	n/a	n/a	n/a
IL		78%	40	n/a	79%	n/a	n/a
NH		77%	35	n/a	n/a	n/a	83%
MD		77%	47	n/a	79%	n/a	n/a
IN		77%	98	n/a	74%	68%	n/a
AL		76%	72	n/a	75%	n/a	n/a
VA		75%	48	n/a	78%	n/a	n/a
MT		73%	49	n/a	77%	n/a	n/a
NCI-IDD	73%	2918	80%	74%	75%	68%	80%
OK		73%	45	n/a	76%	n/a	n/a
CA		73%	865	76%	69%	81%	72%
TX		72%	100	n/a	n/a	n/a	67%
AR		69%	36	n/a	n/a	77%	n/a
ND		69%	36	n/a	n/a	n/a	n/a
WY		69%	35	n/a	n/a	67%	n/a
MI		68%	44	n/a	59%	n/a	n/a
KS		68%	90	n/a	66%	n/a	n/a
OH		67%	21	n/a	n/a	n/a	n/a
WA		66%	35	n/a	n/a	n/a	n/a
HI		63%	40	n/a	n/a	n/a	n/a
DE		59%	27	n/a	56%	n/a	n/a
DC		59%	66	n/a	70%	n/a	n/a
NV		58%	24	n/a	n/a	n/a	n/a
WI	↓	54%	74	n/a	n/a	63%	52%
NY	↓	54%	124	n/a	54%	n/a	n/a
CO	↓	35%	57	n/a	34%	n/a	n/a
AZ		n/a	n/a	n/a	n/a	n/a	n/a
UT		n/a	n/a	n/a	n/a	n/a	n/a


Table note: Data display is suppressed (i.e. shown as n/a) for the following states with low counts of responses (n<20): AZ, UT. These responses are retained in NCI-IDD Average calculation.

Table 8b. Last mammogram test (among women age 40 and over, includes “not applicable,” missing, and “don’t know”)

Information may have been obtained through state records. The U.S. Preventive Services Task Force (USPSTF) recommends that all women get screened every other year starting at age 40 to reduce their risk of dying from breast cancer. For more information, please visit [USPSTF’s page on breast cancer screening](#).

State	More than 2 years	In past 2 years	Missing	Not applicable	Don't know	N
AL	3%	9%	0%	86%	1%	601
AZ	1%	2%	0%	94%	3%	404
AR	3%	6%	1%	87%	3%	409
CA	3%	7%	6%	83%	1%	8614
CO	4%	2%	0%	87%	8%	1025
CT	2%	11%	9%	76%	0%	611
DE	3%	4%	0%	87%	6%	405
DC	7%	10%	1%	82%	0%	374
GA	3%	13%	0%	82%	1%	411
HI	4%	7%	0%	87%	1%	356
IL	2%	7%	2%	85%	3%	417
IN	3%	9%	0%	87%	2%	844
KS	2%	5%	1%	88%	3%	1196
KY	1%	4%	2%	86%	6%	423
LA	3%	12%	0%	82%	2%	458
MD	3%	9%	0%	86%	3%	408
MI	2%	5%	1%	85%	7%	653
MN	2%	6%	1%	90%	2%	385
MO	3%	10%	0%	85%	2%	403
MT	3%	8%	3%	82%	4%	468
NE	1%	10%	1%	84%	5%	420
NV	2%	3%	1%	87%	7%	496
NH	2%	8%	1%	86%	4%	360
NJ	1%	14%	1%	77%	7%	505
NY	3%	4%	0%	88%	5%	1750
NC	1%	8%	1%	86%	3%	451
ND	3%	6%	1%	88%	3%	426
OH	1%	2%	2%	89%	6%	571
OK	3%	8%	0%	88%	1%	396
OR	1%	5%	6%	86%	1%	415
PA	1%	8%	3%	84%	3%	882
SC	2%	14%	3%	76%	4%	821
SD	3%	11%	1%	82%	3%	349
TX	2%	6%	0%	91%	1%	1246
UT	1%	3%	1%	91%	4%	366
VA	1%	4%	0%	89%	5%	813
WA	3%	6%	1%	89%	2%	410
WI	4%	4%	4%	84%	4%	944
WY	3%	6%	0%	89%	2%	402
NCI-IDD	2%	7%	2%	86%	3%	30888

Last colorectal cancer screening (among people 45 to 75)



Please note: Response options are not mutually exclusive.

Table 9. Last colorectal cancer screening (among people age 45 to 75)

Information may have been obtained through state records; The “don’t know” responses are included in the denominator

State	Colonoscopy within the past 10 years	Sigmoidoscopy within the past 5 years	Fecal Occult Blood Test (FOBT) or Fecal Immunochemical Test (FIT) in the past year	Never had exam or screening	Don't know	N
AL	36%	0%	3%	27%	34%	234
AZ	10%	0%	7%	14%	71%	59
AR	32%	1%	7%	20%	42%	136
CA *	29%	2%	25%	32%	16%	2380
CO *	22%	0%	0%	0%	78%	375
CT *	61%	0%	11%	19%	10%	228
DE	30%	3%	5%	51%	19%	128
DC	77%	1%	1%	7%	14%	166
GA	32%	1%	5%	36%	28%	185
HI	31%	1%	10%	43%	16%	114
IL	24%	1%	6%	21%	48%	147
IN	46%	2%	6%	33%	15%	313
KS	39%	1%	6%	11%	43%	245
KY	30%	1%	2%	7%	61%	143
LA	39%	0%	9%	20%	34%	202
MD	45%	3%	6%	20%	27%	143
MI	18%	0%	8%	11%	63%	236
MN	32%	2%	10%	32%	25%	111
MO	37%	2%	14%	26%	22%	133
MT	36%	0%	5%	20%	39%	202
NE	31%	0%	9%	14%	46%	185
NV	13%	0%	2%	15%	71%	151
NH	46%	2%	5%	15%	32%	130
NJ	33%	0%	18%	11%	38%	261
NY	26%	1%	3%	25%	47%	589
NC	43%	1%	7%	17%	33%	146
ND *	35%	1%	6%	19%	40%	113
OH	12%	0%	3%	7%	78%	125
OK	40%	0%	15%	46%	2%	150
OR	36%	0%	12%	26%	26%	103
PA	33%	0%	6%	8%	53%	285
SC *	44%	0%	8%	7%	41%	386
SD	46%	1%	6%	17%	30%	145
TX	38%	4%	15%	38%	11%	342
UT	19%	0%	7%	4%	70%	69
VA	27%	2%	5%	13%	54%	250
WA	32%	2%	14%	26%	26%	125
WI	33%	0%	9%	17%	41%	233
WY	36%	7%	6%	28%	24%	119
NCI-IDD	32%	1%	10%	22%	36%	9787

Table note: States with more than 25% missing or don't know responses are marked with an asterisk (*).

Table 9b. Last colorectal cancer screening (among people age 45 to 75, includes “not applicable,” missing, and “don’t know” responses)

State	Valid response	Missing	Not applicable	Don't know	N
AL	26%	0%	60%	13%	601
AZ	4%	0%	85%	10%	404
AR	20%	0%	66%	14%	408
CA *	22%	73%	0%	4%	8614
CO *	8%	0%	63%	28%	1025
CT *	35%	61%	1%	4%	611
DE	26%	4%	64%	6%	405
DC	39%	0%	55%	6%	374
GA	33%	0%	54%	13%	411
HI	27%	0%	68%	5%	356
IL	18%	2%	63%	17%	416
IN	32%	0%	62%	5%	844
KS	12%	7%	72%	9%	1195
KY	14%	0%	65%	21%	422
LA	30%	1%	54%	15%	458
MD	25%	0%	65%	10%	408
MI	14%	1%	63%	23%	652
MN	22%	3%	68%	7%	385
MO	26%	0%	67%	7%	403
MT	27%	1%	55%	17%	467
NE	24%	2%	54%	20%	418
NV	9%	0%	69%	22%	493
NH	25%	2%	62%	12%	360
NJ	32%	1%	47%	20%	505
NY	18%	1%	65%	16%	1750
NC	22%	0%	67%	11%	450
ND *	16%	72%	1%	11%	426
OH	5%	0%	78%	17%	569
OK	37%	0%	62%	1%	396
OR	18%	0%	75%	7%	415
PA	15%	3%	64%	17%	881
SC *	28%	9%	43%	19%	819
SD	29%	2%	56%	13%	349
TX	24%	1%	71%	3%	1246
UT	6%	7%	74%	13%	366
VA	15%	0%	69%	17%	813
WA	23%	0%	69%	8%	410
WI	15%	7%	67%	10%	943
WY	23%	3%	67%	7%	402
NCI-IDD	20%	16%	53%	11%	30870

Table note: States with more than 25% missing or don't know responses are marked with an asterisk (*).

Had flu vaccination in last 12 months




Table 10. Had a flu vaccine in the past 12 months

Information may have been obtained through state records

State	Average	N	Institutional Settings	Group Settings	Own Home or Apartment	Parent's or Relative's Home	Host Home, Shared Living or Foster Care
CO *	↑	100%	176	n/a	100%	100%	100%
SD	↑	89%	298	n/a	88%	87%	94%
SC	↑	88%	633	n/a	93%	82%	59%
UT *	↑	87%	127	n/a	84%	n/a	75%
DE	↑	85%	391	n/a	91%	n/a	71%
ND *	↑	83%	255	98%	87%	85%	60%
NE	↑	83%	370	93%	86%	80%	74%
CT	↑	83%	583	n/a	93%	82%	68%
AL	↑	81%	559	n/a	87%	84%	68%
IL *	↑	81%	294	n/a	88%	78%	65%
MD	↑	79%	371	n/a	89%	83%	70%
NJ	↑	79%	418	n/a	86%	80%	51%
KY *	↑	77%	197	n/a	88%	64%	66%
GA	↑	77%	375	n/a	85%	75%	72%
MI *	↑	76%	343	n/a	86%	72%	67%
VA *	↑	74%	522	n/a	88%	71%	61%
MT	↑	74%	405	n/a	81%	74%	60%
NH *		74%	207	n/a	82%	n/a	66%
MO		73%	382	n/a	87%	72%	62%
AR		70%	341	n/a	77%	70%	67%
KS		70%	1057	80%	83%	74%	57%
HI		70%	331	n/a	88%	n/a	60%
LA		69%	429	96%	n/a	68%	61%
NC *		69%	333	92%	89%	55%	54%
WA		69%	398	n/a	87%	83%	56%
IN		69%	796	95%	75%	73%	57%
NCI-IDD		67%	25294	92%	83%	68%	56%
OH *		67%	156	n/a	77%	75%	54%
NY *		66%	1304	n/a	81%	52%	50%
MN		65%	356	n/a	74%	67%	55%
CA		64%	8370	92%	85%	60%	55%
WI		64%	826	n/a	92%	61%	62%
TX		63%	1186	n/a	82%	44%	61%
PA *		62%	445	n/a	76%	61%	46%
OK		62%	388	n/a	72%	70%	50%
DC	↓	59%	355	72%	55%	59%	58%
NV *	↓	54%	229	n/a	44%	60%	63%
OR	↓	53%	387	n/a	65%	63%	46%
WY	↓	52%	357	n/a	n/a	59%	43%
AZ	↓	33%	344	n/a	49%	n/a	30%

Table note: States with more than 25% missing or don't know responses are marked with an asterisk (*).

Table 10b. Had a flu vaccine in the past year (includes missing and “don’t know” responses)

State	Flu vaccine in the past year	Not in the past year	Missing	Don't know	N
AL	75%	18%	2%	5%	601
AZ	28%	57%	1%	14%	404
AR	59%	25%	0%	17%	409
CA	62%	35%	1%	2%	8614
CO *	17%	0%	0%	83%	1025
CT	79%	17%	0%	4%	611
DE	82%	14%	2%	1%	405
DC	56%	39%	1%	5%	374
GA	70%	21%	0%	8%	411
HI	65%	28%	0%	7%	356
IL *	57%	13%	5%	25%	417
IN	65%	30%	0%	5%	844
KS	62%	27%	4%	8%	1196
KY *	36%	11%	0%	53%	423
LA	65%	29%	0%	6%	458
MD	72%	19%	1%	8%	408
MI *	40%	13%	3%	45%	653
MN	60%	33%	3%	5%	385
MO	69%	26%	0%	5%	403
MT	64%	22%	3%	11%	468
NE	73%	15%	1%	11%	420
NV *	25%	21%	2%	52%	496
NH *	43%	15%	5%	38%	360
NJ	65%	17%	2%	16%	505
NY *	49%	25%	0%	25%	1750
NC *	51%	23%	0%	26%	451
ND *	50%	10%	12%	28%	426
OH *	18%	9%	2%	70%	571
OK	61%	37%	1%	2%	396
OR	49%	44%	2%	5%	415
PA *	31%	19%	9%	41%	882
SC	67%	10%	4%	19%	821
SD	76%	10%	2%	13%	349
TX	60%	35%	2%	3%	1246
UT *	30%	4%	1%	64%	366
VA *	48%	16%	0%	35%	813
WA	67%	30%	0%	3%	410
WI	56%	32%	3%	9%	944
WY	47%	42%	5%	6%	402
NCI-IDD	54%	26%	2%	19%	30888

Table note: States with more than 25% missing or don't know responses are marked with an asterisk (*).

In the past 12 months, have you gone to the emergency room for any reason (to get care for yourself)?





Table 11. Went to the emergency room for any reason to get care for themselves in the past 12 months*Proxy respondents were allowed for this question*

State	Yes	No	N
AL	20%	80%	581
AZ	22%	78%	396
AR	26%	74%	407
CA	24%	76%	8504
CO	31%	69%	1005
CT	38%	62%	593
DE	33%	67%	395
DC	26%	74%	359
GA	21%	79%	410
HI	18%	82%	347
IL	21%	79%	373
IN	31%	69%	832
KS	29%	71%	1160
KY	18%	82%	404
LA	26%	74%	448
MD	26%	74%	393
MI	30%	70%	641
MN	26%	74%	370
MO	28%	72%	398
MT	30%	70%	450
NE	32%	68%	402
NV	24%	76%	485
NH	34%	66%	354
NJ	40%	60%	477
NY	27%	73%	1689
NC	23%	77%	446
ND	26%	74%	407
OH	31%	69%	553
OK	32%	68%	388
OR	30%	70%	408
PA	28%	72%	854
SC	37%	63%	753
SD	25%	75%	334
TX	24%	76%	1213
UT	32%	68%	327
VA	30%	70%	800
WA	24%	76%	407
WI	32%	68%	928
WY	29%	71%	382
NCI-IDD	27%	73%	30073

Reasons for unexpected hospitalization



Please note: Response options are not mutually exclusive.

Table 12. Had an unexpected hospital admission due to dehydration, bowel obstruction, seizure, aspiration, or GERD, in the past year

Information may have been obtained through state records. Response options are not mutually exclusive.

State	Dehydration	Bowel obstruction	Seizure	Aspiration	Gastroesophageal Reflux Disease (GERD)	N
AL	n/a	n/a	n/a	n/a	n/a	n/a
AZ	4%	17%	52%	9%	17%	23
AR	11%	27%	48%	9%	32%	44
CA	n/a	n/a	n/a	n/a	n/a	n/a
CO	27%	0%	8%	38%	54%	26
CT	7%	19%	30%	19%	30%	27
DE	n/a	n/a	n/a	n/a	n/a	n/a
DC	n/a	n/a	n/a	n/a	n/a	n/a
GA	14%	24%	5%	33%	38%	21
HI	n/a	n/a	n/a	n/a	n/a	n/a
IL	5%	23%	45%	14%	23%	22
IN	n/a	n/a	n/a	n/a	n/a	n/a
KS	n/a	n/a	n/a	n/a	n/a	n/a
KY	n/a	n/a	n/a	n/a	n/a	n/a
LA	n/a	n/a	n/a	n/a	n/a	n/a
MD	n/a	n/a	n/a	n/a	n/a	n/a
MI	9%	7%	42%	18%	33%	45
MN	n/a	n/a	n/a	n/a	n/a	n/a
MO	17%	13%	35%	4%	43%	23
MT	15%	10%	50%	20%	10%	20
NE	n/a	n/a	n/a	n/a	n/a	n/a
NV	n/a	n/a	n/a	n/a	n/a	n/a
NH	0%	18%	36%	18%	36%	22
NJ	n/a	n/a	n/a	n/a	n/a	n/a
NY	19%	18%	47%	14%	15%	78
NC	n/a	n/a	n/a	n/a	n/a	n/a
ND *	26%	15%	22%	37%	4%	27
OH	9%	13%	43%	17%	35%	23
OK	15%	27%	54%	12%	0%	26
OR *	15%	21%	33%	21%	12%	33
PA	6%	15%	34%	21%	28%	47
SC	8%	15%	38%	8%	49%	71
SD	n/a	n/a	n/a	n/a	n/a	n/a
TX	n/a	n/a	n/a	n/a	n/a	n/a
UT *	9%	0%	91%	9%	9%	22
VA	14%	39%	41%	27%	12%	49
WA	n/a	n/a	n/a	n/a	n/a	n/a
WI	13%	4%	54%	29%	8%	24
WY	n/a	n/a	n/a	n/a	n/a	n/a
NCI-IDD	13%	17%	41%	18%	23%	841

Data are suppressed (displayed as n/a) for states with fewer than 20 responses; however, these states are still included in the calculation of the NCI-IDD Average. States with more than 25% missing or don't know responses are marked with an asterisk (). Percentage shows "Of those with an unexpected hospital admission due to dehydration, bowel obstruction, seizure, aspiration, or GERD in the past year, the percent that were hospitalized for each condition."*

In the past 6 months, have you fallen and hurt yourself?




Table 13. Fell and hurt themselves in the past six months*Proxy respondents were allowed for this question*

State	Fell and hurt themselves in the past 6 months	Did not fall and hurt themselves in the past 6 months	N
AL	13%	87%	588
AZ	15%	85%	396
AR	18%	82%	407
CA	13%	87%	8532
CO	18%	82%	1008
CT	16%	84%	595
DE	12%	88%	395
DC	11%	89%	361
GA	14%	86%	407
HI	12%	88%	346
IL	9%	91%	381
IN	17%	83%	830
KS	22%	78%	1152
KY	11%	89%	404
LA	16%	84%	449
MD	10%	90%	397
MI	15%	85%	640
MN	13%	87%	373
MO	19%	81%	400
MT	18%	82%	447
NE	19%	81%	410
NV	17%	83%	485
NH	14%	86%	354
NJ	15%	85%	483
NY	13%	87%	1692
NC	12%	88%	446
ND	20%	80%	409
OH	12%	88%	559
OK	18%	82%	387
OR	17%	83%	409
PA	15%	85%	857
SC	17%	83%	791
SD	21%	79%	334
TX	14%	86%	1219
UT	22%	78%	330
VA	12%	88%	803
WA	14%	86%	406
WI	18%	82%	932
WY	20%	80%	382
NCI-IDD	14%	86%	30196



Human Services Research Institute

Human Services Research Institute (HSRI)
2336 Massachusetts Avenue
Cambridge, MA 02140



NASDDDS

National Association of State Directors
of

Developmental Disabilities Services

National Association of State Directors of Developmental Disabilities Services (NASDDDS)
301 N Fairfax Street, Suite 101
Alexandria, VA 22314

April 2026

Questions/Comments: nci@nationalcoreindicators.org